

2001
DODGE RAM STANDARD CAB
(BR)



Jeep

CHRYSLER • PLYMOUTH • DODGE • JEEP

THE MOPAR DIFFERENCE

VIN PLATE DECODING INFORMATION


1	2	3	4	5	6	7	8	9	10	11	12 thru 17
Country	Make	Vehicle Type	Other	Line	Series	Body Style	Engine	Check Digit	Model Year	Assy. Plant	Sequence No.









The following table interprets the VIN Plate positions shown above.

Position	Interpretation	Codes = Description
1	Country of Origin	1 = Built in U.S. by DaimlerChrysler Corporation 3 = Built in Mexico by DaimlerChrysler de Mexico
2	Make	B = Dodge
3	Vehicle type	6 = Incomplete 7 = Truck
4	GVWR & Pass. Safety	D=0-1360 kg (0-3000 lbs) E=1361-1814 kg (3001-4000 lbs) F=1815-2267 kg (4001-5000 lbs) G=2268-2721 kg (5001-6000 lbs) H=2722-3175 kg (6001-7000 lbs) J=3176-3628 kg (7001-8000 lbs) K=3629-4082 kg (8001-9000 lbs) L=4083-4535 kg (9001-10000 lbs) M=4536-6350 kg (10001-14000 lbs)
5	Vehicle Line	C = Ram Chassis Cab/Ram Pick Up (4x2) F = Ram Chassis Cab/Ram Pick Up (4x4)
6	Series	1 = 1500 2 = 2500 3 = 3500 6 = Miscellaneous
7	Body Style	6 = Standard Cab
8	Engine	X - 3.9L 6 Cyl. (EHC) Y = 5.2L 8 Cyl. (ELF) 7 = 5.9L 6 Cyl. (ETH) 6 = 5.9L 6 Cyl. (ETC) 5 = 5.9L 8 Cyl. (EMM) Z = 5.9L 8 Cyl. (EML) W = 8.0L 10 Cyl (EWA)
9	Check Digit	
10	Model Year	1 = 2001
11	Assembly Plant	S = Warren Truck Assembly Plant J = St. Louis North M =Lago Alberto
12 thru 17	Vehicle Build Sequence	Model Year Assembly Sequence

Group – 001

Component Parts for Mopar Accessories



001-100 Audio & Electronics	001-200 Carriers & Cargo Hauling	001-300 Driving Convenience	001-400 Exterior Appearance
			
001-500 Exterior Protection	001-600 Fog Lights & Electrical	001-900 Security	001-1000 4 - Wheeling & Off Road
			

GROUP 1 - Component Parts for Mopar Accessories

Illustration Title

Group-Fig. No.

Audio & Electronics

Player Kit - 6 Disc	Fig. 001-110
Player Kit - 12 Disc	Fig. 001-120

Carriers & Cargo Hauling

Cover Kit - Tonneau - Sport With Frame- Vinyl	Fig. 001-210
Cover Kit - Tonneau - Folding	Fig. 001-212
Cover Kit - Tonneau - Hard	Fig. 001-216
Mirror Package - Trailer Tow	Fig. 001-230
Wiring Kit - Trailer Tow	Fig. 001-240
Adapter Kit - Ball Mount	Fig. 001-250

Driving Convenience

Speed Control Kit	Fig. 001-310
-------------------------	--------------

Exterior Appearance

Step Bumper	Fig. 001-410
Step Kit	Fig. 001-420
Running Board	Fig. 001-430
Grill Guard	Fig. 001-440
Wheel Liner	Fig. 001-450

Exterior Protection

Moulding Kit Wheel Lip Opening	Fig. 001-510
Shield Kit - Air Front	Fig. 001-520
Plate Package - Skid Transfer Case	Fig. 001-530

Fog Lights & Electrical

Light Kit - Fog	Fig. 001-610
Light Kit - Off Road	Fig. 001-612
Fog Lamp Kit - Brush Guard	Fig. 001-620
Fog Lamp Kit - Fascia	Fig. 001-622
Installation Kit - Off Road Lamps	Fig. 001-630
Heater Kit	Fig. 001-640


Security

Alarms - EVS II Without Power Door Locks	Fig. 001-910
Alarms - EVS II With Power Door Locks	Fig. 001-912
Alarms - EVS II For Factory Keyless Entry	Fig. 001-914

4 - Wheeling & Off Road

Winch Kit - Power	Fig. 001-1010
-------------------------	---------------

Player Kit - 6 Disc
Figure 001-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; Use with CD-Controlled radios. For radios without CD Changer controls, use FM-Modulator Kit 82202292


1	8220 2700	1	PLAYER KIT, CD Changer - 6 Disc
2	4797 433	1	MAGAZINE, CD Changer

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Player Kit - 12 Disc
 Figure 001-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; For radio without CD controls. Pentastar Logo, Includes RF Modulator, Power Cord, Din Cord, Hand Held and IR Remote Controller and Operating manual, 12 Disc Magazine.


1	8220 4730	1							PLAYER KIT, CD Changer - 12 Disc, Consists of: Items 2 thru 9
2	5013 804AA	1							MODULATOR, FM
3	5013 800AA-	1							HARDWARE KIT, Mounting
4	5013 806AA	1							CHANGER, CD
5	5013 802AA	1							CONTROLLER, CD Wireless, Wireless
6	5013 805AA	1							MAGAZINE, CD Changer
7	5013 803AA	1							CONTROLLER, CD Wired, Wired
8	4465 117	1							ADAPTOR, A/C
9	5013 801AA	1							DIN CORD, CD Player, 5 Meters long

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cover Kit - Tonneau - Sport With Frame- Vinyl
Figure 001-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; Not for use with OverRail Bedliners. Cover Kits have new material and new bow system.

1									COVER, Tonneau
	8220 3124	1			61				6.5' Bed
	8220 3125	1			62				8' Bed
2									COVER KIT, Tonneau with Frame-
									Vinyl
	8240 1379	1			61				Replacement Package of 4 Allen
									Screws - 6.5' Bed
	8240 1380	1			62				Replacement Package of 4 Allen
									Screws -8' Bed
-3	5017 515AA-	1			61				SNAP KIT, Tonneau Cover, Package
									of 10
4	5017 802AA	1			61				RAIL KIT, Tonneau - Rear Mounting,
									Snaps & Mounting Hardware

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cover Kit - Tonneau - Folding
Figure 001-212

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									COVER KIT, Tonneau-Folding
	8220 3920	1			61				6.5 Foot Bed
	8220 3921	1			62				8 Foot Bed
-2	5018 118AA-	1			61				LOCK KIT, folding-tonneau
-3	5018 386AA-	1			61				KEY, Master
-4									HARDWARE KIT, Tonneau - Folding
	8220 3246	1			61				6.5 Foot Bed
	8220 3247	1			62				8 Foot Bed




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cover Kit - Tonneau - Hard
Figure 001-216



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; Use the Gas Props for the rear only. The kit contains two gas props, gas prop brackets for lid and frame - 2 of each bracket.


1									COVER KIT, Tonneau-Hard
	8220 4378	1			61				White [PW7]
	8220 4380	1			61				Black [PX8]
	8220 4382	1			61				Flame Red [PR4]
	8220 4386	1			61				Chestnut [PU1]
	8220 4388	1			61				Metallic Red [PRC]
	8220 4390	1			61				Driftwood [PFA]
-2	5018 117AA-	1			61				LOCK KIT, hard-tonneau
-3	5018 343AA-	1			61				KEY, Master
-4	5018 067AA-	1			61				GAS PROP KIT, tonneau-hard, Contains: Gas Props, Brackets for Lid and Frame - 2 of each

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Mirror Package - Trailer Tow
Figure 001-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8240 1002	1							MIRROR PACKAGE, Exterior
-2	6031 438	8							NUT AND SEALER, .250-20
3									COVER, Mirror Flag
	5507 5444	1							Right
	5507 5445	1							Left
4	5507 4917	1							MIRROR KIT, Trailor Tow
5	4746 372	1							MIRROR, Outside Rearview
6									BRACKET, Mirror
	4746 368	1							Upper, Right
	4746 369	1							Upper, Left
7									BRACKET, Mirror
	4746 374	1							Lower, Right
	4746 375	1							Lower, Left
8	4746 373	8							WASHER, Mirror, Black
9	4746 376	1							BOLT, Mirror
10	4723 110	1							WASHER, Outside Mirror, Phenolic
11	4723 109	1							WASHER, Outside Mirror
-12	5513 5182	2							SEAL, Mirror Opening
13									SCREW, Hex Head, .25-20x.75, (NOT SERVICED) (Not Serviced)


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring Kit - Trailer Tow
Figure 001-240

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 4724	1			61, 62				WIRING KIT, Trailer Tow - 7 Way
2	6015 756	1							STRAP, Tie
3	0154 633	4							SCREW, .164-18x.625




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Adapter Kit - Ball Mount
Figure 001-250




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									ADAPTER KIT, Ball Mount
	8220 0248	1							2000# Tow Rate - 3/4' shank
	8220 1148	1							5000# Tow Rate - 1' shank
	8220 1149	1							5000# Tow Rate- 1' shank
2	5016 666AA	1							PIN, Hitch
3									BALL KIT, Trailer Tow
	8240 1106	1							2' Dia. Ball
	8240 1216	1			61, 62				1' Dia. Ball

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Speed Control Kit
Figure 001-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1									CONTROL PACKAGE, Speed
									Control
	8220 4651	1							V10
	8220 4652	1							V6 and V8
	8220 4654	1							Diesel
-2									SWITCH, Speed Control
	56021 333AB-	1							Left
	56021 332AB-	1							Right
-3	56045 455AD-	1							CLOCKSPRING
4	4669 977	1							SERVO, Speed Control
5									CABLE, Speed Control
	5207 9311	1							V10
	5303 1574	1							Diesel
6	5300 7958	1							BRACKET, Speed Control Servo
7									HARNESS, Vacuum Speed Control
	5207 8323	1							V10 and Diesel
	5207 8320	1							V6 and V8
8	6100 775	2							NUT, Hex Flange, M5x.8
9	5503 5614	1							RESERVOIR, Vacuum
10	6025 867	1							CLIP, Cable to Servo Attach
11	6502 493	2							NUT, Hex Flange Serration, M6x1
12	6016 203	1	6, 7, 8						CLIP, Vacuum Harness
13	6503 441	1							CLIP, Cruise Control
14	6032 988	3							SCREW

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Step Bumper
Figure 001-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BUMPER KIT, Step Rear
	8240 1315	1			61, 62				Argent
	8240 1316	1			61, 62				Chromed
2									BUMPER, Rear
	5FG80 KSJAE	1							Argent
	55076 634AE	1							Chromed
3									BRACKET, Rear Bumper Side
	5527 4868	1							Right,Outer
	5527 4869	1							Left,Outer
4	5527 4863	2							BRACKET, Rear Bumper, Center
-5	6504 395	2							BOLT AND RETAINER, M12X1. 75X35.00
-6	6505 099AA-	8							NUT, Hex Flange Lock, M12x1.75
-7	6504 122	2							BOLT, m12x1.75x35.00
-8	6100 055	4							NUT AND WASHER, Hex Nut-Coned Washer, M12 x 1.75
-9	6504 394	2							BOLT AND RETAINER, M12X1. 75X35.00
10	8240 1107	1							PANEL PACKAGE, License Plate With Light
11	5507 6850	1			61, 62				PANEL, License Plate
-12	5505 4891	2			61, 62				LENS, License Lamp
-13	5601 8807	2			61, 62				WIRING, Taillamp Socket
-14	L000 0168	2			61, 62				BULB, 168
-15	8240 0999	1			61, 62				BUMPER KIT, Drop-Chrome

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Step Kit
Figure 001-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:P.A.R. = Paint as Required.


1	8220 3443	1							STEP KIT, Truck - Cab Metalic Red - [PRF] Premium Molded
	8220 4041	1							Forest Green - [SG8]
	8220 4042	1							Deep Amethyst - [TCU]
	8220 4043	1							Intense Blue - [SPG]
	8220 5109	1							Solar Yellow - [VYH]
	8220 5748	1			61, 62				Patriot Blue - [WBT/WB7]
	8220 5749	1			61, 62				Dark Garnet Red - [XRV]
	8220 5750	1			61, 62				Sierra Bronze - [XTL]
	8240 1244	1							Bright White - [PW7]
	8240 1247	1							Driftwood - [QFA]
2	8240 1253	1							Flame Red - [QR4]
	8240 1336	1							Black - [GX8]
	5017 984AA	1							STEP KIT, Truck - Cab [P.A.R.], with Step Pad and Instructions, Right
	5017 985AA	1							[P.A.R.], with Step Pad and Instructions, Left
3									STEP KIT, Extension - Rear
	8220 4242	1			61				Flame Red - [PR4], 6.5 Foot Bed
	8220 4243	1			62				Flame Red - [PR4], 8 Foot Bed, without Dual Rear Wheels
	8220 4244	1			61				Black - [PX8], 6.5 Foot Bed
	8220 4245	1			62				Black - [PX8], 8 Foot Bed, without Dual Rear Wheels
	8220 4246	1			61				Bright White - [PW7], 6.5 Foot Bed
	8220 4247	1			62				Bright White - [PW7], 8 Foot Bed, without Dual Rear Wheels
	8220 4250	1			61				Driftwood - [PFA], 6.5 Foot Bed
	8220 4251	1			62				Driftwood - [PFA], 8 Foot Bed, without Dual Rear Wheels
	8220 4254	1			61				Metalic Red - [PRF], 6.5 Foot Bed
	8220 4255	1			62				Metalic Red - [PRF], 8 Foot Bed, without Dual Rear Wheels
	8220 4256	1			61				Forest Green - [PG8], 6.5 Foot Bed
	8220 4257	1			62				Forest Green - [PG8], 8 Foot Bed, without Dual Rear Wheels
	8220 4258	1			61				Deep Amethyst - [TCU], 6.5 Foot Bed

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Step Kit
Figure 001-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	8220 4259	1			62				Deep Amethyst - [TCU], 8 Foot Bed, without Dual Rear Wheels
	8220 4260	1			61				Intense Blue - [SPG], 6.5 Foot Bed
	8220 4261	1			62				Intense Blue - [SPG], 8 Foot Bed, without Dual Rear Wheels
	8220 5111	1			61				Solar Yellow - [VYH], 6.5 Foot Bed
	8220 5112	1			62				Solar Yellow - [VYH], 8 Foot Bed, without Dual Rear Wheels
	8220 5754	1			61				Patriot Blue - [WBT/WB7], 6.5 Foot Bed
	8220 5755	1			61				Dark Garnet Red - [XRV], 6.5 Foot Bed
	8220 5756	1			61				Sierra Bronze - [XTL], 6.5 Foot Bed
	8220 5757	1			62				Patriot Blue - [WBT/WB7], 8 Foot Bed, without Dual Rear Wheels
	8220 5758	1			62				Dark Garnet Red - [XRV], 8 Foot Bed, without Dual Rear Wheels
	8220 5759	1			62				Sierra Bronze - [XTL], 8 Foot Bed, without Dual Rear Wheels
4									STEP KIT, Extension - Rear
	5017 978AA	1			61				[P.A.R.], 6.5 Foot Bed, Right
	5017 979AA	1			61				[P.A.R.], 6.5 Foot Bed, Left
	5017 980AA	1			62, 65				[P.A.R.], 8 Foot Bed, without Dual Rear Wheels, Right
	5017 981AA	1			62, 65				[P.A.R.], 8 Foot Bed, without Dual Rear Wheels, Left
5									STEP KIT, Truck - Full
	8220 4294	1			61				Forest Green - [SG8], Standard Cab, 6.5 Foot Bed
	8220 4295	1			61				Bright White - [PW7], Standard Cab, 6.5 Foot Bed
	8220 4296	1			61				Flame Red - [PR4], Standard Cab, 6.5 Foot Bed
	8220 4297	1			61				Metalic Red - [LRF], Standard Cab, 6.5 Foot Bed
	8220 4298	1			61				Black - [DX8], Standard Cab, 6.5 Foot Bed
	8220 4299	1			61				Intens Blue - [VB3], Standard Cab, 6.5 Foot Bed

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Step Kit
Figure 001-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	8220 4539	1			61				Driftwood - [PFA], Standard Cab,
									6.5 Foot Bed
	8220 4914	1			61				Solar Yellow - [VYH], Standard
									Cab, 6.5 Foot Bed
6	5018 068AA	1			61, 62				STEP KIT, Right Side, [P.A.R.], Cab
									Side
7	5018 069AA	1			61, 62				STEP KIT, Left Side, [P.A.R.], Cab
									Side
8	5018 072AA	1			61, 62				STEP KIT, Right Side, [P.A.R.], Bed
									Side, 6.5 Foot Bed
9	5018 073AA	1			61, 62				STEP KIT, Left Side, [P.A.R.], Bed
									Side, 6.5 Foot Bed
10									STEP KIT, Tubular Side
	8220 2693	1							Chrome Steel Diamond Plate, with
									Step Pad, Standard Cab
	8240 1293	1							Aluminum Diamond Plate,
									Standard Cab
	8240 1294	1							Black Aluminum Diamond Plate,
									Standard Cab
	8240 1295	1							Black Steel Diamond Plate,
									Standard Cab
11									STEP KIT, Tubular Side
	5018 036AA	1							Chrome Steel Diamond Plate, with
									Step Pad, Standard Cab, Right
	5018 037AA	1							Chrome Steel Diamond Plate, with
									Step Pad, Standard Cab, Left
	5018 038AA	1							Aluminum Diamond Plate,
									Standard Cab, Right
	5018 039AA	1							Aluminum Diamond Plate,
									Standard Cab, Left
	5018 040AA	1							Black Aluminum Diamond Plate,
									Standard Cab, Right
	5018 041AA	1							Black Aluminum Diamond Plate,
									Standard Cab, Left
	5018 042AA	1							Black Steel Diamond Plate,
									Standard Cab, Right
	5018 043AA	1							Black Steel Diamond Plate,
									Standard Cab, Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Running Board
Figure 001-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Cladding Kits without Lighting Consists of: Claddings and Running Boards Rights and Lefts.
Cladding Kits with Lighting Consists of: Claddings and Running Boards Rights and Lefts and Light Tube and Module. P.A.R.= Paint
As Required.


-1									RUNNING BOARD KIT, Full
	8220 3047	1			61				Premium Molded over Aluminum, End Caps Black PX8 Standard Cab 6 1/2 Bed
	8220 3049	1			62				Premium Molded over Aluminum, End Caps Black PX8, Standard Cab 8' Bed
	8220 3051	1			61				Premium Molded over Aluminum, End Caps Emerald Green PGF Standard Cab 6 1/2' Bed
	8220 3053	1			62				Premium Molded over Aluminum, End Caps Emerald Green PGF Standard Cab 8' Bed
	8220 3059	1			61				Premium Molded over Aluminum, End Caps Driftwood MFA Standard Cab 6 1/2 ' Bed
	8220 3061	1			62				Premium Molded over Aluminum, End Caps Driftwood MFA, Standard Cab 8' Bed
	8220 3931	1			61				Premium Molded over Aluminum, End Caps Forest Green SG8, Standard Cab 6 1/2' Bed
	8220 3932	1			62				Premium Molded over Aluminum, End Caps Forest Green SG8, Standard Cab 8' Bed
	8220 3935	1			61				Premium Molded over Aluminum, End Caps Dark Amethyst TCU, Standard Cab 6 1/2' Bed
	8220 3936	1			62				Premium Molded over Aluminum, End Caps Dark Amethyst TCU, Standard Cab 8' Bed
	8220 3939	1			61				Premium Molded over Aluminum, End Caps Intense Blue, SPG, Standard Cab, 6 1/2' Bed
	8220 3940	1			62				Premium Molded over Aluminum, End Caps Intense Blue, SPG, Standard Cab 8' Bed

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Running Board
Figure 001-430




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	8220 4912	1			61				Premium Molded over Aluminum, End Caps, Solar Yellow, VYH, Standard Cab 6 1/2' Bed
	8220 2466	1	1, 6		61				Premium Molded over Aluminum, Split Design 2 Boards per Side, W/Rear Splash Gaurds, Standard Cab 6 1/2' Bed W/O Daul Rear Wheels
	8220 2467	1			62				Premium Molded over Aluminum, Split Design 2 Boards per Side, W/Rear Splash Gaurds, Standard Cab 8' Bed W/O Daul Rear Wheels
	8220 2468	1	3		62				Premium Molded over Aluminum, Split Design 2 Boards per Side, W/O Rear Splash Gaurds Standard Cab W/Daul Rear Wheels
	8220 2494	1			61				Premium Molded over Aluminum, Split Design 2 Boards per Side W/O Rear Gaurds Standard Cab 6 1/2' Bed
	8220 3041	1			62				Premium Molded over Aluminum, End Caps Bright White GW7, Standard Cab 8' Bed
	8220 3043	1			61				Premium Molded over Aluminum, End Caps Flame Red PR4, Standard Cab 6 1/2' Bed
	8220 3045	1			62				Premium Molded over Aluminum, End Caps Flame Red PR4, Standard Cab 8' Bed
	8220 3296	1			61				Premium Molded over Aluminum, End Caps Metalic Red LRF, Standard Cab 6 1/2' Bed
	8220 3298	1			62				Premium Molded over Aluminum, End Caps Metalic Red LRF, Standard Cab 8' Bed
	8220 5742	1			61				Premium Molded over Aluminum, End Caps Patriot Blue WBT/ WB7, Standard Cab 6 1/2' Bed

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Running Board
Figure 001-430




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	8220 5743	1			61				Premium Molded over Aluminum, End Caps Dark Garner Red XRV, Standard Cab 6 1/2' Bed
	8220 5744	1			61				Premium Molded over Aluminum, End Caps Sierra Bronze XTL, Standard Cab 6 1/2' Bed
-2	5017 896AA-	1			61				RUNNING BOARD, Right Side P.A.R. Cab Section, 6 1/2' Bed, Right
	5017 898AA-	1			61				P.A.R. Bed Extension 6 1/2' Bed, Right
	5017 910AA-	1			62, 63, 65				P.A.R. Cab Section 8' Bed, W/O Dual Rear Wheels Right
	5017 912AA-	1			62, 63, 65				P.A.R. Bed Extension 8' Bed, W/O Dual Rear Wheels Right
	5017 932AA-	1			61				P.A.R. Cab Section 6 1/2' Bed, W/O Dual Rear Wheels
	5017 934AA-	1			61				P.A.R. Bed Section 6 1/2 Bed, W/O Dual Rear Wheels
	5017 946AA-	1			62, 63				P.A.R. Cab Section 8' Bed, W/ Dual Rear Wheels
	5017 948AA-	1			62, 63				P.A.R. Bed Section 8' Bed W/ Dual Rear Wheels
-3	5017 897AA-	1			61				RUNNING BOARD, Left Side P.A.R. Cab Section, 6 1/2' Bed W/O Dual Rear Wheels
	5017 899AA-	1			61				P.A.R. Bed Section 6 1/2 ' Bed W/O Dual Rear Wheels
	5017 911AA-	1			62, 63, 65				P.A.R. Cab Section 8' Bed W/O Dual Rear Wheels
	5017 913AA-	1			62, 63, 65				P.A.R. Bed Section 8' Bed W/O Dual Rear Wheels
	5017 933AA-	1			61				P.A.R. Cab Section 6 1/2' Bed W/O Dual Rear Wheels
	5017 935AA-	1			61				P.A.R. Bed Section 6 1/2' Bed W/O Dual Rear Wheels
	5017 947AA-	1			62, 63				P.A.R. Cab Section 8' Bed W/O Dual Rear Wheels
	5017 949AA-	1			62				P.A.R. Bed Section 8' Bed W/O Dual Rear Wheels

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Running Board
Figure 001-430




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4	8220 2489	1							RUNNING BOARD KIT, Cab, Cab Length Only, Bright, Diamond Plate Style, Anodized Aluminum
5	5018 014AA	1							RUNNING BOARD, Right Side, Cab Only, Right, Diamond Plate Style, Bright
6	5018 015AA	1							RUNNING BOARD, Left Side, Cab Only, Left, Diamond Plate Style, Bright
7	8220 2464	1							RUNNING BOARD KIT, Cab, Premium Molded Black, Standard Cab
8	5017 932AA	1			61				RUNNING BOARD, Right Side, P. A.R. Cab Section
9	5017 933AA	1			61				RUNNING BOARD, Left Side, P.A.R. Cab Section
10	8220 2473	1	1, 6		61				RUNNING BOARD KIT, Bed Premium, W/Rear Splash Gaurd, 6 1/2' Bed
	8220 2474	1			62				Premium, W/O Rear Splash Gaurd, 8' Bed
	8220 2475	1			62				Premium, W/Rear Splash Gaurd, 8' Bed
11	5017 935AA	1			61				RUNNING BOARD, Left Side P.A.R. Premium Bed Section,W/ Splash Gaurds 6 1/2' Bed
	5017 949AA	1			62				P.A.R. Premium Bed Section W/O Splash Gaurds 8' Bed, W/ or W/O Dual Rear Wheels
12	5017 934AA	1			61				RUNNING BOARD, Right Side P.A.R. Premium Bed Section, W/ Rear Splash Gaurd, 6 1/2' Bed
	5017 948AA	1			62, 63				P.A.R Premium Bed Section W/O Splash Gaurds, W/ or W/O Dual Rear Wheels 8' Bed

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Grill Guard Figure 001-440




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GUARD KIT, Grille
	8220 2692	1							Chromed
	8220 2853	1							Black Painted Steel
	8220 2854	1							Silver Aluminum
	8220 2855	1							Black Aluminum
2									COVER, Grille Guard Side
	4778 110	1							Right
	4778 111	1							Left
3	5066 242AA	1							CROSSTUBE, Grille Guard,
									Chromed, used with 82202692

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wheel Liner
Figure 001-450




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8240 1194	1	3		63				LINER PACKAGE, WHEEL
2									SKINS, Wheel, Chrome 16x6.0
	5205 7935	1	3		63				Set of All 4
	5205 7936	1	3		63				Front
	5205 7937	1	3		63				Rear
3	52106 863AA	2	3, 8		62, 63, 64				CAP, Wheel Center, Chrome, Front
4	52106 866AA	2	3, 8		62, 63, 64				CAP, Wheel Center, Chrome
5	2530 153	2	3, 8		62, 63, 64				STEM, Wheel Valve

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Moulding Kit Wheel Lip Opening Figure 001-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MOLDING KIT, Wheel Lip Opening
	8220 4931	1			61, 62				White
	8220 4933	1			61, 62				Black
	8220 4934	1			61, 62				Solar Yellow
	8220 4937	1			61, 62				Forest Green
	8220 4938	1			61, 62				Intense Blue
	8220 4939	1			61, 62				Flat Black
	8220 5338	1			61, 62				Driftwood
2									SCREW, (NOT SERVICED) (Not Serviced)
-3									MOLDING KIT, Wheel Lip Opening [P.A.R.], Replacement, Front Right
	5017 966AA-	1			61, 62, 63, 64, 65				[P.A.R.], Replacement, Front Left
	5017 967AA-	1			61, 62, 63, 64, 65				[P.A.R.], Replacement, Rear Right
	5017 968AA-	1			61, 62, 63, 64, 65				[P.A.R.], Replacement, Rear Left
	5017 969AA-	1			61, 62, 63, 64, 65				[P.A.R.], Replacement, Rear Left
4									BEDLINER KIT, Under Rail
	8220 3890	1			61				
	8220 3891	1			62				
5									BEDLINER KIT, Over Rail
	8220 3892	1			61				
	8220 3893	1			62				
-6	5011 297AA-	1							INSTALL KIT, Bedliner - Under Rail
-7	5011 298AA-	1							INSTALL KIT, Bedliner - Over Rail
8	8220 5217	1			61, 62				COVER KIT, Tailgate-Molded

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shield Kit - Air Front
Figure 001-520


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SHIELD KIT, Air - Front
	8220 4324	1							Contains- 2-Fender Shields and 1- Hood Shield.
	8220 4738	1							
2	5014 754AA	1							SPACER, Air Deflector, Will service all deflectors, has better adhesive.



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

Plate Package - Skid Transfer Case
 Figure 001-530

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1	6101 340	2	6, 7, 8						U-NUT, M10-1.50
2	52058 674AC	1	6, 7, 8						SKID PLATE, Front
3	6505 524AA	2	6, 7, 8						RETAINER
-4	6506 164AA-	2	6, 7, 8						SCREW AND WASHER, Hex Head





DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Light Kit - Fog
Figure 001-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Light Packages - use 55 watt Bulb only. Complete kit including lights for mounting on a Brush Guard.




1	8240 0594	1							LIGHT KIT, Fog, 2.5 x5.5', Black Plastic
2	4713 332	1							LIGHT, Fog
3	4713 333	1							COVER, Fog Lamp
-4	4728 646	1							BULB PACKAGE, 55 Watt
5									LIGHT KIT, Fog, 5 x 7'
	8220 1228	1							Black Plastic
	8220 1229	1							Black Chrome
	8220 1230	1							Bright Chrome
	8220 1231	1							Stainless Steel
6	4720 332	1							COVER, Fog Lamp
-7	4728 646	1							BULB PACKAGE, 55 Watt
8	4720 329	1							LENS, Fog Lamp

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Light Kit - Off Road
Figure 001-612



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

82204005 contains two of 82202528


1	8220 1252	1							LIGHT KIT, Off Road, 5 x 7 Inch
	8220 1775	1							Black Plastic
	8220 1776	1							Black
2	4720 330	1							Black Chrome
3	4720 332	1							LENS, Fog Lamp, Off Road
4									COVER, Fog Lamp, Off Road
	8220 3691	1							LIGHT KIT, Off Road, 6 x 9 Inch
	8220 3692	1							Black
5	4720 316	1							Chrome
6	4720 317	1							LENS, Fog Lamp
									COVER, Fog Lamp
7									LIGHT KIT, Off Road, 6 Inch Round
	8220 1777	1							Black Chrome
	8220 1778	1							Bright Chrome
8	4720 333	1							LENS, Fog Lamp, Off Road
9	4720 327	1							COVER, Off Road Lamp, Off Road
-10	8220 4005	1			61, 62				LIGHT KIT, Off Road, 6 Inch Round,
									Black, Light Bar Mount
-11	8220 2528	1			61, 62				LIGHT KIT, Off Road, 6 Inch Round,
									Black, Light Bar Mount
-12	8220 4503	1	1, 2, 3		61, 62, 65				COVER KIT, Light, Ram Logo
-13	4419 298	1							BULB, 100 Watt
-14	L00H 355W	1							BULB, Fog Lamp, H-3 55 WATT

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fog Lamp Kit - Brush Guard
Figure 001-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LIGHT PACKAGE, Fog
	8220 5660	1							Without Cargo Lamp
	8220 5661	1							With Cargo Lamp
2	4638 271	1							RELAY PACKAGE, Electrical
3	4641 780	AR							STRAP, Tie
4									SWITCH, Headlamp
	56021 675AE	1							With Cargo Lamp
	56021 676AE	1							Without Cargo Lamp
5	8220 1230	1							LIGHT KIT, Fog
6									WIRING KIT, Fog/Driving Light, Served in Package, (NOT SERVICED) (Not Serviced)
7	0154 552	1							SCREW, Hex Head, .190-16x.625

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fog Lamp Kit - Fascia
Figure 001-622


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LIGHT PACKAGE, Fog
	8220 5656	1							With Cargo Lamp
	8220 5657	1							Without Cargo Lamp
2	6015 756	1							STRAP, Tie
3	6035 422	4							BOLT, Square Head, .312-18x.875
4	6035 423	4							NUT AND WASHER, Hex Coned, .312-18
5	6503 938	4							RIVET, Blind, .25xM4/M7
6	55076 786AB	1							SHIELD, Bumper
7	55076 787AB	1							SHIELD, Bumper
8	8220 4779	1							WIRING, Fog/Driving Light
-9									RELAY, Serviced in Package, (NOT SERVICED) (Not Serviced)
10	5269 430	1			61, 62				SWITCH, Fog Lamp
11	55076 940AB	1							LAMP, Fog
12	55076 941AB	1							LAMP, Fog

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Installation Kit - Off Road Lamps
Figure 001-630



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 5342	1			61, 62				INSTALL PACKAGE, Off Road Light
2	0154 552	1							SCREW, Hex Head, .190-16x.625
-3	5269 430	1			61, 62				SWITCH, Fog Lamp
4									WIRING, Fog Lamp, Serviced in Package, (NOT SERVICED) (Not Serviced)
5									RELAY, (NOT SERVICED) (Not Serviced)
6	6015 756	1							STRAP, Tie
7									WIRING, Light Bar, Serviced in Package, (NOT SERVICED) (Not Serviced)
8									WIRING, Off Road Light, (NOT SERVICED) (Not Serviced)


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Heater Kit
Figure 001-640

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Serviced as a Kit Only.									
1	8230 0749	1							HEATER KIT, Engine Block
2	4798 276AC	1							HEATER PACKAGE, Engine Block
-3									O RING, Engine Block Heater
	6501 445	AR							11/64 inch width
	6501 446	1							9/64 inch width
4	5602 0061	1							CORD, Engine Block Heater
5									STRAP, Tie, Serviced in package, (NOT SERVICED) (Not Serviced)




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Alarms - EVS II Without Power Door Locks
Figure 001-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 3763	1							MODULE KIT, Alarm without Keyless
2	8220 3198	1							SIREN, Alarm
3	4636 141	1							BATTERY, Transmitter
4	4886 374AA	1							TRANSMITTER, Alarm or Keyless
5	5012 164AA	1							MODULE, Security Alarm
-6	8220 3765	1							WIRING KIT, Alarm without Keyless, Required for Installation
-7	8220 5262	1							WIRING KIT, Park and Headlight, Optional Kit

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Alarms - EVS II With Power Door Locks
Figure 001-912




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8230 0985	1							MODULE KIT, Alarm with Keyless, Add to OEM Power Locks
2	8220 3198	1							SIREN, Alarm
3	4636 141	1							BATTERY, Transmitter
4	4883 255	1							MODULE, Security Alarm
-5	4886 258AA-	1							SWITCH, Programing Bypass
-6	4886 259AA-	1							INDICATOR, Valet Status
7	4886 374AA	1							TRANSMITTER, Alarm or Keyless
-8	8220 4681	1							WIRING KIT, Alarm with Keyless, Required for Installation
-9	8220 5262	1							WIRING KIT, Park and Headlight, Optional Kit

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Alarms - EVS II For Factory Keyless Entry
Figure 001-914



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 4268	1							MODULE, Security Alarm
2	8220 3198	1							SIREN, Alarm
3	4636 141	1							BATTERY, Transmitter
4	4886 374AA	1							TRANSMITTER, Alarm or Keyless
5	5011 619AA	1							MODULE, Security Alarm
-6	4886 261AA-	1							SENSOR, Shock, With Connector
-7	8220 3765	1							WIRING KIT, Alarm without Keyless, Required for Installation


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Winch Kit - Power
Figure 001-1010

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WINCH KIT, Power
	8220 4129	1	6, 7, 8						9000# with 95' Cable
	8220 4130	1	6, 7, 8						6000#
	8220 4131	1	6, 7, 8						8000#
	8220 4134	1	6, 7, 8						8000# with 95' Cable
2	5018 221AA	1	6, 7, 8						CABLE KIT, Winch
3									SOLENOID, Winch
	5018 363AA	1	6, 7, 8						
	5018 366AA	1	6, 7, 8						Use with Ramsey 8000HX



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

Group – 002

Front Suspension & Drive

GROUP 2 - Front Suspension & Drive

Illustration Title Group-Fig. No.

Front Suspension

Upper and Lower Control Arms,Springs and Shocks,BR 1,2,3	Fig. 002-110
Upper and Lower Control Arms,Springs and Shocks,BR 3 (with Z3B),BR 6,7,8	Fig. 002-120
Front Stabilizer Bar,BR 1,2,3 BR 1,2,3	Fig. 002-130
Front Stabilizer Bar and Track Bar,BR 3 (with Z3B),BR 6,7,8 BR 6,7,8	Fig. 002-140

Front Axle Drive Shafts

Front Axle Shafts,Dana M44/216MM [DJC],M60/248MM [DJF],BR 6,7,8	Fig. 002-210
---	--------------

Front Axle Housing

Front Axle Housing,Dana Model 44,BR 6	Fig. 002-310
Front Axle Housing,Dana Model 60,BR 3,7,8	Fig. 002-320

Front Axle Assembly


Axle Assy Front	Fig. 002-410
-----------------------	--------------







Front Axle Disconnect

Vacuum Lines Front Axle and Transfer Case	Fig. 002-510
---	--------------


Front Axle Differential

Differential, Front Axle Dana Model 44,BR 6	Fig. 002-610
Differential, Front Axle,Dana Model 60,BR 7,8	Fig. 002-620



002-100 Front Suspension 	002-200 Front Axle Drive Shafts 	002-300 Front Axle Housing 	002-400 Front Axle Assembly 
002-500 Front Axle Disconnect 	002-600 Front Axle Differential 		

Upper and Lower Control Arms,Springs and Shocks,BR 1,2,3
Figure 002-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes;

EH0=3.9L V-6 Gas Engine

EL0=5.2L 8 Cylinder Gas Engine

EM0=5.9L 8 Cylinder Gas Engine

EW0=8.0L V-10 Gas Engine

ET0=5.9L Turbo Diesel

Check the VIN number for the 'Z' codes on the coil springs.

1	6502 749	2	1, 2, 3		61, 62, 65				NUT, Castle, M14x1.5, UCA Ball Joint Mounting
2	52106 424AA	1	1		61, 62				Right
	52106 425AA	1	1		61, 62				Left
	52106 220AA	1	2, 3		62, 65				Right
	52106 221AA	1	2, 3		62, 65				Left
3	6502 858	2	1		61, 62				NUT, Hex
	6502 857	2	2, 3		62, 65				LCA Ball Joint Mounting
4	6503 029	2							LCA Ball Joint Mounting
5	52106 432AA	2	1, 2, 3		61, 62, 65				NUT, Hex, M12x1.25, Shock Upper Mounting
6	52106 543AA	2	1, 2, 3		61, 62, 65				RETAINER, Front Suspension, Upper
7	52106 983AA	2	1, 2, 3		61, 62, 65				GROMMET, Shock Absorber, Upper
8	52106 431AA	2	1, 2, 3		61, 62, 65				GROMMET, Shock Absorber
9									RETAINER, Shock Absorber, Upper
	5017 167AA	2	1		61, 62	EL0, EM0			SHOCK ABSORBER PACKAGE, Suspension, Front
	5017 607AA	2	1		61, 62	EH0			Z1B
	5017 608AA	2	2		62	EL0, EM0			Z1B
	5017 609AA	2	2		62	EW0			Z2B
	5017 610AA	2	2		62	ET0			Z2B
	5017 611AA	2	2, 3		62, 65	EL0, EM0, EW0			Z3A,Z2B
	5017 612AA	2	2, 3		62, 65	ET0			Z3A,Z2B


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Upper and Lower Control Arms,Springs and Shocks,BR 1,2,3
Figure 002-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	6502 818	2							BOLT, Hex Flange Head, M14x2.00x80, Lower Shock Mounting
11	6502 817	2							LOCK NUT, M14-2.00, Lower Shock Mounting
12									BALL JOINT, Lower Control Arm, (NOT SERVICED) (Not Serviced)
13									SNAP RING, Control Arm, (NOT SERVICED) (Not Serviced)
14									ARM, Lower Control, Front
	52113 888AA	1	1		61, 62				Right
	52113 889AA	1	1		61, 62				Left
	52113 678AA	1	2, 3		62, 65				Right
	52113 679AA	1	2, 3		62, 65				Left
15									SPRING, Front Coil
	5203 9018	1							[ZHA,ZWA] Tag #018
	5203 9019	1							[ZHB,ZWB] Tag #019
	5203 9020	1							[ZHC,ZWC] Tag #020
	5203 9021	1							[ZHD,ZWD] Tag #021
	5203 9022	1							[ZHE,ZWE] Tag #022
	5203 9023	1							[ZHF,ZWF] Tag #023
	5203 9024	1							[ZHG,ZWG] Tag #024
	5203 9026	1							[ZJA,ZXA] Tag #026
	5203 9027	1							[ZJB,ZXB] Tag #027
	5203 9035	1							[ZJC,ZXC] Tag #035
	5203 9036	1							[ZJD,ZXD] Tag #036
	5203 9037	1							[ZJE,ZXE] Tag #037
	5203 9038	1							[ZJF,ZXF] Tag #038
	5203 9039	1							[ZJG,ZXG] Tag #039
	5203 9046	1							[ZJH,ZXH] Tag #046
	5203 9047	1							[ZJJ,ZXJ] Tag #047
	5203 9054	1							[ZAA,ZNA] Tag #054
	5203 9059	1							[ZAF,ZNF] Tag #059
	5203 9060	1							[ZAG,ZNG] Tag #060
	5203 9072	1							[ZDC,ZSC] Tag #072
	5203 9073	1							[ZDD,ZSD] Tag #073
	5203 9074	1							[ZDE,ZSE] Tag #074
	5203 9075	1							[ZDF,ZSF] Tag #075
	5203 9076	1							[ZDG,ZSG] Tag #076
	5203 9134	1							[ZHH,ZWH] Tag #134
	52106 225AA	1							[ZHJ,ZWJ] Tag #225AA
	52106 228AA	1							[ZHK,ZWK] Tag #228AA

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Upper and Lower Control Arms,Springs and Shocks,BR 1,2,3
Figure 002-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52106 229AA	1							[ZHL,ZWL] Tag #229AA
	52106 230AA	1							[ZJL,ZXL] Tag #230AA
	52106 231AA	1							[ZAJ,ZNJ] Tag #231AA
	52106 232AA	1							ZCE,ZRE] Tag #232AA[
	52106 233AA	1							ZCF,ZRF] Tag #233AA
	52106 240AA	1							[ZDJ,ZSJ] Tag #240AA
	52106 241AA	1							[ZDH,ZSH] Tag #241AA
	52113 005AA	1							[ZFF,ZUF] Tag #005AA
	52113 006AA	1							[ZFG,ZUG] Tag #006AA
	52113 007AA	1							[ZFH,ZUH] Tag #007AA
	52113 008AA	1							[ZFJ,ZUJ] Tag #008AA
	52113 077AA	1							[ZFD,ZUD] Tag #077AA
	52113 078AA	1							[ZFE,ZUE] Tag #078AA
	52113 165AA	1							[ZEA,ZTA] Tag #165AA
	52113 166AA	1							[ZEB,ZTB] Tag #166AA
	52113 167AA	1							[ZEC,ZTC] Tag #167AA
	52113 168AA	1							[ZED,ZTD] Tag #168AA
	52113 169AA	1							[ZEE,ZTE] Tag #169AA
	52113 170AA	1							[ZEF,ZTF] Tag #170AA
	52113 171AA	1							[[ZEG,ZTG] Tag #171AA
	52113 172AA	1							[[ZEH,ZTH] Tag #172
	52113 173AA	1							[ZEJ,ZTJ] Tag #173AA
	52113 174AA	1							[ZFA,ZUA] Tag #174AA
	52113 175AA	1							[ZFB,ZUB] Tag #175AA
	52113 176AA	1							[ZFC,ZUC] Tag #176AA
16	5203 7718	2	1, 2, 3		61, 62, 65				ISOLATOR, Spring, Coil
17	6503 047	4	1, 2, 3		61, 62, 65				BOLT, Hex Flange Head, M16x2. 00x135, LCA Mounting
18	6502 396	4	1, 2, 3		61, 62, 65				NUT, Hex Flange Lock, M16x20-LCA Mounting
19	6505 804AA	4	1, 2, 3		61, 62, 65				BOLT AND RETAINER, Suspension Arm
20	5203 7673	4	1, 2, 3		61, 62, 65				BUSHING, Control Arm, Upper
21	6505 476AA	4	1, 2, 3		61, 62, 65				NUT
22	5203 8241	4	1, 2, 3		61, 62, 65				WASHER, Control Arm Shaft

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Upper and Lower Control Arms,Springs and Shocks,BR 1,2,3
Figure 002-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
23	6502 396	4	1, 2, 3		61, 62, 65				NUT, Hex Flange Lock, M16x2, Upper
24	52106 678AA	2	1, 2, 3		61, 62, 65				ARM, Upper Control, Front
25									BALL JOINT, Upper Control Arm, (NOT SERVICED) (Not Serviced)
26	52106 301AA	2	1, 2, 3		61, 62, 65				SHAFT, Control Arm
27	6101 448	2	1, 2, 3		61, 62, 65				NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
28	5208 7636	2	1, 2, 3		61, 62, 65				BUMPER, Jounce
29	0120 123	3							PIN, Cotter, UCA and LCA Ball Joint

DODGE RAM STANDARD CAB (BR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.					
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.					
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.					
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual					
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual					
			EAA = All engines	DBB = All Manual Transmissions					
			EAG = All gas engines	DG0 = All Automatic Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Upper and Lower Control Arms,Springs and Shocks,BR 3 (with Z3B),BR 6,7,8
Figure 002-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

Check the VIN number for the 'Z' sales codes on suspension and springs.

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

ET0 = All 5.9L Turbo Diesel Engines

EW0 = All 8.0L Gas Engines

LCA = Lower Control Arm

UCA = Upper Control Arm

1	6503 029	2							NUT, Hex, M12x1.25, Shock Mounting, Upper
2	5203 8257	2	3, 6, 7, 8						RETAINER, Shock Absorber, Shock Mounting, Upper
3	52106 742AA	2	3, 6, 7, 8						GROMMET, Shock Absorber, Shock Mounting, Upper
4	6502 696	6	3, 6, 7, 8						NUT, Hex Flange Lock, M10x1.5, Shock Bracket to Frame, Mounting
5	5203 8111	2	3, 6, 7, 8						BRACKET, Upper Shock Cup
6	5203 8105	2	3, 6, 7, 8						RING, Shock Absorber, With Studs
7	5203 7719	2	3, 6, 7, 8						ISOLATOR, Spring
8	5203 8838	2	3, 6, 7, 8						BUMPER, Jounce
9									ARM, Control
	52106 798AA	2	6		61, 62				With Bushings, Upper
	52106 799AA	2	3, 7, 8		62, 63, 64, 65				With Bushings, Upper
10									NUT, Hex Flange Lock
	6502 698	2	3, 6, 7, 8						UCA to Axle, Mounting
		2	3, 6, 7, 8						UCA to Frame, Mounting
11	6504 989AA	2	3, 6, 7, 8						SCREW AND WASHER, Hex Head, M14-2x95, UCA to Frame, Mounting
12									NUT, Hex Flange Lock
	6502 396	2	3, 6, 7, 8						LCA to Axle, Mounting
		2	3, 6, 7, 8						LCA to Frame, Mounting
13	6505 444AA	2	3, 6, 7, 8						SCREW, Hex Flange Head, LCA to Frame, Mounting
14									ARM, Control
	52106 777AA	2	6		61, 62				with Bushings, Lower
	52106 778AA	2	3, 7, 8		62, 63, 64, 65				with Bushings, Lower
15	6505 741AA	2	3, 6, 7, 8						WASHER, Flat, LCA to Axle, Mounting


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Upper and Lower Control Arms,Springs and Shocks,BR 3 (with Z3B),BR 6,7,8
Figure 002-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	6505 742AA	2	3, 6, 7, 8						SCREW, LCA to Axle, Mounting
17	6504 989AA	2	3, 6, 7, 8						SCREW AND WASHER, Hex Head, M14-2x95, UCA to Axle, Mounting
18	6502 818	2							BOLT, Hex Flange Head, M14x2. 00x80, Shock Mounting, Lower
19	6502 817	1	3, 6, 7, 8						LOCK NUT, M14-2.00, Shock Mounting, Lower
20									SHOCK ABSORBER PACKAGE, Suspension, Front
	4897 471AC	2	3, 8		63, 64				Z3B,Z8B
	5015 146AB	2	6		61, 62	EL0, EM0			Z6A,+AWL
	4897 466AB	2	6		61, 62	EL0, EM0			Z6A,-AWL
	4897 468AC	2	7		62	EL0, EM0, EW0			Z7B
	4897 469AC	2	7		62	ET0			Z7B
	4897 464AD	2	7		65				[Z7B]
		2	8		62				[Z8A]
21	5203 8258	2	3, 6, 7, 8						RETAINER, Shock Absorber, Lower
22	52106 747AA	2	3, 6, 7, 8						GROMMET, Shock Absorber, Lower
23									SPRING, Front Coil
	5203 9018	1							Tag #018,ZWA,ZHA
	5203 9019	1							Tag #019,ZWB,ZHB
	5203 9020	1							Tag #020,ZWC,ZHC
	5203 9021	1							Tag #021,ZWD,ZHD
	5203 9022	1							Tag #022,ZWE,ZHE
	5203 9023	1							Tag #023,ZWF,ZHF
	5203 9024	1							Tag #024,ZWG,ZHG
	5203 9026	1							Tag #026,ZXA,ZJA
	5203 9027	1							Tag #027,ZXB,ZJB
	5203 9035	1							Tag #035,ZXC,ZJC
	5203 9036	1							Tag #036,ZXD,ZJD
	5203 9037	1							Tag #037,ZXE,ZJE
	5203 9038	1							Tag #038,ZXF,ZJF
	5203 9039	1							Tag #039,ZXG,ZJG
	5203 9046	1							Tag #046,ZXH,ZJH
	5203 9047	1							Tag #047,ZXJ,ZJJ
	5203 9054	1							Tag #054,ZNA,ZAA
	5203 9059	1							Tag #059,ZNF,ZAF

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Upper and Lower Control Arms,Springs and Shocks,BR 3 (with Z3B),BR 6,7,8
Figure 002-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5203 9060	1							Tag #060,ZNG,ZAG
	5203 9072	1							Tag #072,ZSC,ZDC
	5203 9073	1							Tag #073,ZSD,ZDD
	5203 9074	1							Tag #074,ZSE,ZDE
	5203 9075	1							Tag #075,ZSF,ZDF
	5203 9076	1							Tag #076,ZSG,ZDG
	5203 9134	1							Tag #134,ZHH,ZWH
	52106 225AA	1							Tag #225AA,ZHJ,ZWJ
	52106 228AA	1							Tag #228AA,ZHK,ZWK
	52106 229AA	1							Tag #229AA,ZHL,ZWL
	52106 230AA	1							Tag #230AA,ZJL,ZXL
	52106 231AA	1							Tag #231AA,ZAJ,ZNJ
	52106 232AA	1							Tag #232AA,ZCE,ZRE
	52106 233AA	1							Tag #233AA,ZCF,ZRF
	52106 240AA	1							Tag #240AA,ZDJ,ZSJ
	52106 241AA	1							Tag #241AA,ZDH,ZSH
	52113 005AA	1							Tag #005AA,ZFF,ZUF
	52113 006AA	1							Tag #006AA,ZFG,ZUG
	52113 007AA	1							Tag #007AA,ZFH,ZUH
	52113 008AA	1							Tag #008AA,ZFJ,ZUJ
	52113 077AA	1							Tag #077AA,ZFD,ZUD
	52113 078AA	1							Tag #078AA,ZFE,ZUE
	52113 165AA	1							Tag #165AA,ZEA,ZTA
	52113 166AA	1							Tag #166AA,ZEB,ZTB
	52113 167AA	1							Tag #167AA,ZEC,ZTC
	52113 168AA	1							Tag #168AA,ZED,ZTD
	52113 169AA	1							Tag #169AA,ZEE,ZTE
	52113 170AA	1							Tag #170AA,ZEF,ZTF
	52113 171AA	1							Tag #171AA,ZEG,ZTG
	52113 172AA	1							Tag #172AA,ZEH,ZTH
	52113 174AA	1							Tag #174AA,ZFA,ZUA
	52113 175AA	1							Tag #175AA,ZFB,ZUB
	52113 176AA	1							Tag #176AA,ZFC,ZUC

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Front Stabilizer Bar, BR 1,2,3 BR 1,2,3
Figure 002-130


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6506 093AA	4							SCREW AND WASHER, Hex Head, M10x1.50x35, Sway Bar Retainer to Frame Mounting
2	5203 8455	1	1, 2, 3		61, 62, 65				BAR, Front Sway
3	5203 8851	2	1, 2, 3		61, 62, 65				BUSHING, Sway Bar
4	5203 7710	2	1, 2, 3		61, 62, 65				RETAINER, Sway Bar
5	6101 687	4	1, 2, 3		61, 62, 65				NUT, Hex Lock, M10x1.5
6	5203 8115	2	1, 2, 3		61, 62, 65				RETAINER, Sway Bar, Upper
7	5203 7916	8	1, 2, 3		61, 62, 65				GROMMET, Link
8	5203 8116	2	1, 2, 3		61, 62, 65				RETAINER, Sway Bar, Lower
9	52037 712AB	2	1, 2, 3		61, 62, 65				LINK, Sway Eliminator

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Front Stabilizer Bar and Track Bar, BR 3 (with Z3B), BR 6,7,8 BR 6,7,8
Figure 002-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6503 861	1	3, 6, 7, 8						NUT, Hex Flange, M14x1.5, track Bar to Frame Mounting
2	0120 123	1	3, 6, 7, 8						PIN, Cotter, Track Bar to Frame
3	6505 649AA	2	3, 6, 7, 8						NUT, Hex Lock, M12 x 1.25, Lower Link
4	5018 748AA	1	3, 6, 7, 8						SEAL, Dust
5	6101 687	2	3, 6, 7, 8						NUT, Hex Lock, M10x1.5, Upper Link
6	5203 8115	2	3, 6, 7, 8						RETAINER, Sway Bar, Grommet, Upper
7	5203 7916	4	3, 6, 7, 8						GROMMET, Link
8	5203 8116	2	3, 6, 7, 8						RETAINER, Sway Bar, Grommet, Lower
9	52106 481AA	2	3, 6, 7, 8						LINK, Sway Eliminator
10									BAR, Front Sway
	5203 9440	1	6			61, 62			
	52113 551AA	1	3, 7, 8			62, 63, 64, 65			
11	6506 093AA	4							SCREW AND WASHER, Hex Head, M10x1.50x35
12	5203 7710	2	3, 6, 7, 8						RETAINER, Sway Bar
13									BUSHING, Sway Bar
	5203 8851	2	6			61, 62			
	52106 898AA	1	3, 7, 8			62, 63, 64, 65			
14	6502 817	1	3, 6, 7, 8						LOCK NUT, M14-2.00, Track Bar to Axle
15	5203 8933	1	3, 6, 7, 8						BAR, Track
16	6503 576	1	3, 6, 7, 8						BOLT, Hex Flange Head, M14x2. 00x67.50, Track Bar to Axle

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Front Axle Shafts,Dana M44/216MM [DJC],M60/248MM [DJF],BR 6,7,8
Figure 002-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes, [DJC]=Axle - Front,Dana M44/216MM [DJF]=Axle - Front,Dana M60/248mm									
1	5015 136AB	1	6		61, 62				SHAFT, Axle Right
	5015 137AB	1	6		61, 62				Left
	5015 208AB	1	7		62, 65				Right
	5015 209AB	1	7		62, 65				Left
	5015 208AB	1	8		62, 63, 64				Right
	5015 209AB	1	8		62, 63, 64				Left
2	5015 138AA	1	6		61, 62				SHAFT, Stub
	5015 194AA	1	7		62, 65				
		1	8		62, 63, 64				
3	4137 757	1	6		61, 62				U JOINT, Front Axle
	5003 004AA	1	7		62, 65				
		1	8		62, 63, 64				
4	5252 686	1	6		61, 62				BUSHING, Intermediate Shaft
		1	7		62, 65				
		1	8		62, 63, 64				
5	4778 548	1	6		61, 62				COLLAR, Axle Shift
	5015 212AA	1	7		62, 65				
		1	8		62, 63, 64				
6	4137 740	1	6		61, 62				BUSHING, Axle Shaft
	5017 907AA	1	7		62, 65				
		1	8		62, 63, 64				
7	4506 005AB	1	6		61, 62				SEAL, Axle Drive Shaft Right
	5015 198AA	1	7		62, 65				Right

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005





Figure 002-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	8		62, 63, 64				Right
8									SHAFT, Axle Intermediate
	4762 162	1	6		61, 62				
	5015 203AA	1	7		62, 65				
		1	8		62, 63, 64				
9									SEAL, Axle Drive Shaft
	4116 366AB	1	6		61, 62				Left
	5015 201AA	1	7		62, 65				Left
		1	8		62, 63, 64				Left

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Front Axle Housing,Dana Model 44,BR 6 Figure 002-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes;									
[DJC]=Axle - Front,Dana M44/216MM									
1	4506 117	1	6		61, 62				SHIELD, Vacuum Disconnect
2	J535 2955	1							VENT, Axle, Vent, Upper
3	4137 734	4	6		61, 62				BOLT, Axle Disconnect Cover
4	5200 3837	1	6		61, 62				BRACKET, Engine Splash Guard
5	4443 176	1							HOSE, Fuel, .31 I.D. 50 Foot Roll, Bulk Roll
6	0153 455	1							CLAMP, Hose, .620
7	5011 283AA	1	6		61, 62				VENT, Axle
8	J012 5258	2	6		61, 62				NUT, Hex Slotted
9	J013 7214	2	6		61, 62				PIN, Cotter, As Required
10	4746 775	6	6		61, 62				BOLT, Hub
11									KNUCKLE, Front
	5015 134AB	1	6		61, 62				Right
	5015 135AB	1	6		61, 62				Left
12	3634 267	2	6		61, 62				NUT, Steering Knuckle Socket
13	5017 061AA	2	6		61, 62				BALL JOINT, Front Knuckle
14	4762 688	1	6		61, 62				COVER, Differential
15	2954 031	10	6		61, 62				BOLT, Differential Cover
16	3640 792	1	6		61, 62				PLUG, Differential Cover
17	5010 884AA	1	6		61, 62				SEALANT, RTV
18									HOUSING, Axle
	5015 132AA	1	6		61, 62				[DMD,DMH] Up To and Including 02-27-01
	5015 132AB	1	6		61, 62				[DMD,DMH] 02-28-01 and After
	5017 060AA	1	6		61, 62				[DMF] Up To and Including 02-27-01
	5017 060AC	1	6		61, 62				[DMF] 02-28-01 and After
19	4778 548	1	6		61, 62				COLLAR, Axle Shift
20	4137 731	2	6		61, 62				CLIP, Axle Disconnect Fork
21	4137 727	1	6		61, 62				FORK, Axle Shift
22	4137 728	1	6		61, 62				SNAP RING, Vacuum Motor
23	4137 729	2	6		61, 62				SNAP RING, Vacuum Motor
24	4137 732	1	6		61, 62				GASKET, Axle Disconnect Housing
25	4384 169	1	6		61, 62				COVER, Axle Disconnect
26	4289 880	1	6		61, 62				SWITCH, Hub Lock Indicator
27	5209 912	1	6		61, 62				GASKET, Axle Disconnect Switch
28	4137 733	4	6		61, 62				LOCK WASHER
29	4137 726	1	6		61, 62				O RING, Shaft Disconnect


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Front Axle Housing, Dana Model 44, BR 6 Figure 002-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
30	4882 682	1	6		61, 62				MOTOR KIT, Axle Vacuum
31	J813 3708	1	6		61, 62				CLIP KIT, Axle Disconnect

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Front Axle Housing,Dana Model 60,BR 3,7,8 Figure 002-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes;									
[DJF]=Axle - Front,Dana M60/248mm									
1	4506 117	1	7		62, 65				SHIELD, Vacuum Disconnect Motor
		1	8		62, 63, 64				Motor
2	J535 2955	1							VENT, Axle
3	5200 3837	1	7		62, 65				BRACKET, Engine Splash Guard
		1	8		62, 63, 64				Breather Hose
4	4137 734	4	7		62, 65				BOLT, Axle Disconnect Cover
		4	8		62, 63, 64				
5	4443 176	1							HOSE, Fuel, .31 I.D. 50 Foot Roll, Bulk Roll
6	0153 455	1							CLAMP, Hose, .620, to Axle Vent
7	5011 283AA	1	7		62, 65				VENT, Axle
		1	8		62, 63, 64				
8	3634 267	1	3		63, 64				NUT, Steering Knucle Socket
	5015 124AA	1	7		62, 65				Upper
		1	8		62, 63, 64				Upper
9	0120 123	3							PIN, Cotter
10	5015 125AA	1	3		63, 64				BOLT, Hub
		8	7		62, 65				Mounting
		8	8		62, 63, 64				Mounting
11	5015 238AA	1	3		63, 64				KNUCKLE, Front
	5015 239AA	1	3		63, 64				Right
	5015 238AA	1	7		62, 65				Left
	5015 239AA	1	7		62, 65				Right
	5015 238AA	1	8		62, 63, 64				Left
					64				Right


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Front Axle Housing,Dana Model 60,BR 3,7,8 Figure 002-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12	5015 239AA	1	8		62, 63, 64				Left
	5015 117AA	2	3		63, 64				SHAFT, Stub for Dead Axle
	5015 194AA	1	7		62, 65				
13		1	8		62, 63, 64				NUT, Steering Knuckle Socket
	3634 267	1	3		63, 64				
		1	7		62, 65				
14		1	8		62, 63, 64				BALL JOINT, Front Knuckle
	5015 114AA	2	3		63, 64				
		2	7		62, 65				
15		2	8		62, 63, 64				COVER, Differential
	5015 193AA	1	7		62, 65				
		1	8		62, 63, 64				
16	2952 474	10	7		62, 65				BOLT, Hex Flange Head
		10	8		62, 63, 64				Cover
									Cover
17	3640 792	1	7		62, 65				PLUG, Differential Cover
		1	8		62, 63, 64				Cover
									Cover
18	5010 884AA	1	7		62, 65				SEALANT, RTV
		1	8		62, 63, 64				
19	5015 115AA	1	3		63, 64				HOUSING, Axle
	5015 189AA	1	7		62, 65				Dead Axle
	5015 189AB	1	7		62, 65				Up To and Including 02-27-01
	5015 189AA	1	8		62, 63, 64				02-28-01 and After


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Front Axle Housing,Dana Model 60,BR 3,7,8 Figure 002-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20	5015 189AB	1	8		62, 63, 64				02-28-01 and After
	5015 212AA	1	7		62, 65				COLLAR, Axle Shift
21		1	8		62, 63, 64				
	4137 731	2	7		62, 65				CLIP, Axle Disconnect Fork
22		2	8		62, 63, 64				
	5015 215AA	1	7		62, 65				FORK, Axle Shift
23		1	8		62, 63, 64				
	4137 728	1	7		62, 65				SNAP RING, Vacuum Motor
24		2	8		62, 63, 64				
	4137 729	2	7		62, 65				SNAP RING, Vacuum Motor
25		2	8		62, 63, 64				
	4137 732	1	7		62, 65				GASKET, Axle Disconnect Housing
26		1	8		62, 63, 64				
	4384 169	1	7		62, 65				COVER, Axle Disconnect
27		1	8		62, 63, 64				
	4289 880	1	7		62, 65				SWITCH, Hub Lock Indicator
28		1	8		62, 63, 64				
	5209 912	1	7		62, 65				GASKET, Axle Disconnect Switch
29		1	8		62, 63, 64				
	4137 734	4	7		62, 65				BOLT, Axle Disconnect Cover


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Front Axle Housing,Dana Model 60,BR 3,7,8 Figure 002-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4	8		62, 63, 64				
30	4137 733	4	7		62, 65				LOCK WASHER
		4	8		62, 63, 64				
31	4137 726	1	7		62, 65				O RING, Shaft Disconnect
		1	8		62, 63, 64				
32	4882 682	1	7		62, 65				MOTOR KIT, Axle Vacuum
		1	8		62, 63, 64				
33	J813 3708	1	7		62, 65				CLIP KIT, Axle Disconnect
		1	8		62, 63, 64				
-34	5015 882AA-	1	7		62, 65				SENSOR KIT, Anti-Lock Brakes Contains Sensor Wire,Attaching Screw and Instruction Sheet.
		1	8		62, 63, 64				Contains Sensor Wire,Attaching Screw and Instruction Sheet.


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle Assy Front
Figure 002-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes,									
[DJC]=Axle - Front,Dana M44/216MM									
[DJF]=Axle - Front,Dana M60/248mm									
[DMD]=Axle Ratio - 355									
[DMF]=Axle Ratio - 4.09									
[DMH]=Axle Ratio - 3.92									
1									AXLE, Service Front
	5015 161AA	1	6		61, 62				[DJC+DMD] Tag 52070130AI-Up To and Including 02-27-01
	5015 161AB	1	6		61, 62				[DJC+DMD] Tag 52070130AM-02- 28-01 and After
	5015 161AA	1	6		61, 62				[DJC+DMD] Tag 52070143AI-Up To and Including 02-27-01
	5015 161AB	1	6		61, 62				[DJC+DMD] Tag 52070143AM-02- 28-01 and After
	5015 170AA	1	6		61, 62				[DJC+DMH] Tag 52070132AI-Up To and Including 02-27-01
	5015 170AB	1	6		61, 62				[DJC+DMH] Tag 52070132AM-02- 28-01 and After
	5015 170AA	1	6		61, 62				[DJC+DMH] Tag 52070144AI-Up To and Including 02-27-01
	5015 170AB	1	6		61, 62				[DJC+DMH] Tag 52070144AM-02- 28-01 and After
	5015 183AB	1	6		61, 62				[DJC+DMF]Tag 52070196AB-Up To and Including 02-27-01
	5015 183AD	1	6		61, 62				[DJC+DMF]Tag 52070196AF-02- 28-01 and After
	5015 195AA	1	7		62, 65				[DJF,DMD] Tag 52070136AG-Up To and Including 02-27-01
	5015 195AB	1	7		62, 65				[DJF,DMD] Tag 52070136AM-02- 28-01 and After
	5015 195AA	1	7		62, 65				[DJF,DMD] Tag 52070148AG-Up To and Including 02-27-01
	5015 195AB	1	7		62, 65				[DJF,DMD] Tag 52070148AK-02- 28-01 and After
	5015 243AA	1	7		62, 65				[DJF+DMF] Tag 52070137AG-Up To and Including 02-27-01
	5015 243AB	1	7		62, 65				[DJF+DMF] Tag 52070137AM-02- 28-01 and After
	5015 243AA	1	7		62, 65				[DJF+DMF] Tag 52070152AB-Up To and Including 02-27-01


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Axle Assy Front
Figure 002-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5015 243AB	1	7		62, 65				[DJF+DMF] Tag 52070152AK-02-28-01 and After
	5015 195AA	1	8		62, 63, 64				[DJF+DMD] Tag 52070138AH-Up To and Including 02-27-01
	5015 195AB	1	8		62, 63, 64				[DJF+DMD] Tag 52070138AN-02-28-01 and After
	5015 243AA	1	8		62, 63, 64				[DJF+DMF] Tag 52070139AG-Up To and Including 02-27-01
	5015 243AB	1	8		62, 63, 64				[DJF+DMF] Tag 52070139AM-02-28-01 and After

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

Vacuum Lines Front Axle and Transfer Case
Figure 002-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6032 173	2	6, 7, 8						CLAMP, Tube, .335 Diameter, Front Axle Disconnect to Vacuum Motor
2	52105 299AB	1	6, 7, 8						HARNESS, Vacuum Front Axle
3	6503 319	3	6, 7, 8						SCREW, Hex Head, M6x1x20, From Front Axle Vacuum Disconnect
4	52105 317AB	1	6, 7, 8						Motor to Transmission HARNESS, Vacuum Front Axle


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Differential, Front Axle Dana Model 44,BR 6

Figure 002-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes,									
[DJC]=Axle - Front,Dana M44/216MM									
[DMD]=Axle Ratio - 355									
[DMF]=Axle Ratio - 4.09									
[DMH]=Axle Ratio - 3.92									
1	1791 575	1	6		61, 62				NUT, Pinion Yoke
2	1791 576	1	6		61, 62				WASHER, Pinion Yoke
3	5015 133AA	1	6		61, 62				YOKE, Axle
-4	5012 453AA-	1	6		61, 62				O RING, Pinion Flange, Fits Over
5	4031 974	1	6		61, 62				Hub of Axle Yoke
6	5012 454AB	1	6		61, 62				SLINGER, Drive Pinion
	5073 564AA	1	6		61, 62				SEAL, Drive Pinion
7	J812 4052	1	6		61, 62				Up To and Including 02-27-01
									02-28-01 and After
8	4746 771	1	6		61, 62				BEARING, Drive Pinion, Bearing and
									Cup, Front
9	J812 6499	1	6		61, 62				SPACER, Drive Pinion Bearing,
									Collapsible
10	4761 647	1	6		61, 62				BEARING, Drive Pinion, Bearing and
									Cup, Rear
11	4720 891	1	6		61, 62				SHIM KIT, Pinion Shaft
12	4137 749	1	6		61, 62				BOLT KIT, Consist of 10-5252503
	4882 844	1	6		61, 62				Screws
	4506 120	1	6		61, 62				GEAR KIT, Ring And Pinion
									[DMD]
									[DMF]
									[DMH]
13	5252 503	10	6		61, 62				SCREW, Drive Gear
14	4746 733	1	6		61, 62				BEARING, Differential, Consists of 2
									Bearing and 2 Cups
15	4137 769	1	6		61, 62				SHIM KIT, Differential
16	1791 561	2	6		61, 62				WASHER, Pinion Gear, Thrust
17	4137 755	2	6		61, 62				WASHER, Side Gear, Thrust
18	8350 3069	1	6		61, 62				SHAFT, Differential
19	4778 672	1	6		61, 62				CASE, Differential
	4778 602	1	6		61, 62				[DMD,DMF]
									[DMH]
20	4778 595	1	6		61, 62				GEAR KIT, Center Differential
21	1791 563	1	6		61, 62				PIN, Differential Shaft


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Differential, Front Axle,Dana Model 60,BR 7,8
Figure 002-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes, [DJF]=Axle - Front,Dana M60/248mm [DMD]=Axle Ratio - 355 [DMF]=Axle Ratio - 4.09 [DMH]=Axle Ratio - 3.92									
1	1795 173	1	7		62, 65				NUT, Pinion Yoke
		1	8		62, 63, 64				
2	1795 175	1	7		62, 65				WASHER, Pinion Yoke
		1	8		62, 63, 64				
3	5015 190AA	1	7		62, 65				YOKE, Axle
		1	8		62, 63, 64				
-4	5012 847AA-	1	7		62, 65				O RING, Pinion Flange
		1	8		62, 63, 64				Fits Over Hub of Axle Yoke
									Fits Over Hub of Axle Yoke
5	4746 867	1	7		62, 65				SLINGER, Drive Pinion
		1	8		62, 63, 64				
6	5012 846AB	1	7		62, 65				SEAL, Drive Pinion
	5072 265AA	1	7		62, 65				Up To and Including 02-27-01
	5012 846AB	1	8		62, 63, 64				02-28-01 and After
	5072 265AA	1	8		62, 63, 64				Up To and Including 02-27-01
									02-28-01 and After
7	4746 604	1	7		62, 65				BEARING, Drive Pinion
		1	8		62, 63, 64				Bearing and Cup, Front
									Bearing and Cup, Front
8	4746 606	1	7		62, 65				SPACER, Drive Pinion Bearing
		1	8		62, 63, 64				Collapsible
									Collapsible
9									BEARING, Drive Pinion

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

61= Reg. Cab (118 WB)
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)

ENGINE

EHC, EH0 = 3.9L 6 Cyl.
ELF, EL0 = 5.2L 8 Cyl.
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP, DDX, DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

Differential, Front Axle,Dana Model 60,BR 7,8
Figure 002-620

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 603	1	7		62, 65				Bearing and Cup, Rear
		1	8		62, 63, 64				Bearing and Cup, Rear
10	4746 868	1	7		62, 65				SHIM KIT, Pinion Shaft
		1	8		62, 63, 64				
11	4762 222	1	7		62, 65				GEAR KIT, Ring And Pinion [DMD]
	4864 966	1	7		62, 65				[DMF]
	4762 222	1	8		62, 63, 64				[DMD]
	4864 966	1	8		62, 63, 64				[DMF]
12	4506 066	12	7		62, 65				SCREW, Hex Head Drive Gear
		12	8		62, 63, 64				Drive Gear
13	4746 605	1	7		62, 65				BEARING, Differential Consists of 2 Bearings and 2 Cups
		1	8		62, 63, 64				Consists of 2 Bearings and 2 Cups
14	3898 313AB	1	7		62, 65				SHIM, Differential Bearing
		1	8		62, 63, 64				
15	3507 543	2	7		62, 65				WASHER Pinion, Thrust
		2	8		62, 63, 64				Pinion, Thrust
16									WASHER, Differential Side Gear, [Purchase Center Differential Gear Kit], (NOT SERVICED) (Not Serviced)
17									SNAP RING, Axle Shaft, [Purchase Center Differential Gear Kit], (NOT SERVICED) (Not Serviced)
18	1922 276	1	7		62, 65				SHAFT, Differential

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl. ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 .	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDP, DDX, DDC = 5 Spd. Manual DEE = 6 Spd. Manual
			EAA = All engines EAG = All gas engines	DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Differential, Front Axle,Dana Model 60,BR 7,8
Figure 002-620

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	8		62, 63, 64				
19	5015 191AA	1	7		62, 65				CASE, Differential
		1	8		62, 63, 64				
20	5015 192AA	1	7		62, 65				GEAR KIT, Center Differential
		1	8		62, 63, 64				
21	4883 560AA	1	7		62, 65				ROLL PIN, Differential
		1	8		62, 63, 64				


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005




Group – 003

Rear Axle



GROUP 3 - Rear Axle

Illustration Title	Group-Fig. No.
Rear Axle	
Axle Assembly,Rear,Chrysler Model 9.25,BR 1,6	Fig. 003-110
Axle Assembly,Rear,Dana Model 60,BR 2,7	Fig. 003-120
Axle Assembly,Rear,Dana Model 70,BR 2,7	Fig. 003-130
Axle Assembly,Rear,Dana Model 80,BR 2,3,7,8	Fig. 003-140
Differential and Housing	
Axle,Rear,with Differential Parts,Chrysler Model 9.25,BR 1,6	Fig. 003-210
Axle,Rear,with Differential Parts,Dana Model 60,BR 2,7	Fig. 003-220
Axle,Rear,with Differential Parts,Dana Model 70,BR 2,7	Fig. 003-230
Axle,Rear,with Differential Parts,Dana Model 80,BR 2,3,7,8	Fig. 003-240
Rear Axle Vent	
Vent, Axle	Fig. 003-310


003-100 Rear Axle	003-200 Differential and Housing	003-300 Rear Axle Vent	
			

Axle Assembly,Rear,Chrysler Model 9.25,BR 1,6
Figure 003-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: DRB = 9.25 Chrysler Axle Light Duty---DMC = 3.21 Ratio---DMD = 3.55 Ratio---DMH = 3.92 Ratio---DSA = Anti-Spin

Differential									
1									AXLE, Service Rear
	5015 360AA	1	1		61, 62				Tag #52069941AC,[DMC,-DSA]
	5015 375AA	1	1		61, 62				Tag #52069942AC,[DMD,-DSA]
	5015 388AA	1	1		61, 62				Tag #52069943AC,[DMD,+DSA]
	5015 404AA	1	1		61, 62				Tag #52069944AC,[DMH,+DSA]
	5015 411AA	1	6		61, 62				Tag #52069945AC,[DMD,-DSA]
	5015 417AA	1	6		61, 62				Tag #52069946AC,[DMD,+DSA]
	5015 418AA	1	6		61, 62				Tag #52069947AC,[DMH,+DSA]
	5015 374AB	1	6		61				Tag #52069999AF,[DMF,+DSA]




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle Assembly,Rear,Dana Model 60,BR 2,7
Figure 003-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:DRC = 5500LB Axle---DRD = 6200LB. Axle---DMD = 3.54 Ratio---DMF =4.09 Ratio---DSA = Limited Slip Differential or Trac-
Lok---Check the VIN number for the 'Z' codes on the suspension.

1									AXLE, Service Rear
	5015 461AB	1	2		62, 65				Tag #52069454AG [DMD,-DSA]- Upto and Including 07-04-00
	5017 708AA	1	2		62, 65				Tag #52069454AE [DMD,-DSA]- 07-05-00 and After
	5015 560AB	1	2		62, 65				Tag #52069455AG [DMF,+DSA]- Upto and Including 07-04-00
	5017 717AA	1	2		62, 65				Tag #52069455AE [DMF,+DSA]- 07-05-00 and After
	5015 673AB	1	7		62, 65				Tag #52069456AI [DMD,-DSA]- Upto and Including 07-04-00
	5018 265AA	1	7		62, 65				Tag #52069456AG [DMD,-DSA]- 07-05-00 and After
	5015 674AB	1	7		62, 65				Tag #52069457AI [DMF,+DSA]- Upto and Including 07-04-00
	5018 267AA	1	7		62, 65				Tag #52069457AG [DMF,+DSA]- 07-05-00 and After

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

Axle Assembly,Rear,Dana Model 70,BR 2,7
Figure 003-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:DRE =Dana 70 Rear Axle---DMD=3.54 Ratio---DMF =4.10 Ratio---DSA = Limited Slip Differential									
1									AXLE, Service Rear
	5015 589AB	1	2		62, 65				Tag #52069458AH [DMD]-Upto and Including 07-04-00
	5017 723AA	1	2		62, 65				Tag #52069458AF [DMD]-07-05-00 and After
	5015 601AB	1	2		62, 65				Tag #52069459AH [DMD,DSA]-Upto and Including 07-04-00
	5018 051AA	1	2		62, 65				Tag #52069459AF [DMD,DSA]-07-05-00 and After
	5015 604AB	1	2		62, 65				Tag #52069460AH [DMF]-Upto and Including 07-04-00
	5018 062AA	1	2		62, 65				Tag #52069460AF [DMF]-07-05-00 and After
	5015 605AB	1	2		62, 65				Tag #52069467AH [DMF,DSA]-Upto and Including 07-04-00
	5018 075AA	1	2		62, 65				Tag #52069467AF [DMF,DSA]-07-05-00 and After
	5015 676AB	1	7		62, 65				Tag #52069468AJ [DMD]-Upto and Including 07-04-00
	5018 269AA	1	7		62, 65				Tag #52069468AH [DMD]-07-05-00 and After
	5015 677AB	1	7		62, 65				Tag #52069469AJ [DMD,DSA]-Upto and Including 07-04-00
	5018 271AA	1	7		62, 65				Tag #52069469AH [DMD,DSA]-07-05-00 and After
	5015 687AB	1	7		62, 65				Tag #52069470AJ [DMF]-Upto and Including 07-04-00
	5018 276AA	1	7		62, 65				Tag #52069470AH [DMF]-07-05-00 and After
	5015 688AB	1	7		62, 65				Tag #52069471AJ [DMF,DSA]-Upto and Including 07-04-00
	5018 277AA	1	7		62, 65				Tag #52069471AH [DMF,DSA]-07-05-00 and After

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle Assembly,Rear,Dana Model 80,BR 2,3,7,8
Figure 003-140




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:DRL = Dana 80 Axle---DMD = 3.54 Ratio---DMF = 4.10 Ratio---DSA = Limited Slip Differential---WLA = Dual Rear Wheels									
1									AXLE, Service Rear
	5015 615AB	1	2		62, 65				Tag #52069472AG,[DMD]-Upto and Including 07-04-00
	5018 077AA	1	2		62, 65				Tag #52069472AE,[DMD]-07-05-00 and After
	5015 620AB	1	2		62, 65				Tag #52069473AG,[DMD,DSA]- Upto and Including 07-04-00
	5018 089AA	1	2		62, 65				Tag #52069473AE,[DMD,DSA]-07- 05-00 and After
	5015 621AB	1	2		62, 65				Tag #52069474AG,[DMF]-Upto and Including 07-04-00
	5018 091AA	1	2		62, 65				Tag #52069474AE,[DMF]-07-05-00 and After
	5015 637AB	1	2		62, 65				Tag #52069475AG,[DMF,DSA]- Upto and Including 07-04-00
	5018 092AA	1	2		62, 65				Tag #52069475AE,[DMF,DSA]-07- 05-00 and After
	5015 642AB	1	3		62				Tag #52069480AH,[DMD]-Upto and Including 07-04-00
	5018 100AA	1	3		62				Tag #52069480AF,[DMD]-07-05-00 and After
	5015 645AB	1	3		62				Tag #52069481AH,[DMD,DSA]- Upto and Including 07-04-00
	5018 101AA	1	3		62				Tag #52069481AF,[DMD,DSA]-07- 05-00 and After
	5015 647AB	1	3		62				Tag #52069482AH,[DMF]-Upto and Including 07-04-00
	5018 108AA	1	3		62				Tag #52069482AF,[DMF]-07-05-00 and After
	5015 648AB	1	3		62				Tag #52069483AH,[DMF,DSA]- Upto and Including 07-04-00
	5018 216AA	1	3		62				Tag #52069483AF,[DMF,DSA]-07- 05-00 and After
	5015 652AB	1	3, 8		63, 64				Tag #52069488AH,[DMD,WLA]- Upto and Including 07-04-00
	5018 227AA	1	3, 8		63, 64				Tag #52069488AF,[DMD,WLA]-07- 05-00 and After
	5015 653AB	1	3, 8		63, 64				Tag #52069489AH,[DMD,DSA, WLA]-Upto and Including 07-04- 00

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle Assembly,Rear,Dana Model 80,BR 2,3,7,8
Figure 003-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5018 228AA	1	3, 8		63, 64				Tag #52069489AF,[DMD,DSA, WLA]-07-05-00 and After
	5015 654AB	1	3, 8		63, 64				Tag #52069490AH,[DMF,WLA]- Upto and Including 07-04-00
	5018 230AA	1	3, 8		63, 64				Tag #52069490AF,[DMF,WLA]-07- 05-00 and After
	5015 655AB	1	3, 8		63, 64				Tag #52069491AH,[DMF,DSA, WLA]-Upto and Including 07-04- 00
	5018 248AA	1	3, 8		63, 64				Tag #52069491AF,[DMF,DSA, WLA]-07-05-00 and After
	5015 691AB	1	7		62, 65				Tag #52069476AI,[DMD]-Upto and Including 07-04-00
	5018 283AA	1	7		62, 65				Tag #52069476AG,[DMD]-07-05-00 and After
	5015 692AB	1	7		62, 65				Tag #52069477AI,[DMD,DSA]-Upto and Including 07-04-00
	5018 089AA	1	7		62, 65				Tag #52069477AG,[DMD,DSA]-07- 05-00 and After
	5015 699AB	1	7		62, 65				Tag #52069478AI,[DMF]-Upto and Including 07-04-00
	5018 287AA	1	7		62, 65				Tag #52069478AG,[DMF]-07-05-00 and After
	5015 700AB	1	7		62, 65				Tag #52069479AI,[DMF,DSA]-Upto and Including 07-04-00
	5018 288AA	1	7		62, 65				Tag #52069479AG,[DMF,DSA]-07- 05-00 and After
	5015 704AB	1	8		62				Tag #52069484AH,[DMD]-Upto and Including 07-04-00
	5018 290AA	1	8		62				Tag #52069484AF,[DMD]-07-05-00 and After
	5015 710AB	1	8		62				Tag #52069485AH,[DMD,DSA]- Upto and Including 07-04-00
	5018 291AA	1	8		62				Tag #52069485AF,[DMD,DSA]-07- 05-00 and After
	5015 730AB	1	8		62				Tag #52069486AH,[DMF]-Upto and Including 07-04-00
	5018 293AA	1	8		62				Tag #52069486AF,[DMF]-07-05-00 and After
	5015 733AB	1	8		62				Tag #52069487AH,[DMF,DSA]- Upto and Including 07-04-00


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle Assembly,Rear,Dana Model 80,BR 2,3,7,8
Figure 003-140

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5018 295AA	1	8		62				Tag #52069487AF,[DMF,DSA]-07-05-00 and After




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential Parts,Chrysler Model 9.25,BR 1,6
Figure 003-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:DRB =9.25 Chrysler Axle---DMC= 3.21 Ratio---DMD=3.55 Ratio---DMH=3.92 Ratio---DMF=4.10 Ratio---DSA= Anti-Spin									
Differential									
1	6028 041	1	1		61, 62				NUT, Pinion Yoke
		1	6		61, 62				
2	2070 117	1	1		61, 62				WASHER, Pinion Yoke
		1	6		61, 62				
3	5210 5064	1	1		61, 62				FLANGE, Driveshaft Yoke
		1	6		61, 62				
4	52070 340AA	1	1		61, 62				SEAL, Drive Pinion
		1	6		61, 62				
5	1820 552	1	1		61, 62				BEARING, Drive Pinion
		1	6		61, 62				Front
6	1820 551	1	1		61, 62				CUP, Drive Pinion Bearing
		1	6		61, 62				Front
7	5015 359AA	1	1		61, 62				HOUSING, Rear Axle
	5015 373AA	1	6		61, 62				
8	4137 696AB	1							BOLT, Axle Vent
9	3723 668	8	1		61, 62				STUD
		8	6		61, 62				Axle Housing to Backing Plate
10	3507 898AB	2	1		61, 62				BEARING, Wheel
		2	6		61, 62				
11	4137 426	2	1		61, 62				SEAL, Axle Drive Shaft
		2	6		61, 62				
12	5206 7614	2	1		61, 62				SHAFT, Axle
		2	6		61, 62				
13	6034 731	10	1		61, 62				STUD, Wheel
		10	6		61, 62				
14									SCREW, Hex Head, .50-13x2.38

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential Parts,Chrysler Model 9.25,BR 1,6
Figure 003-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3432 695	4	1		61, 62				Carrier Bearing Cap Screws
		4	6		61, 62				Carrier Bearing Cap Screws
15	5010 884AA	1	6		61, 62				SEALANT, RTV
16	4384 293AC	1	1		61, 62				COVER, Differential
		1	6		61, 62				
17									SCREW AND WASHER, Hex Flange Head, .312-18x.562
	6033 043	12	1		61, 62				Differential, Cover
		12	6		61, 62				Differential, Cover
18									PLUG, Differential Cover
	3723 687	1	1		61, 62				
		1	6		61, 62				
19									ADJUSTER, Differential Bearing
	3507 723	2	1		61, 62				
		2	6		61, 62				
20									LOCK, Differential Bearing
	3723 858	2	1		61, 62				
		2	6		61, 62				
21									SCREW AND WASHER, Hex Head, .25-20x.50
	6023 092	2	1		61, 62				Differential Bearing Lock
		2	6		61, 62				
22									CUP, Differential Side Bearing
	3723 148	2	1		61, 62				
		2	6		61, 62				
23									BEARING, Differential
	3723 149	2	1		61, 62				
		2	6		61, 62				
24									SCREW, Hex Flange Head, .437- 20x.88
	6036 054AA	12	1		61, 62				Ring Gear Attaching
		12	6		61, 62				Ring Gear Attaching
25									SHAFT, Differential
	1633 928	1	1		61, 62				[-DSA]
		1	6		61, 62				[-DSA]
26									CASE, Differential
	4384 222	1	1		61, 62				[-DSA]
		1	6		61, 62				[-DSA]
-27									TONE RING, Sensor

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential Parts,Chrysler Model 9.25,BR 1,6
Figure 003-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4384 227	1	1		61, 62				
		1	6		61, 62				
28	3507 724	2	1		61, 62				SCREW, Hex Head, .312-18x1.80
		1	6		61, 62				Differential Shaft Lock,[-DSA]
29									Differential Shaft Lock,[-DSA]
									GEAR KIT, Ring And Pinion
	5015 358AB	1	1		61, 62				[DMC]
	5010 322AB	1	1		61, 62				[DMD]
	5010 321AA	1	1		61, 62				[DMH]
	5010 322AB	1	6		61, 62				[DMD]
	5010 321AB	1	6		61, 62				[DMH]
	5015 371AA	1	6		61				[DMF]
30									BEARING, Drive Pinion
	2852 731	1	1		61, 62				Rear
		1	6		61, 62				Rear
31									CUP, Drive Pinion Bearing
	2852 732	1	1		61, 62				Rear
		1	6		61, 62				Rear
32									SHIM, Drive Pinion Bearing, .020
	3432 320	AR	1		61, 62				
		AR	6		61, 62				
-33									SHIM, Drive Pinion Bearing, .021
	3432 321	AR	1		61, 62				
		AR	6		61, 62				
-34									SHIM, Drive Pinion Bearing, .022
	3432 322	AR	1		61, 62				
		AR	6		61, 62				
-35									SHIM, Drive Pinion Bearing, .023
	3432 323	AR	1		61, 62				
		AR	6		61, 62				
-36									SHIM, Drive Pinion Bearing, .024
	3432 324	AR	1		61, 62				
		AR	6		61, 62				
-37									SHIM, Drive Pinion Bearing, .025
	3432 325	AR	1		61, 62				
		AR	6		61, 62				
-38									SHIM, Drive Pinion Bearing, .026
	3432 326	AR	1		61, 62				
		AR	6		61, 62				
-39									SHIM, Drive Pinion Bearing, .027


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential Parts,Chrysler Model 9.25,BR 1,6
Figure 003-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3432 327	AR	1		61, 62				
		AR	6		61, 62				
-40	3432 328	AR	1		61, 62				SHIM, Drive Pinion Bearing, .028
		AR	6		61, 62				
-41	3432 329	AR	1		61, 62				SHIM, Drive Pinion Bearing, .029
		AR	6		61, 62				
-42	3432 330	AR	1		61, 62				SHIM, Drive Pinion Bearing, .030
		AR	6		61, 62				
-43	3432 331	AR	1		61, 62				SHIM, Drive Pinion Bearing, .031
		AR	6		61, 62				
-44	3432 332	AR	1		61, 62				SHIM, Drive Pinion Bearing, .032
		AR	6		61, 62				
-45	3432 333	AR	1		61, 62				SHIM, Drive Pinion Bearing, .033
		AR	6		61, 62				
-46	3432 334	AR	1		61, 62				SHIM, Drive Pinion Bearing, .034
		AR	6		61, 62				
-47	3432 335	AR	1		61, 62				SHIM, Drive Pinion Bearing, .035
		AR	6		61, 62				
-48	3432 336	AR	1		61, 62				SHIM, Drive Pinion Bearing, .036
		AR	6		61, 62				
-49	3432 337	AR	1		61, 62				SHIM, Drive Pinion Bearing, .037
		AR	6		61, 62				
-50	3432 338	AR	1		61, 62				SHIM, Drive Pinion Bearing, .038
		1	6		61, 62				
51	3507 678	1	1		61, 62				SPACER, Drive Pinion Bearing Crush
		1	6		61, 62				Crush
52	4137 669	2	1		61, 62				LOCK, Drive Shaft

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential Parts,Chrysler Model 9.25,BR 1,6
Figure 003-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	6		61, 62				
53	3507 641	2	1		61, 62				WASHER, Pinion Thrust
		2	6		61, 62				
54									PINION, Differential, Serviced in Differential GEAR PACKAGE, (NOT SERVICED) (Not Serviced)
55	4798 912	1	1		61, 62				GEAR PACKAGE, Differential [-DSA]
		1	6		61, 62				[-DSA]
56									GEAR, Differential, Serviced in Differential GEAR PACKAGE, (NOT SERVICED) (Not Serviced)
57	4131 294	1	1		61, 62				WASHER PACKAGE, Side Gear Thrust
		1	6		61, 62				
58	5206 8450	1	1		61, 62				CASE, Differential [+DSA]
		1	6		61, 62				[+DSA]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential Parts,Dana Model 60,BR 2,7
Figure 003-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DRD = Dana Model 60---DMD = 3.55 Ratio---DMF = 4.09 Ratio---DSA = Limited Slip Differential									
1	3507 543	2	2		62, 65				WASHER Pinion Gear Thrust
		2	7		62, 65				Pinion Gear Thrust
2	2961 848	2	2		62, 65				WASHER Side Gear Thrust
		2	7		62, 65				Side Gear Thrust
3	3898 313AB	1	2		62, 65				SHIM, Differential Bearing Bearing Adjusting
		1	7		62, 65				Bearing Adjusting
4	4746 605	1	2		62, 65				BEARING, Differential
		1	7		62, 65				
5	4746 603	1	2		62, 65				BEARING, Drive Pinion Rear
		1	7		62, 65				Rear
6	4746 868	1	2		62, 65				SHIM KIT, Pinion Shaft
		1	7		62, 65				
7	5015 457AA	1	2		62, 65				HOUSING, Rear Axle Upto and Including 07-04-00
	5017 707AA	1	2		62, 65				07-05-00 and After
	5015 672AA	1	7		62, 65				Upto and Including 07-04-00
	5018 264AA	1	7		62, 65				07-05-00 and After
8	2952 474	10	2		62, 65				BOLT, Hex Flange Head Cover
		10	7		62, 65				Cover
9	3640 792	1	2		62, 65				PLUG, Differential Cover Cover
		1	7		62, 65				Cover
10	5010 884AA	1	2		62, 65				SEALANT, RTV
		1	7		62, 65				
11	4773 402	1	2		62, 65				COVER, Differential
	4773 403	1	7		62, 65				
12	4137 696AB	1							BOLT, Axle Vent
13	4746 606	1	2		62, 65				SPACER, Drive Pinion Bearing Crush
		1	7		62, 65				Crush
14									BEARING, Drive Pinion


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential Parts,Dana Model 60,BR 2,7
Figure 003-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 604	1	2		62, 65				Front
		1	7		62, 65				Front
15									SLINGER, Drive Pinion
	4746 867	1	2		62, 65				
		1	7		62, 65				
16									SEAL, Drive Pinion
	5012 846AA	1	2		62, 65				
		1	7		62, 65				
17									YOKE, Axle
	5016 791AA	1	2		62, 65				
		1	7		62, 65				
-18									O RING, Pinion Flange
	5016 792AA-	1	2		62, 65				Fits Over Hub of Axle Yoke
		1	7		62, 65				Fits Over Hub of Axle Yoke
19									WASHER, Pinion Yoke
	2070 117	1	2		62, 65				Upto and Including 07-04-00
	1795 175	1	2		62, 65				07-05-00 and After
	2070 117	1	7		62, 65				Upto and Including 07-04-00
	1795 175	1	7		62, 65				07-05-00 and After
20									NUT, Pinion Yoke
	1795 173	1	2		62, 65				
		1	7		62, 65				
21									DISC AND PLATE KIT, Differential
	4506 060	1	2		62, 65				[DSA]
		1	7		62, 65				[DSA]
22									SCREW, Hex Head
	4506 066	12	2		62, 65				Ring Gear Mounting
		12	7		62, 65				Ring Gear Mounting
23									GEAR KIT, Ring And Pinion
	4762 222	1	2		62, 65				[DMD]
	4864 966	1	2		62, 65				[DMF]
	4762 222	1	7		62, 65				[DMD]
	4864 966	1	7		62, 65				[DMF]
24									CASE, Differential
	4746 024AB	1	2		62, 65				[-DSA]
	4506 058AB	1	2		62, 65				[+DSA]
	4746 024AB	1	7		62, 65				[-DSA]
	4506 058AB	1	7		62, 65				[+DSA]
25									GEAR KIT, Center Differential
	4746 027	1	2		62, 65				[-DSA]

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

61= Reg. Cab (118 WB)
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)

ENGINE

EHC, EH0 = 3.9L 6 Cyl.
ELF, EL0 = 5.2L 8 Cyl.
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP, DDX, DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential Parts,Dana Model 60,BR 2,7
Figure 003-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7		62, 65				[-DSA]
26	4506 059	1	2		62, 65				GEAR KIT, Center Differential
		1	7		62, 65				[+DSA]
27									STUD
	5003 932AA	8	2		62, 65				Axle Housing to Backing Plate Upto and Including 07-04-00
	5018 556AA	4	2		62, 65				Axle Housing to Backing Plate 07- 05-00 and After
	5003 932AA	8	7		62, 65				Axle Housing to Backing Plate Upto and Including 07-04-00
	5018 556AA	4	7		62, 65				Axle Housing to Backing Plate 07- 05-00 and After
-28									NUT
	5003 934AA-	8	2		62, 65				Axle Housing to Backing Plate Upto and Including 07-04-00
	5017 709AA-	8	2		62, 65				Axle Housing to Backing Plate 07- 05-00 and After
	5003 934AA-	8	7		62, 65				Axle Housing to Backing Plate Upto and Including 07-04-00
	5017 709AA-	8	7		62, 65				Axle Housing to Backing Plate 07- 05-00 and After
29	4384 186	2	2		62, 65				GASKET, Axle Shaft
		2	7		62, 65				Axle Shaft to Hub Mounting
30	4746 601	2	2		62, 65				SHAFT, Axle
		2	7		62, 65				
31	4506 057	1	2		62, 65				TONE RING, Sensor
		1	7		62, 65				
32	4883 560AA	1	2		62, 65				ROLL PIN, Differential
		1	7		62, 65				
33	1922 276	1	2		62, 65				SHAFT, Differential
		1	7		62, 65				
34	5003 648AA	4	2		62, 65				BOLT, Differential
		4	7		62, 65				

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

61= Reg. Cab (118 WB)
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)

ENGINE

EHC, EH0 = 3.9L 6 Cyl.
ELF, EL0 = 5.2L 8 Cyl.
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP, DDX, DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential Parts,Dana Model 70,BR 2,7
Figure 003-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DRE=Dana Model 70---DMD = 3.54 Ratio---DMF = 4.10 Ratio---DSA = Limited Slip Differential									
1	3823 561	2	2		62, 65				WASHER Pinion Gear Thrust
		2	7		62, 65				Pinion Gear Thrust
2	2961 848	2	2		62, 65				WASHER Side Gear Thrust
		2	7		62, 65				Side Gear Thrust
3	3898 313AB	1	2		62, 65				SHIM, Differential Bearing Adjusting
		1	7		62, 65				Adjusting
4	4746 605	1	2		62, 65				BEARING, Differential
		1	7		62, 65				
5	4746 617	1	2		62, 65				BEARING, Drive Pinion Rear
		1	7		62, 65				Rear
6	4746 616	1	2		62, 65				SHIM KIT, Pinion Shaft
		1	7		62, 65				
7	5015 587AA	1	2		62, 65				HOUSING, Rear Axle Upto and Including 07-04-00
	5017 722AA	1	2		62, 65				07-05-00 and After
	5015 675AA	1	7		62, 65				Upto and Including 07-04-00
	5018 268AA	1	7		62, 65				07-05-00 and After
8	2952 474	10	2		62, 65				BOLT, Hex Flange Head Cover
		10	7		62, 65				Cover
9	3640 792	1	2		62, 65				PLUG, Differential Cover Cover
		1	7		62, 65				Cover
10	5010 884AA	1	2		62, 65				SEALANT, RTV
		1	7		62, 65				
11	4773 401	1	2		62, 65				COVER, Differential
	4773 400	1	7		62, 65				
12	4137 696AB	1							BOLT, Axle Vent
13	4773 913	1	2		62, 65				SPACER, Drive Pinion Bearing
		1	7		62, 65				
14									BEARING, Drive Pinion

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential Parts,Dana Model 70,BR 2,7
Figure 003-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 604	1	2		62, 65				Front
		1	7		62, 65				Front
15	4746 867	1	2		62, 65				SLINGER, Drive Pinion
		1	7		62, 65				
16	5072 265AA	1	2		62, 65				SEAL, Drive Pinion
	5012 846AB	1	7		62, 65				
17									YOKE, Axle
	5016 791AA	1	2		62, 65				
		1	7		62, 65				
-18	5016 792AA-	1	2		62, 65				O RING, Pinion Flange Fits Over Hub of Axle Yoke
		1	7		62, 65				Fits Over Hub of Axle Yoke
19	2070 117	1	2		62, 65				WASHER, Pinion Yoke
		1	7		62, 65				
20									NUT, Pinion Yoke
	1795 173	1	2		62, 65				
		1	7		62, 65				
21									DISC AND PLATE KIT, Differential
	4506 072	1	2		62, 65				
		1	7		62, 65				
22	4506 066	12	2		62, 65				SCREW, Hex Head Ring Gear Mounting
		12	7		62, 65				Ring Gear Mounting
23	4746 618AB	1	2		62, 65				GEAR KIT, Ring And Pinion [DMD]
	4746 624AB	1	2		62, 65				[DMF]
	4746 618AB	1	7		62, 65				[DMD]
	4746 624AB	1	7		62, 65				[DMF]
24	4746 621AB	1	2		62, 65				CASE, Differential [-DSA]
	4638 254AB	1	2		62, 65				[+DSA]
	4746 621AB	1	7		62, 65				[-DSA]
	4638 254AB	1	7		62, 65				[+DSA]
25	4746 622	1	2		62, 65				GEAR KIT, Center Differential [-DSA]
		1	7		62, 65				[-DSA]
26									GEAR KIT, Center Differential

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential Parts,Dana Model 70,BR 2,7
Figure 003-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
27	4638 255	1	2		62, 65				[+DSA]
		1	7		62, 65				[+DSA]
									STUD
	5003 932AA	8	2		62, 65				Axle Housing to Backing Plate- Upto and Including 07-04-00
	5018 556AA	4	2		62, 65				Axle Housing to Backing Plate-07- 05-00 and After
	5003 932AA	8	7		62, 65				Axle Housing to Backing Plate- Upto and Including 07-04-00
	5018 556AA	4	7		62, 65				Axle Housing to Backing Plate-07- 05-00 and After
									NUT
-28	5003 934AA-	8	2		62, 65				Axle Housing to Backing Plate- Upto and Including 07-04-00
	5017 709AA-	8	2		62, 65				Axle Housing to Backing Plate-07- 05-00 and After
	5003 934AA-	8	7		62, 65				Axle Housing to Backing Plate- Upto and Including 07-04-00
	5017 709AA-	8	7		62, 65				Axle Housing to Backing Plate-07- 05-00 and After
29									GASKET, Axle Shaft
	4384 186	2	2		62, 65				Axle Shaft to Hub Mounting
30		2	7		62, 65				Axle Shaft to Hub Mounting
	4746 620	2	2		62, 65				SHAFT, Axle
		2	7		62, 65				
									RING, Tone
31	4506 069	1	2		62, 65				
		1	7		62, 65				
32									ROLL PIN, Differential
	5015 590AA	1	2		62, 65				
		1	7		62, 65				
									SHAFT, Differential
33	4856 290	1	2		62, 65				
		1	7		62, 65				
34									BOLT, Differential
	5003 648AA	4	2		62, 65				
		4	7		62, 65				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential Parts,Dana Model 80,BR 2,3,7,8
Figure 003-240



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes; [DMD]=Axle Ratio - 3.55 [DMF]=Axle Ratio - 4.10 [DRL]=Dana Model 80 [DSA]=Axle - Anti-Spin Differential									
1	3823 561	2	2		62, 65				WASHER, Pinion Gear
		2	3		62				Without [DSA], Thrust
		2	3, 8		63, 64				Without [DSA], Thrust
		2	7		62, 65				Without [DSA], Thrust
		2	8		62				Without [DSA], Thrust
2	2961 848	1	2		62, 65				WASHER, Side Gear
		2	3		62				Without [DSA], Thrust
		2	3, 8		63, 64				Without [DSA], Thrust
		2	7		62, 65				Without [DSA], Thrust
		2	8		62				Without [DSA], Thrust
3	4778 763AC	1	2		62, 65				CASE, Differential
	4778 772AC	1	2		62, 65				[DMD,DSA] Includes 4,5,28,30,31
	4778 763AC	1	3		62				[DMF,DSA] Includes 4,5,28,30,31
									[DMD,DSA] Includes 4,5,28,30,31
	4778 772AC	1	3		62				[DMF,DSA] Includes 4,5,28,30,31
	4778 763AC	1	3, 8		63, 64				[DMD,DSA] Includes 4,5,28,30,31
	4778 772AC	1	3, 8		63, 64				[DMF,DSA] Includes 4,5,28,30,31
	4778 763AC	1	7		62, 65				[DMD,DSA] Includes 4,5,28,30,31
	4778 772AC	1	7		62, 65				[DMF,DSA] Includes 4,5,28,30,31
	4778 763AC	1	8		62				[DMD,DSA] Includes 4,5,28,30,31
	4778 772AC	1	8		62				[DMF,DSA] Includes 4,5,28,30,31
4	4746 982AB	1	2		62, 65				SHIM KIT, Differential
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
5	4746 981	1	2		62, 65				BEARING, Differential
		1	3		62				Consists of 2 Bearings and 2 Cups
		1	3, 8		63, 64				Consists of 2 Bearings and 2 Cups
		1	7		62, 65				Consists of 2 Bearings and 2 Cups
		1	8		62				Consists of 2 Bearings and 2 Cups
6									SPACER KIT, differential


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential Parts,Dana Model 80,BR 2,3,7,8
Figure 003-240




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 984	1	2		62, 65				Consists of 2 Flat Spacers
		1	3		62				Consists of 2 Flat Spacers
		1	3, 8		63, 64				Consists of 2 Flat Spacers
		1	7		62, 65				Consists of 2 Flat Spacers
		1	8		62				Consists of 2 Flat Spacers
7									BEARING, Drive Pinion
	4746 978	1	2		62, 65				Bearing and Cup, Rear
	4746 979	1	3		62				Bearing and Cup, Rear
	4746 978	1	3, 8		63, 64				Bearing and Cup, Rear
	4746 979	1	7		62, 65				Bearing and Cup, Rear
	4746 978	1	8		62				Bearing and Cup, Rear
8									SHIM KIT, Pinion Shaft
	4746 983	1	2		62, 65				Front and Rear
		1	3		62				Front and Rear
		1	3, 8		63, 64				Front and Rear
		1	7		62, 65				Front and Rear
		1	8		62				Front and Rear
9									HOUSING, Rear Axle
	5015 613AA	1	2		62, 65				[DMD] Upto and Including 07-04-00
	5018 076AA	1	2		62, 65				[DMD] 07-05-00 and After
	5015 697AA	1	2		62, 65				[DMF] Upto and Including 07-04-00
	5018 090AA	1	2		62, 65				[DMF] 07-05-00 and After
	5015 640AA	1	3		62				[DMD] Upto and Including 07-04-00
	5018 097AA	1	3		62				[DMD] 07-05-00 and After
	5015 693AA	1	3		62				[DMF] Upto and Including 07-04-00
	5018 107AA	1	3		62				[DMF] 07-05-00 and After
	5015 651AA	1	3, 8		63, 64				[DMD] Upto and Including 07-04-00
	5018 226AA	1	3, 8		63, 64				[DMD] 07-05-00 and After
	5015 696AA	1	3, 8		63, 64				[DMF] Upto and Including 07-04-00
	5018 229AA	1	3, 8		63, 64				[DMF] 07-05-00 and After
	5015 690AA	1	7		62, 65				[DMD] Upto and Including 07-04-00
	5018 282AA	1	7		62, 65				[DMD] 07-05-00 and After
	5015 698AA	1	7		62, 65				[DMF] Upto and Including 07-04-00
	5018 286AA	1	7		62, 65				[DMF] 07-05-00 and After
	5015 703AA	1	8		62				[DMD] Upto and Including 07-04-00
	5018 289AA	1	8		62				[DMD] 07-05-00 and After
	5015 729AA	1	8		62				[DMF] Upto and Including 07-04-00
	5018 292AA	1	8		62				[DMF] 07-05-00 and After
10									BOLT, Differential Cover
	2952 474	10	2		62, 65				Mounting

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential Parts,Dana Model 80,BR 2,3,7,8
Figure 003-240




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		10	3		62				Mounting
		10	3, 8		63, 64				Mounting
		10	7		62, 65				Mounting
		10	8		62				Mounting
11									PLUG, Differential Cover
	3640 792	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
12		1	8		62				SEALANT, RTV
	5010 884AA	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
13		1	8		62				COVER, Differential
	4746 985	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
	4746 989	1	7		62, 65				
14		1	8		62				BOLT, Axle Vent
15	4137 696AB	1							SPACER, Drive Pinion
	4773 230	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
16									BEARING, Drive Pinion
	4746 979	1	2		62, 65				Bearing and Cup, Front
		1	3		62				Bearing and Cup, Front
		1	3, 8		63, 64				Bearing and Cup, Front
		1	7		62, 65				Bearing and Cup, Front
		1	8		62				Bearing and Cup, Front
17									SLINGER, Drive Pinion, Order Yoke
									Assembly, (NOT SERVICED) (Not
									Serviced)
18									SEAL, Drive Pinion
	5015 618AB	1	2		62, 65				Without Flange

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential Parts,Dana Model 80,BR 2,3,7,8
Figure 003-240




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5073 944AA	1	2		62, 65				With Flange
	5015 618AB	1	3		62				Without Flange
	5073 944AA	1	3		62				With Flange
	5015 618AB	1	3, 8		63, 64				Without Flange
	5073 944AA	1	3, 8		63, 64				With Flange
	5015 618AB	1	7		62, 65				Without Flange
	5073 944AA	1	7		62, 65				With Flange
	5015 618AB	1	8		62				Without Flange
	5073 944AA	1	8		62				With Flange
-19									O RING, Pinion Flange
	5015 619AA-	1	2		62, 65				Fits Over the Hub of the Axle Yoke
		1	7		62, 65				Fits Over the Hub of the Axle Yoke
		1	3		62				Fits Over the Hub of the Axle Yoke
		1	8		62				Fits Over the Hub of the Axle Yoke
		1	3, 8		63, 64				Fits Over the Hub of the Axle Yoke
20									YOKE, Axle
	5015 614AB	1	2		62, 65				
	5015 641AA	1	3		62				
		1	3, 8		63, 64				
	5015 614AB	1	7		62, 65				
	5015 641AA	1	8		62				
21									WASHER, Pinion Yoke
	4773 240	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
22									NUT, Pinion Yoke
	4773 239	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
23									CASE, Differential
	4746 977AB	1	2		62, 65				[DMD] Without [DSA] Includes 4,24
	4746 993AB	1	2		62, 65				[DMF] Without [DSA] Includes 4,24
	4746 977AB	1	3		62				[DMD] Without [DSA] Includes 4,24
	4746 993AB	1	3		62				[DMF] Without [DSA] Includes 4,24
	4746 977AB	1	3, 8		63, 64				[DMD] Without [DSA] Includes 4,24
	4746 993AB	1	3, 8		63, 64				[DMF] Without [DSA] Includes 4,24

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential Parts,Dana Model 80,BR 2,3,7,8
Figure 003-240




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 977AB	1	7		62, 65				[DMD] Without [DSA] Includes 4,24
	4746 993AB	1	7		62, 65				[DMF] Without [DSA] Includes 4,24
	4746 977AB	1	8		62				[DMD] Without [DSA] Includes 4,24
	4746 993AB	1	8		62				[DMF] Without [DSA] Includes 4,24
24									GEAR KIT, Center Differential
	4746 980	1	2		62, 65				Without [DSA]
		1	3		62				Without [DSA]
		1	3, 8		63, 64				Without [DSA]
		1	7		62, 65				Without [DSA]
		1	8		62				Without [DSA]
25									STUD
	5003 932AA	8	2		62, 65				Axle Housing to Backing Plate, Mounting
		8	3		62				Axle Housing to Backing Plate, Mounting
		8	3, 8		63, 64				Axle Housing to Backing Plate, Mounting
		8	7		62, 65				Axle Housing to Backing Plate, Mounting
		8	8		62				Axle Housing to Backing Plate, Mounting
-26									NUT
	5017 709AA-	8	2		62, 65				Axle Housing to Backing Plate, Mounting
		8	3		62				Axle Housing to Backing Plate, Mounting
		8	3, 8		63, 64				Axle Housing to Backing Plate, Mounting
		8	7		62, 65				Axle Housing to Backing Plate, Mounting
		8	8		62				Axle Housing to Backing Plate, Mounting
27									GASKET, Axle Shaft
	4384 186	2	2		62, 65				Axle Shaft to Hub, Mounting
		2	3		62				Axle Shaft to Hub, Mounting
		2	3, 8		63, 64				Axle Shaft to Hub, Mounting
		2	7		62, 65				Axle Shaft to Hub, Mounting
		2	8		62				Axle Shaft to Hub, Mounting
28									DISC AND PLATE KIT, Differential With [DSA]
	5015 623AA	1	2		62, 65				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential Parts,Dana Model 80,BR 2,3,7,8
Figure 003-240



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	3		62				With [DSA]
		1	3, 8		63, 64				With [DSA]
		1	7		62, 65				With [DSA]
		1	8		62				With [DSA]
29									SHAFT, Axle
	4746 995	2	2		62, 65				
	4746 967	2	3		62				
	4746 990	2	3, 8		63, 64				
	4746 995	2	7		62, 65				
	4746 967	2	8		62				
30									GEAR KIT, Center Differential
	5015 622AA	1	2		62, 65				With [DSA]
		1	3		62				With [DSA]
		1	3, 8		63, 64				With [DSA]
		1	7		62, 65				With [DSA]
		1	8		62				With [DSA]
31									BOLT, Ring Gear
	4773 238	12	2		62, 65				Mounting
		12	3		62				Mounting
		12	3, 8		63, 64				Mounting
		12	7		62, 65				Mounting
		12	8		62				Mounting
32									GEAR KIT, Ring And Pinion
	4746 976	1	2		62, 65				[DMD]
	4746 992	1	2		62, 65				[DMF]
	4746 976	1	3		62				[DMD]
	4746 992	1	3		62				[DMF]
	4746 976	1	3, 8		63, 64				[DMD]
	4746 992	1	3, 8		63, 64				[DMF]
	4746 976	1	7		62, 65				[DMD]
	4746 992	1	7		62, 65				[DMF]
	4746 976	1	8		62				[DMD]
	4746 992	1	8		62				[DMF]
33									BOLT, Differential
	5003 648AA	4	2		62, 65				Carrier Cap, Mounting
		4	3		62				Carrier Cap, Mounting
		4	3, 8		63, 64				Carrier Cap, Mounting
		4	7		62, 65				Carrier Cap, Mounting
		4	8		62				Carrier Cap, Mounting
34									SHAFT, Differential


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential Parts,Dana Model 80,BR 2,3,7,8
Figure 003-240




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4856 290	1	2		62, 65				Without [DSA]
		1	3		62				Without [DSA]
		1	3, 8		63, 64				Without [DSA]
		1	7		62, 65				Without [DSA]
		1	8		62				Without [DSA]
35	5015 590AA	1	2		62, 65				ROLL PIN, Differential
		1	3		62				Without [DSA]
		1	3, 8		63, 64				Without [DSA]
		1	7		62, 65				Without [DSA]
		1	8		62				Without [DSA]
36	4761 653	1	2		62, 65				RING, Tone
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Vent, Axle
Figure 003-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	J535 2955	1	6, 7, 8						VENT, Axle, Upper
2	4638 633	1	1, 2, 3						CLIP, Vent Tube
		1	6, 7, 8						
3	4443 176	1							HOSE, Fuel, .31 I.D. 50 Foot Roll, Axle Vent
4	4137 696AB	1							BOLT, Axle Vent, Lower


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions


Group – 004

Parking Brake


GROUP 4 - Parking Brake

Illustration Title	Group-Fig. No.
Parking Brake Lever and Cables	
Parking Brake Lever	Fig. 004-110
Parking Brake Cable	Fig. 004-120
Rear Disc Parking Brake Assy.	Fig. 004-130



004-100 Parking Brake Lever and Cables			
			

Parking Brake Lever
Figure 004-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LEVER, Park Brake
	52009 842AC	1							Upto and Including 03-26-00
	52009 842AD	1							03-27-00 and After
2	6101 787	1							SCREW, Tapping, M8x20, Parking Brake Lever Attaching
3	5017 047AA	1							SWITCH, Parking Brake
4	3420 1711	2							NUT, Hex Flange, M8x1.25, Parking Brake Assembly to Lever to Dash
5	52009 767AA	1							CABLE, Parking Brake
6	J400 4642	1							SCREW, Round Head, .164-18x.560, Parking Brake Cable Clip Mounting
7	0120 524	1							CLIP, Cable
8	5017 048AA	1							PAD, Parking Brake Pedal
9	J400 4642	3							SCREW, Round Head, .164-18x.560, Parking Brake Cable Seal Mounting
10	4658 677	1							CLIP, Latch Link
11									RELEASE, Parking Brake
	RU38 LAZAA	1							[AZ]
	RU38 VK9AA	1							[K9]
	RU38 RC8AA	1							[CE]
12									ROD, Parking Brake Release
	52009 907AB	1							Upto and Including 03-26-00
	52009 907AC	1							03-27-00 and After

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Parking Brake Cable
Figure 004-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CABLE, Parking Brake
	52009 934AA	1	1, 6		61, 62				Right
	52009 712AA	1	2, 3, 7, 8		62, 65				Upto and Including 07-04-00, Right
	52010 030AB	1	2, 3, 7, 8		62, 65				07-05-00 and After, Right
	52009 698AA	1	3, 8		63, 64				Upto and Including 07-04-00, Right
	52009 989AB	1	3, 8		63, 64				07-05-00 and After, Right
2									SCREW, Hex Flange Head, M8x1. 25x25.00, (NOT SERVICED) (Not Serviced)
3	0152 472	1							NUT, Hex Flange Lock, .312-18
4	6503 291	1							CLIP, Brake Cable, 23x45x.76
5	5200 9060	1							GUIDE, Parking Brake Cable
6									SCREW, Hex Flange Head, M8x1. 25x25.00, (NOT SERVICED) (Not Serviced)
7	5200 8943	1							GUIDE, Parking Brake Cable
8	6502 282	2							SCREW, Hex Head, M8x1.25x30
9									CABLE, Parking Brake
	52009 923AA	1	1, 6		61, 62				Left
	52009 713AA	1	2, 3, 8		62, 63, 64, 65				Upto and Including 07-04-00, Left
	52010 031AA	1	2		62, 65				07-05-00 and After, Left
	52013 005AA	1	3		62				07-05-00 and After, Left
	52009 988AB	1	3, 8		63, 64				07-05-00 and After, Left
	52009 697AA	1	7, 8		62, 65				Upto and Including 07-04-00, Left
	52009 987AA	1	7		62, 65				07-05-00 and After, Left
	52013 007AA	1	8		62				07-05-00 and After, Left
10									TENSIONER, Parking Brake Cable
	52008 437AD	1	1, 6		61, 62				Upto and Including 07-04-00
		1	1, 2, 6, 7		61, 62, 65				07-05-00 and After
	52009 841AA	1	2, 3, 7, 8		62, 63, 64, 65				Upto and Including 07-04-00
	52010 319AB	1	3, 8		62, 63, 64				07-05-00 and After
11									CABLE, Parking Brake
	52010 071AA	1	1, 6		62				Upto and Including 07-04-00, Intermediate
	52010 070AB	1	3, 8		63				Upto and Including 07-04-00, Intermediate

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Parking Brake Cable
Figure 004-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12	52009 986AA	1	3, 8		64				07-05-00 and After, Intermediate
	52010 323AA	1			62, 65				07-05-00 and After, Intermediate CABLE, Parking Brake Extension
	52009 695AA	1	2, 3, 7, 8		62, 65				
	52009 768AA	1	3, 8		64				
	13	52009 767AA	1						CABLE, Parking Brake, Front

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Rear Disc Parking Brake Assy.
Figure 004-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									ADAPTER, Parking Brake
	52009 919AA	2	2		62, 65				Complete Assembly
		2	3		62				Complete Assembly
		2	3, 8		63, 64				Complete Assembly
		2	7		62, 65				Complete Assembly
		2	8		62				Complete Assembly
2									BOOT, Parking Brake Lever
	5018 555AA	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
3									SPRING, Park Brake Shoe Return
	5018 553AA	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
4									LEVER, Park Brake
	5018 552AA	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
5									PIN, Brake Shoe Hold Down
	4238 733	2	2		62, 65				
		2	3		62				
		2	3, 8		63, 64				
		2	7		62, 65				
		2	8		62				
6									CLIP, Brake Shoe Hold Down
	4383 543	2	2		62, 65				
		2	3		62				
		2	3, 8		63, 64				
		2	7		62, 65				
		2	8		62				
7									SHOE AND LINING KIT, Parking Brake
	5018 550AA	2	2		62, 65				
		2	3		62				

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

61= Reg. Cab (118 WB)
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)

ENGINE

EHC, EH0 = 3.9L 6 Cyl.
ELF, EL0 = 5.2L 8 Cyl.
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP, DDX, DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Rear Disc Parking Brake Assy.
Figure 004-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	5018 551AA	2	3, 8		63, 64				ADJUSTER, Parking Brake
		2	7		62, 65				
		2	8		62				
		1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
9	5018 554AA	1	7		62, 65				SPRING, Park Brake Shoe Return
		1	8		62				
		1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
10	5018 557AA	1	8		62				PLUG, Brake Adjusting Hole
		1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 005
Service Brakes

GROUP 5 - Service Brakes

Illustration Title
Group-Fig. No.

Front Brakes

Brakes,Front,BR 1,6 Fig. 005-110
Brakes,Front,BR 2,3,7,8 Fig. 005-120

Rear Brakes

Brakes, Rear,11 Inches X 2.25 Inches,BR 1,6 Fig. 005-210
Brakes, Rear, 12.125 Inches X 3.5 Inches,BR 2,3,7,8 Fig. 005-220
Drums And Bearing, Rear Brake,12.125 X 3.5 Inches,BR 2,3,7,8 Fig. 005-230
Disc,Bearings and Hub,Rear Brake,BR 2,3,7,8 Fig. 005-240

Power Brake Booster

Booster--Power Brake and Hydro Fig. 005-310

Brake Master Cylinder

Master Cylinder--Brake,All Bodies Fig. 005-410
Hydraulic Control Unit,Brake,R.W.A.L. and A.W.A.L. Fig. 005-420

Brake Lines and Hoses


Rear Height Sensing System Fig. 005-510
Lines And Hoses,Brake,Front and Chassis Fig. 005-520
Lines and Hoses,Brake,Rear,with Rear Drum Brakes Fig. 005-530
Lines and Hoses,Disc Brake,Rear Fig. 005-540








Brake Pedals

Pedal.Brake Fig. 005-610


Vacuum Pump

Vacuum Pump, Brake,All Diesel Fig. 005-710



005-100 Front Brakes 	005-200 Rear Brakes 	005-300 Power Brake Booster 	005-400 Brake Master Cylinder 
005-500 Brake Lines and Hoses 	005-600 Brake Pedals 	005-700 Vacuum Pump 	

Brakes,Front,BR 1,6
Figure 005-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6504 691	4	1		61, 62				BOLT
	6506 599AA	4	1		61, 62				Upto and Including 11-23-99
	6504 691	4	6		61, 62				11-24-99 and After
	6506 599AA	4	6		61, 62				Upto and Including 11-23-99
2	5015 251AB	1	1		61, 62				ADAPTER, Disc Brake Caliper
		1	6		61, 62				Right or Left
3	5015 248AA	1	1		61, 62				BLEEDER SCREW, Brake
		1	6		61, 62				Right or Left
4	4238 717	1	1		61, 62				CAP, Bleeder
		1	6		61, 62				
5	5018 236AA	1	1		61, 62				CALIPER, Disc Brake
	5018 237AA	1	1		61, 62				Right
	5018 236AA	1	6		61, 62				Left
	5018 237AA	1	6		61, 62				Right
6	4423 639	2	1		61, 62				PIN, Caliper
		2	6		61, 62				Left
7	5003 896AA	2	1		61, 62				BUSHING, Disc Brake Caliper
		2	6		61, 62				
8	5018 238AA	2	1		61, 62				SLEEVE, Disc Brake Caliper
		2	6		61, 62				
9	5018 403AA	1	1		61, 62				CLIP, Brake Anti-Rattle
		1	6		61, 62				Leading
10	5018 240AA	1	1		61, 62				PAD KIT, Front Disc Brake
		2	6		61, 62				Leading
11	5018 404AA	1	1		61, 62				CLIP, Brake Anti-Rattle
		1	6		61, 62				Trailing
12	4364 779	2	1		61, 62				SEAL PACKAGE, Brake Caliper
		2	6		61, 62				
13									PISTON, Brake


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Brakes,Front,BR 1,6
Figure 005-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5018 235AA	2	1		61, 62				
		2	6		61, 62				
14	6502 905	2	1, 2, 3		61, 62, 65				SCREW, Hex Flange Head, M8x1. 25x23, Sensor Mounting
15	56028 217AC	2	1		61, 62				SENSOR, Anti-Lock Brake
16	5015 283AA	1	6		61, 62				SENSOR KIT, Anti-Lock Brakes, with Sensor,Screw,and Instruction Sheet
-17									BRACKET, Brake Sensor
	5015 140AB-	1	6		61, 62				Right
	5015 141AB-	1	6		61, 62				Left
18									SHIELD, Brake
	52009 792AA	1	1		61, 62				Right
	52009 793AA	1	1		61, 62				Left
	5015 167AA	2	6		61, 62				Upto and Including 07-04-00
	5015 139AA	2	6		61, 62				07-05-00 and After
19	6502 905	6	1, 2, 3		61, 62, 65				SCREW, Hex Flange Head, M8x1. 25x23, Splash Shield Mounting
20									HUB AND BEARING, Brake
	52009 867AA	2	1		61, 62				[BGJ,BGK]
	52009 863AA	2	6		61, 62				[BGJ]
	52009 864AA	2	6		61, 62				[BGK] Upto and Including 07-04-00
	52009 864AC	2	6		61, 62				[BGK] 07-05-00 and After
-21	4746 775	6	6		61, 62				BOLT, Hub, Hub to Rotor, Mounting
22									STUD, Hub
	4773 408	5	6		61, 62				
		5	1		61, 62				
23									ROTOR, Brake
	52009 865AA	2	1		61, 62				
	52009 801AA	2	6		61, 62				
24									NUT, Push
	6031 635	4	1		61, 62				
		4	6		61, 62				
25									NUT, Axle Hub
	6504 007	2	1		61, 62				
	4746 773	2	6		61, 62				
-26	4746 811	2	6		61, 62				WASHER, Flat, Axle Hub Nut

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Brakes,Front,BR 2,3,7,8
Figure 005-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes:									
BGJ = Brakes - Power Disc/Drum, Rear Anti-Lock									
BGK = Brakes - 4 Wheel Anti-Lock									
1									CALIPER, Disc Brake
	5015 252AA	1	2, 3		62, 65				Right
	5015 253AA	1	2, 3		62, 65				Left
	5015 252AA	1	3		63, 64				Right
	5015 253AA	1	3		63, 64				Left
	5015 252AA	1	7		62, 65				Right
	5015 253AA	1	7		62, 65				Left
	5015 252AA	1	8		62, 63, 64				Right
	5015 253AA	1	8		62, 63, 64				Left
2									PIN, Caliper
	5003 898AA	2	2, 3		62, 65				
		2	3		63, 64				
		2	7		62, 65				
		2	8		62, 63, 64				
3									BUSHING, Disc Brake Caliper
	5003 896AA	1	2, 3		62, 65				
		2	3		63, 64				
		2	7		62, 65				
		2	8		62, 63, 64				
4									SLEEVE, Disc Brake Caliper
	5003 897AA	2	2, 3		62, 65				
		2	3		63, 64				
		2	7		62, 65				
		2	8		62, 63, 64				
5									BLEEDER SCREW, Brake
	3780 788	1	2, 3		62, 65				
		1	3		63, 64				
		1	7		62, 65				
		1	8		62, 63, 64				
6									CAP, Bleeder
	4238 717	1	2, 3		62, 65				


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Brakes,Front,BR 2,3,7,8
Figure 005-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	3		63, 64				
		1	7		62, 65				
		1	8		62, 63, 64				
7									RETAINER
	5066 175AA	1	2, 3		62, 65				Leading-Upto and Including 06-18-00
	5066 246AA	1	2, 3		62, 65				Leading-06-19-00 and After
	5066 175AA	1	3		63, 64				Leading-Upto and Including 06-18-00
	5066 246AA	1	3		63, 64				Leading-06-19-00 and After
	5066 175AA	1	7		62, 65				Leading-Upto and Including 06-18-00
	5066 246AA	1	7		62, 65				Leading-06-19-00 and After
	5066 175AA	1	8		62, 63, 64				Leading-Upto and Including 06-18-00
	5066 246AA	1	8		62, 63, 64				Leading-06-19-00 and After
8									CLIP, Brake Anti-Rattle
	5015 255AA	1	2, 3		62, 65				Leading
		1	3		63, 64				Leading
		1	7		62, 65				Leading
		1	8		62, 63, 64				Leading
9									PAD KIT, Front Disc Brake
	5015 254AA	1	2, 3		62, 65				Contains 4 Pads
		1	3		63, 64				Contains 4 Pads
		1	7		62, 65				Contains 4 Pads
		1	8		62, 63, 64				Contains 4 Pads
10									CLIP, Brake Anti-Rattle
	5015 256AA	1	2, 3		62, 65				Trailing
		1	3		63, 64				Trailing
		1	7		62, 65				Trailing
		1	8		62, 63, 64				Trailing
11									RETAINER
	5066 176AA	1	2, 3		62, 65				Trailing-Upto and Including 06-18-00
	5066 246AA	1	2, 3		62, 65				Trailing-06-19-00 and After


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Brakes,Front,BR 2,3,7,8
Figure 005-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5066 176AA	1	3		63, 64				Trailing-Upto and Including 06-18-00
	5066 246AA	1	3		63, 64				Trailing-06-19-00 and After
	5066 176AA	1	7		62, 65				Trailing-Upto and Including 06-18-00
	5066 246AA	1	7		62, 65				Trailing-06-19-00 and After
	5066 176AA	1	8		62, 63, 64				Trailing-Upto and Including 06-18-00
	5066 246AA	1	8		62, 63, 64				Trailing-06-19-00 and After
12	5003 911AA	1	2, 3		62, 65				BOOT, Brake Piston
		2	3		63, 64				
		2	7		62, 65				
		2	8		62, 63, 64				
13	5003 910AA	1	2, 3		62, 65				SEAL, Caliper Piston
		2	3		63, 64				
		2	7		62, 65				
		2	8		62, 63, 64				
14	5003 912AA	1	2, 3		62, 65				PISTON, Brake
		2	3		63, 64				
		2	7		62, 65				
		2	8		62, 63, 64				
15	5015 318AA	1	2, 3		62, 65				ADAPTER, Disc Brake Caliper
	5015 319AA	1	2, 3		62, 63, 64, 65				Right
									Left
	5015 318AA	1	3		63, 64				Right
	5015 319AA	1	3		63, 64				Left
	5015 318AA	1	7		62, 65				Right
	5015 319AA	1	7		62, 65				Left
	5015 318AA	1	8		62, 63, 64				Right
	5015 319AA	1	8		62, 63, 64				Left
16									BOLT

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500, 3500

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

61= Reg. Cab (118 WB)
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)

ENGINE

EHC, EH0 = 3.9L 6 Cyl.
ELF, EL0 = 5.2L 8 Cyl.
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP, DDX, DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Brakes,Front,BR 2,3,7,8
Figure 005-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6505 830AA	4	2, 3		62, 65				Mounting
		4	3		63, 64				Upto and Including 07-04-00, Mounting
	5015 130AA	4	3		63, 64				After 07-05-00, Mounting
	6505 830AA	4	7		62, 65				Upto and Including 07-04-00, Mounting
	5015 130AA	4	7		62, 65				After 07-05-00, Mounting
	6505 830AA	4	8		62, 63, 64				Upto and Including 07-04-00, Mounting
	5015 130AA	4	8		62, 63, 64				After 07-05-00, Mounting
17	6502 905	6	1, 2, 3		61, 62, 65				SCREW, Hex Flange Head, M8x1. 25x23
18	56028 216AC	2	2, 3		62, 65				SENSOR, Anti-Lock Brake
19	5015 882AA	1	3		63, 64				SENSOR KIT, Anti-Lock Brakes
		1	7		62, 65				
		1	8		62, 63, 64				
-20									BRACKET, Brake Sensor
	5015 126AA-	1	3		63, 64				Right
	5015 127AA-	1	3		63, 64				Left
	5015 126AA-	1	7		62, 65				Right
	5015 127AA-	1	7		62, 65				Left
	5015 126AA-	1	8		62, 63, 64				Right
	5015 127AA-	1	8		62, 63, 64				Left
21									SHIELD, Brake
	52009 676AB	1	2, 3		62, 65				Right
	52009 677AB	1	2, 3		62, 65				Left
	5015 128AA	1	3		63, 64				Right
	5015 129AA	1	3		63, 64				Left
	5015 128AA	1	7		62, 65				Right
	5015 129AA	1	7		62, 65				Left
	5015 128AA	1	8		62, 63, 64				Right
	5015 129AA	1	8		62, 63, 64				Left


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Brakes,Front,BR 2,3,7,8
Figure 005-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
22	6502 905	6	1, 2, 3		61, 62, 65				SCREW, Hex Flange Head, M8x1. 25x23
23	5015 228AA	1	2		62, 65				HUB AND BEARING, Brake
		1	3		62				[BGK,BRT]
	5015 282AA	1	3		63, 64				[BGK,BRT]
		1	7		62, 65				[BGK,BRT]
	5015 456AA	1	7		62, 65				[BGJ]
	5015 282AA	1	8		62, 63, 64				[BGK,BRT]
24	5015 229AA	16	3		62				STUD, Hub Hub to WheelHouse Extension, Mounting
		16	3		63, 64				Hub to WheelHouse Extension, Mounting
		16	8		62, 63, 64				Hub to WheelHouse Extension, Mounting
25	5015 230AA	1	2		62, 65				ROTOR, Brake
		1	3		62				
		1	3		63, 64				
		1	7		62, 65				
		1	8		62, 63, 64				
26	5015 234AA	1	3		62				EXTENSION, Wheel House
		1	3		63, 64				
		1	8		62, 63, 64				
27	5015 229AA	8	2		62, 65				STUD, Hub
		16	3		62				Wheel, Mounting
		16	3		63, 64				Wheel, Mounting
		8	7		62, 65				Wheel, Mounting
		16	8		62, 63, 64				Wheel, Mounting
28	4746 811	1	3		63, 64				WASHER, Flat
		2	7		62, 65				Axle Hub Nut

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

61= Reg. Cab (118 WB)
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)

ENGINE

EHC, EH0 = 3.9L 6 Cyl.
ELF, EL0 = 5.2L 8 Cyl.
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP, DDX, DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Brakes,Front,BR 2,3,7,8
Figure 005-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	8		62, 63, 64				Axle Hub Nut
29	6505 007AA	2	2, 3		62, 65				NUT, Axle Hub
	4746 773	2	3		63, 64				
		2	7		62, 65				
		2	8		62, 63, 64				
30									NUT
	4746 899	8	3		62				WheelHouse Extension to Hub Stud, Mounting
		8	3		63, 64				WheelHouse Extension to Hub Stud, Mounting
		8	8		62, 63, 64				WheelHouse Extension to Hub Stud, Mounting


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Brakes, Rear, 11 Inches X 2.25 Inches, BR 1,6
Figure 005-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BOLT, Hex Head
	6028 921	2	1		61, 62				Wheel Cylinder Mounting
		2	6		61, 62				Wheel Cylinder Mounting
2									PIN, Brake Shoe Hold Down
	5014 223AA	2	1		61, 62				
		2	6		61, 62				
3									PLUG, Brake Adjusting Hole
	3200 0147	2	1		61, 62				
		2	6		61, 62				
4									PLATE, Brake Backing
	5015 320AA	1	1		61, 62				Right
	5015 321AA	1	1		61, 62				Left
	5015 320AA	1	6		61, 62				Right
	5015 321AA	1	6		61, 62				Left
5									DRUM, Brake
	52009 800AA	2	1		61, 62				
		2	6		61, 62				
6									SPRING, Auto Adjusting
	4746 582	1	1		61, 62				Lever, Right
	4746 583	1	1		61, 62				Lever, Left
	4746 582	1	6		61, 62				Lever, Right
	4746 583	1	6		61, 62				Lever, Left
7									CYLINDER, Wheel
	4088 898	1	1		61, 62				Right
	4088 899	1	1		61, 62				Left
	4088 898	1	6		61, 62				Right
	4088 899	1	6		61, 62				Left
8									LINK, Brake
	3492 657	2	1		61, 62				Wheel Cylinder (Push Rod)
		2	6		61, 62				Wheel Cylinder (Push Rod)
9									SCREW, Bleeder
	J320 3313	1	1		61, 62				
		1	6		61, 62				
10									CUP, Brake Hold Down Spring
	5014 227AA	2	1		61, 62				
		2	6		61, 62				
11									SPRING, Brake Shoe Hold Down
	5014 224AA	2	1		61, 62				
		2	6		61, 62				
12									NUT, Push, .50-13


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML, EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Brakes, Rear,11 Inches X 2.25 Inches,BR 1,6
Figure 005-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	6031 635	4	1		61, 62				Brake Drum Retainer
		4	6		61, 62				Brake Drum Retainer CLIP, Park Brake Strut
14	4773 762	1	1		61, 62				
		1	6		61, 62				SPRING, Parking Brake Strut
15	4773 942	1	1		61, 62				
		1	6		61, 62				SPRING, Brake Shoe Return
16	5003 781AA	1	1		61, 62				Primary
		1	6		61, 62				Primary STRUT, Parking Brake
17	5003 791AA	1	1		61, 62				
		1	6		61, 62				SOCKET, Brake Adjusting
18	4746 586	1	1		61, 62				
		1	6		61, 62				GUIDE, Brake Adjusting Cable
19	J320 1947	1	1		61, 62				
		1	6		61, 62				PLATE, Brake Shoe Guide
20	5003 786AA	1	1		61, 62				
		1	6		61, 62				SPRING, Brake Shoe Return
21	2953 992	1	1		61, 62				Secondary
		1	6		61, 62				Secondary LEVER, Rear Wheel Brake Adjust
22	5003 788AA	1	1		61, 62				Right
	5003 789AA	1	1		61, 62				Left
23	5003 788AA	1	6		61, 62				Right
	5003 789AA	1	6		61, 62				Left
24	3461 660	1	1		61, 62				SPRING, Adjuster Cable
		1	6		61, 62				
25	3461 664	1	1		61, 62				CABLE, Brake Automatic Adjuster
		1	6		61, 62				
26	5014 126AA	1	1		61, 62				SHOE AND LINING KIT, drum
		1	6		61, 62				
27									LEVER, Park Brake Adjusting


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Brakes, Rear, 11 Inches X 2.25 Inches, BR 1,6
Figure 005-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5003 784AA	1	1		61, 62				Right
	5003 785AA	1	1		61, 62				Left
	5003 784AA	1	6		61, 62				Right
	5003 785AA	1	6		61, 62				Left
26									RETAINER, Parking Brake Lever
	J310 8202	1	1		61, 62				
		1	6		61, 62				
27									WASHER, Parking Brake Lever Mounting
	8350 2900	1	1		61, 62				
		1	6		61, 62				Mounting
28									SPRING, Brake Auto Adjuster Lever
	5003 790AA	1	1		61, 62				
		1	6		61, 62				
29									WASHER, Rear Brake Adjuster
	4746 585	1	1		61, 62				
		1	6		61, 62				
30									NUT, Hex Flange Lock
	0152 345	8	1		61, 62				Backing Plate Attaching
		8	6		61, 62				Backing Plate Attaching
31									SPRING, Brake Shoe to Shoe
	5003 787AA	1	1		61, 62				
		1	6		61, 62				
32									NUT, Rear Brake Auto Adjust Pivot
	2944 692	1	1		61, 62				Right
	2944 693	1	1		61, 62				Left
	2944 692	1	6		61, 62				Right
	2944 693	1	6		61, 62				Left
33									SCREW, Brake Adjusting
	2881 686	1	1		61, 62				Right
	2881 687	1	1		61, 62				Left
	2881 686	1	6		61, 62				Right
	2881 687	1	6		61, 62				Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML, EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Brakes, Rear, 12.125 Inches X 3.5 Inches, BR 2,3,7,8
Figure 005-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	PLATE, Brake Backing								
	5015 340AA	1	2		62, 65				Right
	5015 341AA	1	2		62, 65				Left
	5015 340AA	1	3		62				Right
	5015 341AA	1	3		62				Left
	5015 340AA	1	3, 8		63, 64				Right
	5015 341AA	1	3, 8		63, 64				Left
	5015 340AA	1	7		62, 65				Right
2	5015 341AA	1	7		62, 65				Left
	5015 340AA	1	8		62				Right
	5015 341AA	1	8		62				Left
	BOLT, Hex Head								
	6028 921	2	2		62, 65				
		2	3		62				
		2	3, 8		63, 64				
		2	7		62, 65				
3		2	8		62				
	NUT, Parking Brake								
	3492 655	1	2		62, 65				
		1	3		62				
4		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
	PLUG, Brake Adjusting Hole								
5	3200 0147	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
6		1	8		62				
	PIN, Brake Shoe Hold Down								
	3492 662	2	2		62, 65				
		2	3		62				
7		2	3, 8		63, 64				
		2	7		62, 65				
		2	8		62				
	GUIDE, Brake Adjusting Cable								
8	3492 664	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML, EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Brakes, Rear, 12.125 Inches X 3.5 Inches, BR 2,3,7,8
Figure 005-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7	4383 267	1	8		62				CABLE, Brake Automatic Adjuster
		1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
8	3492 671	1	7		62, 65				PIN, Brake Adjusting Lever
		1	8		62				
		1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
9	4383 274	1	8		62				SPRING, Auto Adjusting Right Left Right Left Right Left Right Left
		1	2		62, 65				
		1	2		62, 65				
		1	3		62				
		1	3		62				
		1	3, 8		63, 64				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	7		62, 65				
		1	8		62				
10	4383 275	1	8		62				LEVER, Park Brake Adjusting Right Left Right Left Right Left Right Left
		1	2		62, 65				
		1	2		62, 65				
		1	3		62				
		1	3		62				
		1	3, 8		63, 64				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	7		62, 65				
		1	8		62				
11	5015 337AA	1	8		62				SHOE AND LINING KIT, drum Right Left
		1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	7		62, 65				
		1	8		62				
		1	8		62				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Brakes, Rear, 12.125 Inches X 3.5 Inches, BR 2,3,7,8
Figure 005-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	8		62				
12									NUT, Brake Adjusting
	4383 270	1	2		62, 65				Right
	4383 271	1	2		62, 65				Left
	4383 270	1	3		62				Right
	4383 271	1	3		62				Left
	4383 270	1	3, 8		63, 64				Right
	4383 271	1	3, 8		63, 64				Left
	4383 270	1	7		62, 65				Right
	4383 271	1	7		62, 65				Left
	4383 270	1	8		62				Right
	4383 271	1	8		62				Left
13									SCREW, Brake Adjusting
	4383 262	1	2		62, 65				Right
	4383 263	1	2		62, 65				Left
	4383 262	1	3		62				Right
	4383 263	1	3		62				Left
	4383 262	1	3, 8		63, 64				Right
	4383 263	1	3, 8		63, 64				Left
	4383 262	1	7		62, 65				Right
	4383 263	1	7		62, 65				Left
	4383 262	1	8		62				Right
	4383 263	1	8		62				Left
14									LEVER, Park Brake Adjusting
	5010 006AA	1	2		62, 65				Right
	5010 007AA	1	2		62, 65				Left
	5010 006AA	1	3		62				Right
	5010 007AA	1	3		62				Left
	5010 006AA	1	3, 8		63, 64				Right
	5010 007AA	1	3, 8		63, 64				Left
	5010 006AA	1	7		62, 65				Right
	5010 007AA	1	7		62, 65				Left
	5010 006AA	1	8		62				Right
	5010 007AA	1	8		62				Left
15									SPRING, Parking Brake Lever
	3492 656	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
16									WASHER, Parking Brake Lever

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML, EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Brakes, Rear, 12.125 Inches X 3.5 Inches, BR 2,3,7,8
Figure 005-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3492 670	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
17	4419 698	1	2		62, 65				BOLT, Park Brake Lever, .25-28
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
18	3492 668	1	2		62, 65				SPRING, Brake Shoe Return Lower
		1	3		62				Lower
		1	3, 8		63, 64				Lower
		1	7		62, 65				Lower
		1	8		62				Lower
19	3492 663	1	2		62, 65				SPRING, Brake Shoe Hold Down
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
20	3496 235	1	2		62, 65				SPRING, Brake Shoe Return Upper
		1	3		62				Upper
		1	3, 8		63, 64				Upper
		1	7		62, 65				Upper
		1	8		62				Upper
21	3492 657	2	2		62, 65				LINK, Brake
		2	3		62				
		2	3, 8		63, 64				
		2	7		62, 65				
		2	8		62				
22	5010 010AA	1	2		62, 65				CAM, Parking Brake Lever Right
	5010 011AA	1	2		62, 65				Left
	5010 010AA	1	3		62				Right
	5010 011AA	1	3		62				Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Brakes, Rear, 12.125 Inches X 3.5 Inches, BR 2,3,7,8
Figure 005-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5010 010AA	1	3, 8		63, 64				Right
	5010 011AA	1	3, 8		63, 64				Left
	5010 010AA	1	7		62, 65				Right
	5010 011AA	1	7		62, 65				Left
	5010 010AA	1	8		62				Right
	5010 011AA	1	8		62				Left
23									CYLINDER, Wheel
	4088 898	1	2		62, 65				Right
	4088 899	1	2		62, 65				Left
	4088 898	1	3		62				Right
	4088 899	1	3		62				Left
	4088 898	1	3, 8		63, 64				Right
	4088 899	1	3, 8		63, 64				Left
	4088 898	1	7		62, 65				Right
	4088 899	1	7		62, 65				Left
	4088 898	1	8		62				Right
	4088 899	1	8		62				Left
24									SCREW, Bleeder
	J320 3313	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
-25									SPRING, Parking Brake Cable
	5010 008AA-	1	2		62, 65				Guide
		1	3		62				Guide
		1	3, 8		63, 64				Guide
		1	7		62, 65				Guide
		1	8		62				Guide

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Drums And Bearing, Rear Brake,12.125 X 3.5 Inches,BR 2,3,7,8
Figure 005-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAL, Wheel Bearing
	5003 464AA	2	2		62, 65				
	2954 738	2	3		62				
		2	3, 8		63, 64				
	5003 464AA	2	7		62, 65				
	2954 738	2	8		62				
2									BEARING, Wheel
	0927 017	2	2		62, 65				Inner
	2959 942	2	3		62				Inner
		2	3, 8		63, 64				Inner
	0927 017	2	7		62, 65				Inner
	2959 942	2	8		62				Inner
3									CUP, Wheel Bearing
	4746 918	1	2		62, 65				Inner
	4746 919	1	3		62				Inner
		1	3, 8		63, 64				Inner
	4746 918	1	7		62, 65				Inner
	4746 919	1	8		62				Inner
4									HUB, Wheel
	52009 735AA	2	2		62, 65				
	52009 839AA	2	3		62				
		2	3, 8		63, 64				
	52009 735AA	2	7		62, 65				
	52009 839AA	2	8		62				
5									CUP, Wheel Bearing
	2955 374	1	2		62, 65				Outer
		1	3		62				Outer
		1	3, 8		63, 64				Outer
		1	7		62, 65				Outer
		1	8		62				Outer
6									BEARING, Wheel
	2852 729	2	2		62, 65				Outer
		2	3		62				Outer
		2	3, 8		63, 64				Outer
		2	7		62, 65				Outer
		2	8		62				Outer
7									LOCK, Wheel Bearing Adj Nut
	4797 126	2	2		62, 65				
		2	3		62				
		2	3, 8		63, 64				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Drums And Bearing, Rear Brake,12.125 X 3.5 Inches,BR 2,3,7,8
Figure 005-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	5206 9306	2	7		62, 65				NUT, Bearing Adjusting
		2	8		62				
		2	2		62, 65				
		2	3		62				
		2	3, 8		63, 64				
9	4384 186	2	7		62, 65				GASKET, Axle Shaft
		2	8		62				
		2	2		62, 65				
		2	3		62				
		2	3, 8		63, 64				
10	52009 736AA 52009 741AA	2	7		62, 65				Axle Shaft to Hub Mounting
		2	8		62				
		2	2		62, 65				
		2	3		62				
		2	3, 8		63, 64				
11	5003 466AA	2	7		62, 65				Axle Shaft to Hub Mounting
		2	8		62				
		2	2		62, 65				
		2	3		62				
		2	3, 8		63, 64				
12	4746 915 4746 916	2	7		62, 65				Wheel
		2	8		62				
		2	2		62, 65				
		2	3		62				
		2	3, 8		63, 64				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Disc,Bearings and Hub,Rear Brake,BR 2,3,7,8
Figure 005-240

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	CALIPER, Disc Brake								
	5018 586AA	1	2		62, 65				Right
	5018 587AA	1	2		62, 65				Left
	5018 570AA	1	3		62				Right
	5018 571AA	1	3		62				Left
	5018 570AA	1	3, 8		63, 64				Right
	5018 571AA	1	3, 8		63, 64				Left
	5018 586AA	1	7		62, 65				Right
	5018 587AA	1	7		62, 65				Left
	5018 570AA	1	8		62				Right
2	5018 571AA	1	8		62				Left
	BLEEDER SCREW, Brake								
	5015 248AA	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
3		1	7		62, 65				
		1	8		62				
	CAP, Bleeder								
	4238 717	1	2		62, 65				
		1	3		62				
4		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
	PIN, Caliper								
	4423 639	2	2		62, 65				
5		2	3		62				
		2	3, 8		63, 64				
		2	7		62, 65				
		2	8		62				
	PISTON, Brake								
6	5018 589AA	2	2		62, 65				
	5018 572AA	2	3		62				
		2	3, 8		63, 64				
	5018 589AA	2	7		62, 65				
	5018 572AA	2	8		62				
6	BUSHING, Disc Brake Caliper								
	5003 896AA	2	2		62, 65				
		2	3		62				
		2	3, 8		63, 64				
		2	7		62, 65				

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

61= Reg. Cab (118 WB)
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)

ENGINE


EHC, EH0 = 3.9L 6 Cyl.
ELF, EL0 = 5.2L 8 Cyl.
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION


DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP, DDX, DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Disc,Bearings and Hub,Rear Brake,BR 2,3,7,8
Figure 005-240



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7		2	8		62				SEAL, Caliper Piston
	5018 588AA	2	2		62, 65				
	5018 574AA	2	3		62				
		2	3, 8		63, 64				
8	5018 588AA	2	7		62, 65				SLEEVE, Disc Brake Caliper
	5018 574AA	2	8		62				
	5018 575AA	2	2		62, 65				
		2	3		62				
9		2	3, 8		63, 64				BOOT, Brake Piston
		2	7		62, 65				
		2	8		62				
		2	8		62				
10	5018 590AA	2	2		62, 65				CLIP, Brake Anti-Rattle Leading
	5018 573AA	2	3		62				
		2	3, 8		63, 64				
	5018 590AA	2	7		62, 65				
11	5018 573AA	2	8		62				CLIP, Brake Anti-Rattle Trailing
	5018 579AA	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
12		1	7		62, 65				PAD KIT, Rear Disc Brake
		1	8		62				
		1	8		62				
		1	8		62				
13	5018 563AA	1	2		62, 65				CLIP, Brake Anti-Rattle Trailing
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
14		1	8		62				ADAPTER, Disc Brake Caliper
	5018 578AA	1	2		62, 65				
		1	3		62				
		1	3		62				


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Disc,Bearings and Hub,Rear Brake,BR 2,3,7,8
Figure 005-240



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
14	6504 691	4	2		62, 65				BOLT
		4	3		62				Adapter to Backing Plate
		4	3, 8		63, 64				Adapter to Backing Plate
		4	7		62, 65				Adapter to Backing Plate
		4	8		62				Adapter to Backing Plate
15	5017 651AA	8	3		62				BOLT, Hub and Rotor
		8	3, 8		63, 64				Bolts Hub to Rotor
		8	8		62				Bolts Hub to Rotor
16	52009 932AA	2	2		62, 65				ROTOR, Brake
		1	3		62				
		1	3, 8		63, 64				
		2	7		62, 65				
		1	8		62				
17	3496 557	2	2		62, 65				SEAL, Wheel Bearing
	2954 738	2	3		62				
		2	3, 8		63, 64				
	3496 557	2	7		62, 65				
	2954 738	2	8		62				
18	0927 017	2	2		62, 65				BEARING, Wheel
	2959 942	2	3		62				Inner
		2	3, 8		63, 64				Inner
	0927 017	2	7		62, 65				Inner
	2959 942	2	8		62				Inner
19	4746 918	1	2		62, 65				CUP, Wheel Bearing
	4746 919	1	3		62				Inner
		1	3, 8		63, 64				Inner
	4746 918	1	7		62, 65				Inner
	4746 919	1	8		62				Inner
20	52009 735AA	2	2		62, 65				HUB, Wheel
	5017 657AA	1	3		62				

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

61= Reg. Cab (118 WB)
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)

ENGINE

EHC, EH0 = 3.9L 6 Cyl.
ELF, EL0 = 5.2L 8 Cyl.
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP, DDX, DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Disc,Bearings and Hub,Rear Brake,BR 2,3,7,8
Figure 005-240



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
21		1	3, 8		63, 64				STUD, Hub
	52009 735AA	2	7		62, 65				
	5017 657AA	1	8		62				
	4746 915	8	2		62, 65				
	4746 916	8	3		62				
		8	3, 8		63, 64				
22	4746 915	8	7		62, 65				CUP, Wheel Bearing
	4746 916	8	8		62				
		1	2		62, 65				
	2955 374	1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
23		1	8		62				BEARING, Wheel
	2852 729	2	2		62, 65				
		2	3		62				
		2	3, 8		63, 64				
		2	7		62, 65				
		2	8		62				
24									LOCK, Wheel Bearing Adj Nut
	4797 126	2	2		62, 65				
		2	3		62				
		2	3, 8		63, 64				
		2	7		62, 65				
		2	8		62				
25									NUT, Bearing Adjusting
	5206 9306	2	2		62, 65				
		2	3		62				
		2	3, 8		63, 64				
		2	7		62, 65				
		2	8		62				
26									GASKET, Axle Shaft
	4384 186	2	2		62, 65				
		2	3		62				
		2	3, 8		63, 64				
		2	7		62, 65				
		2	8		62				
27									BOLT

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

61= Reg. Cab (118 WB)
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)

ENGINE

EHC, EH0 = 3.9L 6 Cyl.
ELF, EL0 = 5.2L 8 Cyl.
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION


DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP, DDX, DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Disc,Bearings and Hub,Rear Brake,BR 2,3,7,8
Figure 005-240

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5003 466AA	16	2		62, 65				Axle to Hub Mounting
		16	3		62				Axle to Hub Mounting
		16	3, 8		63, 64				Axle to Hub Mounting
		16	7		62, 65				Axle to Hub Mounting
		16	8		62				Axle to Hub Mounting





DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Booster--Power Brake and Hydro
 Figure 005-310





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: EH0=3.9L V-6 Gas Engine EL0=5.2L V-8 Gas Engine EM0=5.9L Gas Engine EW0=8.0L Gas Engine TXN=Tires - LT275/70R17 OWL On/Off Road TXW=Tires - LT265/75R16 OWL On/Off Road									
1									GROMMET, Brake Booster Check Valve
	4883 813AA	1	1, 6		61, 62				
		1	2, 7		62, 65				
2	52008 111AE	1	1, 2, 6, 7		61, 62,				HOSE, Brake Booster [EH0,EL0,EM0]
					65				
	52008 212AD	1	1, 2, 6, 7		61, 62,				[EW0]
					65				
-3	2448 761	1							CLAMP, Hose
-4	6016 020	1							STRAP, Tie, Booster Hose to Breather Hose
5									VALVE, Brake Booster Check
	4723 391	1	1, 6		61, 62				
		1	2, 7		62, 65				
6	5015 102AA	1	1, 6		61, 62				BOOSTER, Power Brake [+TXN,+TXW]
	5015 103AA	1	1, 6		61, 62				[-TXN,-TXW]
		1	2, 7		62, 65				Upto and Including 07-04-00
	5017 033AA	1	2, 7		62, 65				07-05-00 and After
-7	6503 269	4							NUT, Hex, M10-1.5, Booster to Dash Mounting
8	52009 651AA	2	2, 7		62, 65				CLIP, Brake Tube Hydroboost Tube Support
		2	3, 8		62, 63, 64				Hydroboost Tube Support
9	52009 645AB	1	2, 7		62, 65				TUBE, Brake Hydroboost Pump Port
		1	3, 8		62, 63, 64				Hydroboost Pump Port
10	52009 651AA	2	2, 7		62, 65				CLIP, Brake Tube Hydroboost Tube Support

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Booster--Power Brake and Hydro
 Figure 005-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	3, 8		62, 63, 64				Hydroboost Tube Support
11	52009 650AC	1	2, 7		62, 65				TUBE, Brake Hydroboost Gear Port
		1	3, 8		62, 63, 64				Hydroboost Gear Port
12	52009 652AA	1	2, 7		62, 65				BRACKET, Brake Booster Manifold Support
		1	3, 8		62, 63, 64				Manifold Support
13	5134 380AA	1	2, 7		62, 65				SPACER, Brake Booster
		1	3, 8		62, 63, 64				
14	5003 330AC	1	2, 7		62, 65				HYDRO-BOOSTER, Power Brake Upto and Including 07-04-00
	5018 222AA	1	2, 7		62, 65				07-05-00 and After
	5003 330AC	1	3, 8		62, 63, 64				Upto and Including 07-04-00
	5018 222AA	1	3, 8		62, 63, 64				07-05-00 and After

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Master Cylinder--Brake,All Bodies
Figure 005-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MASTER CYLINDER, Brake
	5011 256AB	1	1, 6		61, 62				
		1	2, 7		62, 65				Up To and Including 07-04-00
	5017 034AA	1	2, 7		62, 65				07-05-00 and After
	5011 256AB	1	3, 8		62, 63,				Up To and Including 07-04-00
					64				
	5017 034AA	1	3, 8		62, 63,				07-05-00 and After
					64				
2									CAP, Master Cylinder Reservoir
	4683 656	1	3, 8		62, 63,				
		1	1, 6		61, 62				
		1	2, 7		62, 65				
3									RESERVOIR, Brake Master Cylinder
	4882 865	1	1, 6		61, 62				Includes 2,4,5,6
		1	2, 7		62, 65				Up To and Including 07-04-00-
									Includes 2,4,5,6
	5017 577AA	1	2, 7		62, 65				07-05-00 and After
	4882 865	1	3, 8		62, 63,				Up To and Including 07-04-00-
					64				Includes 2,4,5,6
	5017 577AA	1	3, 8		62, 63,				07-05-00 and After
					64				
4									PIN, Master Cylinder Reservoir
	4723 394	2	1, 6		61, 62				Mounting
		2	2, 7		62, 65				Up To and Including 07-04-00,
									Mounting
		2	3, 8		62, 63,				Up To and Including 07-04-00,
					64				Mounting
5									GROMMET, Master Cylinder
									Reservoir
	4723 389	2	1, 6		61, 62				Mounting
		2	2, 7		62, 65				Up To and Including 07-04-00,
									Mounting
		2	3, 8		62, 63,				Up To and Including 07-04-00,
					64				Mounting
6									SEAL, Master Cylinder To Booster
	4723 395	1	1, 6		61, 62				Mounting
		1	2, 7		62, 65				Up To and Including 07-04-00,
									Mounting
	5017 035AA	1	2, 7		62, 65				07-05-00 and After, Mounting

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Master Cylinder--Brake,All Bodies Figure 005-410





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4723 395	1	3, 8		62, 63, 64				Mounting
7									NUT
	4897 209AA	2	3, 8		62, 63, 64				Master Cylinder to Booster, Mounting
		2	1, 6		61, 62				Master Cylinder to Booster, Mounting
		2	2, 7		62, 65				Master Cylinder to Booster, Mounting

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Hydraulic Control Unit, Brake, R.W.A.L. and A.W.A.L. Figure 005-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:--BGJ=Rear Wheel Antilock Brakes----BGK=All Wheel Antilock Brakes									
1									MODULE, Anti-lock Brakes
	5015 525AA	1	1, 6		61, 62				
	5015 526AB	1	2, 7		62, 65				Up To and Including 07-04-00
2									VALVE, Brake Pressure Limit
	5003 312AA	1	1, 6		61, 62				
		1	2, 7		62, 65				Up To and Including 07-04-00
3									TUBE, Brake
	5003 310AA	1	1, 6		61, 62				Module Jumper
		1	2, 7		62, 65				Module Jumper
4	3420 1711	2							NUT, Hex Flange, M8x1.25, HCU to Stud Plate, Mounting
5	6100 841	2							PUSH NUT, M8, Stud Plate to Fender, Mounting
6	52008 038AB	1							STUD PLATE, Hydraulic Control Unit, Mounting
7									VALVE, Proportioning
	5015 419AA	1	1, 6		61, 62				
	5015 429AA	1	2, 7		62, 65				Up To and Including 07-04-00
8									BRACKET, Anti-Lock Brake Module Mounting
	5003 311AA	1	1, 6		61, 62				
		1	2, 7		62, 65				Up To and Including 07-04-00, Mounting
9	6100 583	1							BOLT AND CONED WASHER, Hex Head, M8x25x20, HCU to Stud Plate
10									MODULE, Anti-lock Brakes
	5015 527AB	1	1, 6		61, 62				Up To and Including 07-04-00
	5017 756AA	1	1, 6		61, 62				07-05-00 and After
	5015 528AC	1	2, 7		62, 65				Up To and Including 07-04-00
	5017 757AB	1	2, 7		62, 65				07-05-00 and After
	5015 529AC	1	3, 8		62, 63, 64				Up To and Including 07-04-00
	5017 758AB	1	3, 8		62, 63, 64				07-05-00 and After
11									CONTROL UNIT, Anti-Lock Brake
	52010 073AD	1	1, 6		61, 62				Includes Items 11,16,17,19,20,21
	52010 033AB	1	2, 7		62, 65				Includes Items 11,16,17,20,21
	52010 034AB	1	3, 8		62, 63, 64				Includes Items 11,16,17,20,21
12									VALVE, Proportioning



DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Hydraulic Control Unit, Brake, R.W.A.L. and A.W.A.L.
 Figure 005-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5015 419AA	1	1, 6		61, 62				
	5015 425AA	1	2, 7		62, 65				
		1	3, 8		62, 63, 64				
13									BRACKET, Anti-Lock Brake Module
	5003 305AA	1	1, 6		61, 62				Mounting
		1	2, 7		62, 65				Mounting
		1	3, 8		62, 63, 64				Mounting
14	5096 264AA	1	1, 6		61, 62				HYDRAULIC CONTROL UNIT, Anti-Lock Brake System, Body and Pump Motor Only
-15									TUBE, Brake
	5003 307AA-	1	1, 6		61, 62				Module Jumper, Front
		1	2, 7		62, 65				Module Jumper, Front
		1	3, 8		62, 63, 64				Module Jumper, Front
-16									TUBE, Brake
	5003 308AA-	1	1, 6		61, 62				Module Jumper, Rear
		1	2, 7		62, 65				Module Jumper, Rear
		1	3, 8		62, 63, 64				Module Jumper, Rear

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Rear Height Sensing System Figure 005-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:The Height Sensing System is used Upto and Including 07-04-00,there is no Height Sensing System used 07-05-00 and After.									
1	6100 296	1							BOLT, Hex Head, Rear Brake Hose Bracket Mounting-Upto and Including 07-04-00
2	52009 642AA	1	2, 7		62, 65				TUBE, Brake, Adaptor to Proportioning Valve-Upto and Including 07-04-00
3	52009 641AA	1	2, 7		62, 65				ADAPTER, Brake Hose, Rear Brake Line to Height Sensing Proportioning Valve-Upto and Including 07-04-00
4	5200 8966	1							BRACKET, Brake Hose, Upto and Including 07-04-00
5	52009 910AB	1	1, 6		61				TUBE, Brake Junction to Rear Brake Hose-Upto and Including 07-04-00
	52009 911AB	1			62, 65				Junction to Rear Brake Hose-Upto and Including 07-04-00
	52009 912AB	1	3, 8		63				Junction to Rear Brake Hose-Upto and Including 07-04-00
	52009 915AB	1	3, 8		64				Junction to Rear Brake Hose-Upto and Including 07-04-00
6	52009 939AA	1	2, 7		62, 65				VALVE, Height Sensing Brake, Upto and Including 07-04-00
7	52009 943AA	1	7		62, 65				LINKAGE, Height Sensing, Upto and Including 07-04-00
8	4137 696AB	1							BOLT, Axle Vent, Upto and Including 07-04-00
9	52010 082AA	1	2, 7		62, 65				HOSE, Brake, Height Sensing Proportioning Valve-Upto and Including 07-04-00
10	52009 942AA	1	2		62, 65				LINKAGE, Height Sensing, Upto and Including 07-04-00
11	6502 696	2	2, 7		62, 65				NUT, Hex Flange Lock, M10x1.5, Height Sensor Bracket Mounting-Upto and Including 07-04-00
12	6502 696	2	2, 7		62, 65				NUT, Hex Flange Lock, M10x1.5, Height Sensor Bracket Mounting-Upto and Including 07-04-00


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Rear Height Sensing System
Figure 005-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	6101 695	2	2, 7		62, 65				NUT, Hex Flange Lock, M8x1.25, Height Sensing Proportioning Valve Bracket Attaching-Upto and Including 07-04-00

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lines And Hoses,Brake,Front and Chassis
Figure 005-520




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes:									
BGJ = R.W.A.L.-Rear Wheel Anti-Lock Brakes									
BGK = A.W.A.L.-All Wheel Anti-Lock Brakes									
EH0 = All 3.9 V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
1	52009 682AB	1	1, 2, 3		61, 62, 65				HOSE, Brake [BGJ] Upto and Including 07-04-00, Right
	52009 687AB	1	1, 2, 3		61, 62, 65				[BGJ] 07-05-00 and After, Right [BGJ] Upto and Including 07-04-00, Left
	52009 845AB	1	1, 2, 3		61, 62, 65				[BGJ] 07-05-00 and After, Left [BGK,BRT], Right
	52009 683AB	1	1, 2, 3		61, 62, 65				[BGK,BRT], Left
	52009 688AB	1	3, 6, 7, 8						[BGJ] Upto and Including 02-14-00, Right
	52009 688AC	1	3, 6, 7, 8						[BGJ] 02-15-00 and After, Right
	52009 685AB	1	3, 6, 7, 8		61, 62				[BGJ] 07-05-00 and After, Right [BGJ] Upto and Including 02-14-00, Left
	52009 685AC	1	3, 6, 7, 8		61, 62				[BGJ] 02-15-00 and After, Left [BGJ] 07-05-00 and After, Left
	52009 945AB	1	3, 6, 7, 8						[BGK,BRT] Upto and Including 07-04-00, Right
	52009 945AC	1	3, 6, 7, 8						[BGK,BRT] 07-05-00 and After, Right
	52009 689AB	1	3, 6, 7, 8						[BGK,BRT] Upto and Including 07-04-00, Left
	52009 689AC	1	3, 6, 7, 8						[BGK,BRT] 07-05-00 and After, Left
-2	J400 6700	1	1, 2, 3		61, 62, 65				BOLT, Banjo Brake Hose to Caliper Mounting
		1	6, 7, 8						Brake Hose to Caliper Mounting
-3	J323 7672	2	1, 2, 3						GASKET, Brake Hose To Caliper
		2	6, 7, 8						

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lines And Hoses,Brake,Front and Chassis
Figure 005-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4	3420 1888	1							SCREW, Hex Head, As Required, Mounting
5	5200 9165	5	1, 2, 3		61, 62, 65				CLIP, Brake Line to Frame and Crossmember
		4	3		63, 64				to Frame and Crossmember
		4	6, 7, 8						to Frame and Crossmember
6	5200 9176	1	1, 2, 3		61, 62, 65				TUBE, Brake [BGK,BRT]-Junction to Right Front Hose
	5200 9177	1	3, 6, 7, 8						[BGK,BRT]-Junction to Right Front Hose
	5200 9194	1	1, 2, 3						BGJ-Junction to Right Front Hose-
		1	1		61, 62				Upto and Including 07-04-00 BGJ-Junction to Right Front Hose-
	5200 9195	1	6, 7, 8						07-05-00 and After BGJ-Junction to Right Front Hose-
		1	6		61, 62				Upto and Including 07-04-00 BGJ-Junction to Right Front Hose-
									07-05-00 and After
7	5200 8940	2							CLIP, Brake Line, 2 Way
8	52009 917AB	1	1, 2, 6, 7		61, 62, 65				TUBE, Brake Upto and Including 07-04-00-EH0, ELO,EM0,EW0-Primary-Master Cylinder to Combination Valve
	52009 918AB	1	1, 2, 6, 7		61, 62, 65				Upto and Including 07-04-00-EH0, ELO,EM0,EW0-Secondary-Master Cylinder to Combination Valve
	52009 917AD	1	1, 6		61, 62				07-05-00 and After-EH0,ELO,EM0, EW0-Primary-Master Cylinder to Combination Valve
	52009 918AD	1	1, 6		61, 62				07-05-00 and After-EH0,ELO,EM0, EW0-Secondary-Master Cylinder to Combination Valve
	52009 917AD	1	2, 7		62, 65				07-05-00 and After-EH0,ELO,EM0, EW0-Primary-Master Cylinder to Combination Valve
	52010 333AA	1	2, 7		62, 65				07-05-00 and After-EH0,ELO,EM0, EW0-Seconary-Master Cylinder to Combination Valve


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, ELO = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lines And Hoses,Brake,Front and Chassis
Figure 005-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52009 763AB	1	3, 8		62, 63, 64				Upto and Including 07-04-00-EM0, EW0-Primary-Master Cylinder to Combination Valve
	52009 764AB	1	3, 8		62, 63, 64				Upto and Including 07-04-00-EM0, EW0-Secondary-Master Cylinder to Combination Valve
	52009 763AC	1	3, 8		62, 63, 64				07-05-00 and After-EM0,EW0- Primary-Master Cylinder to Combination Valve
	52010 335AA	1	3, 8		62, 63, 64				07-05-00 and After-EM0,EW0- Secondary-Master Cylinder to Combination Valve
	52009 763AB	1							Upto and Including 07-04-00-ET0- Primary-Master Cylinder to Combination Valve
	52009 764AB	1							Upto and Including 07-04-00-ET0- Secondary-Master Cylinder to Combination Valve
	52009 763AC	1							07-05-00 and After-ET0-Primary- Master Cylinder to Combination Valve
	52010 335AA	1							07-05-00 and After-ET0- Secondary-Master Cylinder to Combination Valve
9									TUBE, Brake
	52009 380AB	1							[BGJ]-Combination Valve to Junction Front
	52009 399AB	1							[BGK,BRT] HCU to Junction Hose Right
	52009 390AB	1							[BGK,BRT] HCU to Junction Hose Left
10									TUBE, Brake
	52009 706AB	1							BGK-HCU to Junction Rear
		1							BGJ-HCU to Junction Rear
11									CLIP, Brake Line
	5200 8940	2							[BGJ] 2 Way
	5200 9163	1							[BGK,BRT] 2 Way
12									CLIP, 3 Way
	5200 9437	1	1, 6		61, 62				[BGJ]
		2							[BGK,BRT]
13									TUBE, Brake

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

61= Reg. Cab (118 WB)
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)

ENGINE

EHC, EH0 = 3.9L 6 Cyl.
ELF, EL0 = 5.2L 8 Cyl.
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP, DDX, DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lines And Hoses,Brake,Front and Chassis
 Figure 005-520




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52009 910AA	1	1, 6		61				Junction to Rear Brake Hose
	52009 911AA	1			62, 65				Junction to Rear Brake Hose
	52009 912AB	1	3, 8		63				Junction to Rear Brake Hose
	52009 915AA	1	3, 8		64				Junction to Rear Brake Hose
14									SCREW AND WASHER, Hex Head, M8x1.25x20
	6101 452	2	6, 7, 8						Front Brake Hose to Axle Mounting
		2	3		63, 64				Front Brake Hose to Axle Mounting
15	5200 7914	2							CLIP, Brake Line, Tube to Rear of Frame
16									CLIP, Fuel Line
	52102 371AB	2	1, 6		61, 62				EH0,ELF,EM0,EW0
		2	2, 3, 7, 8		62, 65				EH0,ELF,EM0,EW0
		3	3, 8		63, 64				EH0,ELF,EM0,EW0
	52102 373AC	3	3, 8		63, 64				ET0
		2	2, 3, 7, 8		62, 65				ET0
17	5200 8053	1							CLIP, Brake Line, Brake Tube Line Mounting

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lines and Hoses,Brake,Rear,with Rear Drum Brakes Figure 005-530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:DRB=Ax.le-Rear,3850# Corporate 9.25---DRD=Axle-Rear,6200# Dana M60 HD---DRE=Axle-Rear,6500# Dana M70--- DRL=Axle-Rear,8000# Dana M80									
1	52009 575AB	1	1, 3, 6, 8		61, 62, 63, 64				HOSE, Brake Upto and Including 07-04-00-with Tee
		1	2, 7		62, 65				Upto and Including 07-04-00-with Tee
	52009 575AC	1	1, 6		61, 62				07-05-00 and After-with Tee
2	5200 8966	1							BRACKET, Brake Hose, Rear
3	52009 910AB	1	1, 6		61				TUBE, Brake Junction to Rear Brake Hose
	52009 911AB	1			62, 65				Junction to Rear Brake Hose
	52009 912AB	1	3, 8		63				Junction to Rear Brake Hose
	52009 915AB	1	3, 8		64				Junction to Rear Brake Hose
4	52009 641AA	1	2, 7		62, 65				ADAPTER, Brake Hose, Upto and Including 07-04-00
5	4137 696AB	1							BOLT, Axle Vent
6	52007 920AB	1	1, 6		61, 62				TUBE, Brake [DRB] Up to and Including 02-06- 00, Right
	52007 920AD	1	1, 6		61, 62				[DRB] 02-07-00 and After, Right
	52009 042AB	1	2, 7		62, 65				[DRD,DRE]-Upto and Including 07- 04-00, Right
	52007 984AB	1	2, 7		62, 65				[DRL]-Upto and Including 07-04- 00, Right
	52007 986AB	1	3, 8		62				[DRL]-Upto and Including 07-04- 00, Right
	52008 198AB	1	3, 8		63, 64				[DRL]-Upto and Including 07-04- 00, Right
7	6101 715	1							SCREW
8	5200 8668	1	1, 2, 6, 7		61, 62, 65				SHIELD, Brake Line [-DRL]-Upto and Including 07-04-00
		1	1, 6		61, 62				07-05-00 and After
	5200 8670	1	2, 3, 7, 8		62, 63, 64, 65				[+DRL]-Upto and Including 07-04- 00
9	6500 274	1							LOCK NUT, M6x1.0x6, Upto and Including 07-04-00
10	5200 8755	1							SLEEVE, Brake Line Upto and Including 07-04-00


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lines and Hoses,Brake,Rear,with Rear Drum Brakes
Figure 005-530




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	1, 6		61, 62				07-05-00 and After
11	52007 921AC	1	1, 6		61, 62				TUBE, Brake [DRB]-Upto and Including 07-04-00, Left
	52007 921AD	1	1, 6		61, 62				[DRB]-07-05-00 and After, Left
	52009 043AC	1	2, 7		62, 65				[DRD,DRE]-Upto and Including 07-04-00, Left
	52007 985AC	1	2, 7		62, 65				[DRL]-Upto and Including 07-04-00, Left
	52007 987AC	1	3, 8		62				[DRL]-Upto and Including 07-04-00, Left
-12	56028 187AD-	1							SENSOR, Wheel Speed, Rear

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lines and Hoses,Disc Brake,Rear
Figure 005-540




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52010 174AA	1	2, 3, 7, 8		62, 63, 64, 65				HOSE, Brake
2	4137 696AB	1							BOLT, Axle Vent
3	0152 472	1							NUT, Hex Flange Lock, .312-18
4									TUBE, Brake
	52009 990AA	1	2, 7		62, 65				[DRD,DRE] With Hose, Right
	52009 992AA	1	3, 8		63, 64				[DRL] With Hose, Right
	52009 994AA	1	2, 3, 7, 8		62, 65				[DRL] With Hose, Right
5	6035 886	4	2, 3, 7, 8		62, 63, 64, 65				GASKET, Brake Hose To Caliper, Mounting
6	6035 832	2	2, 3, 7, 8		62, 63, 64, 65				BOLT, Banjo, Hose to Caliper, Mounting
7	6502 885	2	2, 3, 7, 8		62, 63, 64, 65				SCREW AND WASHER, Hex Head, M6x1x18.5, Tube to Axle Spring Seat, Mounting
8									TUBE, Brake
	52009 991AA	1	2, 7		62, 65				[DRD,DRE] With Hose, Left
	52009 993AA	1	3, 8		63, 64				[DRL] With Hose, Left
	52009 995AA	1	2, 3, 7, 8		62, 65				[DRL] With Hose, Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Pedal.Brake
Figure 005-610




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:DBB= All Manual Transmissions---DG0=All Automatic Transmissions									
1	6101 712	1							NUT, U, M6x1, Brake Switch Mounting
2	56045 044AC	1							BRACKET, Brake Lamp Switch
3	6101 718	2							SCREW AND WASHER, Oval Head, M6x1x25, Brake Switch Bracket Mounting
4	4103 262	2							RETAINER, Shaft, Pivot
5	5207 7902	1			61, 62, 63, 64				SHAFT, Pedal, Brake and Clutch
6	55351 014AE	1							BRACKET, Steering Column, Clutch and Brake Pedal
7									SCREW AND WASHER, Hex Head, M10x1.5x30, Brake Pedal Bracket to Support Mounting, (NOT SERVICED) (Not Serviced)
8	4294 639	4							BUSHING, Clutch and Brake Pedal
9	5200 9582	1							WASHER, Brake Pedal Spring
10	52009 423AB	1							PEDAL AND PAD, Brake [DG0]
	52009 570AC	1			61, 62, 63, 64				[DBB]
11	5207 9345	1							PAD, Pedal [DG0]
	5200 9562	1			61, 62, 63, 64				[DBB]
12	5016 294AB	1							SWITCH PACKAGE, Stop Lamp
-13	4294 036	1							CLIP, Master Cylinder Push Rod to Brake Pedal Pin Mounting

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Vacuum Pump, Brake,All Diesel
Figure 005-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: ETB=5.9L Inline 6 Cylinder Cummins Turbo Diesel---ETC=5.9L 24 Valve Cummins Diesel Engine									
1	4883 960AA	1							PUMP, Power Steering
2	5018 358AA	1							CAP, Power Steering Pump
3	5003 637AA	1							NIPPLE, Pump
4	5015 841AA	1							HOSE, Vacuum Pump
5	5011 799AA	1							BRACKET, Vacuum Pump
6	4429 862	1							NUT, Hex Flange, M10x1.5
7	4429 862	4							NUT, Hex Flange, M10x1.5
8	4429 637	1							SCREW, Hex Head, m12X1.75X.35
9	5011 617AA	1							CHECK VALVE, Vacuum Pump
10	4638 531	1							GASKET, Hydraulic Pump
11	5011 797AA	1							GEAR, Accessory Drive
12									PUMP, Vacuum
	5011 796AA	1							Upto and Including 07-04-00
	5011 796AB	1							07-05-00 and After
13	5011 421AA	1							SCREW
14	4728 162	1							HUB, Hydraulic Brake Pump
15	4761 972	4							STUD

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Group – 006





Clutch

GROUP 6 - Clutch


Illustration Title Group-Fig. No.

Clutch	
Clutch	Fig. 006-110
Clutch Housing	
Housing And Pan, Clutch	Fig. 006-210
Clutch Controls	
Controls, Hydraulic Clutch	Fig. 006-310
Clutch Pedals	
Pedal, Clutch	Fig. 006-410



006-100 Clutch	006-200 Clutch Housing	006-300 Clutch Controls	006-400 Clutch Pedals
			

Clutch
Figure 006-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes
[DBB] = All Manual Transmissions
[DDC] = 5 Speed Heavy Duty Manual Transmission
[DDX] = 5 Speed Heavy Duty Manual Transmission
[DEE] = 6 Speed Heavy Duty Manual Transmission
[EH0] = All 3.9L V-6 Engines
[EL0] = All 5.2L V-8 Engines
[EM0] = All 5.9L V-8 Engines
[ETC] = 5.9L Turbo Diesel 24V Cummins Engine
[ETH] = 5.9L Cummins Turbo Diesel Engine
[EW0] = All 8.0L V-10 Engines


1	5210 7587	1				EL0, EM0	DBB		DISC, Clutch Up to 07-10-00
	52107 611AD	1	2, 3, 7, 8			ETC	DDX		
	52107 775AA	1	2, 3, 7, 8			ETH	DEE		
	52107 829AA	1				EH0	DDC		
	52107 834AA	1				EL0, EM0	DBB		After 07-10-00
2	6035 626	6				EH0, EL0, EM0	DBB		BOLT, Hex Head, .375-16x.84
3	6036 096AA	8				EW0	DBB		BOLT, Hex Flange Head
		8				ET0	DBB		
4	4762 857	1				EM0	DBB		CLUTCH KIT, Manual Transmission
5	4897 532AC	1	2, 3, 7, 8			ETC	DDX		CLUTCH PACKAGE
		1	2, 3, 7, 8			EW0	DDX		
	5014 767AA	1	2, 3, 7, 8			ETH	DEE		
	5017 885AA	1	1, 6			EL0	DBB		
	5017 886AA	1	1			EH0	DDC		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Housing And Pan, Clutch
Figure 006-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes									
[EH0] = All 3.9L V6 Engines									
[EL0] = All 5.2L V-8 Engines									
[EM0] = All 5.9L V-8 Engines									
[EW0] = All 8.0L V-10 Engines									
[ETC] = 5.9L Turbo Diesel 24V Cummins Engine									
[ETH] = 5.9L Cummins Turbo Diesel Engine									
[DBB] = All Manual Transmissions									
[DDP] = 5 Speed Manual Transmission									
[DDC] = 5 Speed Heavy Duty Manual Transmission									
[DEE] = 6 Speed Heavy Duty Manual Transmission									
[DDX] = 5 Speed Heavy Duty Manual Transmission									
1	5211 7772	1				EL0,	DDP		STRUT, Transmission to Block
2	6035 212	6				EM0 EH0, EL0, EM0, EW0			SCREW, Hex Flange Head, .375-16x1.125
3	6024 473	2				EW0	DBB		SCREW AND WASHER, Hex Head, .437-14x2.00
4	6023 092	1				EH0, EL0, EM0, EW0	DBB		SCREW AND WASHER, Hex Head, .25-20x.50
5									SCREW AND WASHER, M10x1.50x45.00
	6101 985	2				EH0, EL0	DDC		
		2				EL0, EM0	DDP		
6	5211 7614	1	2, 3, 7, 8			EW0	DDX		COVER, Transmission Case
7	52107 753AB	1				EH0, EL0,	DBB		COVER, Transmission Case
8	6023 092	1				EM0 EH0, EL0, EM0, EW0	DBB		SCREW AND WASHER, Hex Head, .25-20x.50

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Housing And Pan, Clutch
Figure 006-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	6022 266	5				EH0, EL0, EM0	DBB		SCREW, Hex Head, .375-16x1.5
10	0152 474	4							NUT, Hex Flange Lock, .375-16
11									HOUSING, Clutch
	5003 582AA	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
		1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
	5300 6513	1				ET0, EW0	DBB		
	5210 7540	1				EL0, EM0	DDP		
12	5211 7709	1				EH0, EL0, EM0			GROMMET, Timing Probe
13	0152 474	2				EW0	DBB		NUT, Hex Flange Lock, .375-16
14	6024 055	4					DDP, DDX		SCREW AND WASHER

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Controls, Hydraulic Clutch
Figure 006-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE : Sales Codes

[EL0] = All 5.2L V-8 Engines

[EM0] = All 5.9L V-8 Engines

[EW0] = All 8.0L V-10 Engines

[ETC] = 5.9L Turbo Diesel 24V Cummins Engine

[ETH] = 5.9L Cummins Turbo Diesel Engine

[EH0] = All 3.9L V-6 Engines

[DDP] = 5 Speed Manual Transmission

[DDC] = 5 Speed Heavy Duty Manual Transmission

[DEE] = 6 Speed Heavy Duty Manual Transmission

[DDX] = 5 Speed Heavy Duty Manual Transmission

[DBB] = All Manual Transmissions

1	5210 7555	1				EH0,	DBB		FORK, Clutch Release
2	5208 7515	1				EL0, EM0 ET0, EW0	DBB		LEVER, Clutch Release
3	5208 7514	1				ET0, EW0 EH0,	DDX, DEE DBB		BEARING, Clutch Release
4	5300 8342	1				EL0, EM0			PIVOT, Clutch Release
	5208 7542	1				ET0, EW0 EL0, EM0	DBB DDP		
		1	1, 2, 3			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0 ETH	DDC DEE DBB		
5	4338 855	1							SPRING, Clutch Release
6	52107 790AA	1					DBB		LINKAGE, Hydraulic Clutch
	52108 580AA	1	7, 8			EW0	DBB		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Controls, Hydraulic Clutch
Figure 006-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7	6032 988	2					DBB		SCREW
8	0152 472	2					DBB		NUT, Hex Flange Lock, .312-18
9	6032 878	2					DBB		STUD, .312-18x2.00
10	6026 125	1							CLIP, Retainer
11	53007 944AB	1					DBB		SWITCH, Clutch Starter Interlock
12	4720 156	1					DBB		CAP, Clutch Reservoir
13	4720 157	1					DBB		DIAPHRAGM, Clutch Reservoir
14	6503 269	4							NUT, Hex, M10-1.5

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Pedal, Clutch
Figure 006-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:Sales Codes

[DBB]= All Manual Transmissions

1	5200 9562	1					DBB		PAD, Pedal
2	52009 557AB	1					DBB		PEDAL, Clutch
3	4294 639	4							BUSHING, Clutch and Brake Pedal
4	0120 395	1							WASHER, Flat, Flat 7/16x.937
5	4294 036	1							CLIP, M/Cylinder Push Rod Pin Clutch Pedal
6	6503 761	2							STUD, M6x1.00mmx48.80mm
7	5207 7902	1							SHAFT, Pedal
8	4103 262	2							RETAINER, Shaft, Pivot Shaft


DODGE RAM STANDARD CAB (BR)








SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 007
Cooling




007-100 Radiator and Related Parts	007-200 Water Pump and Related Parts	007-300 Tank, Coolant Engine	007-400 Pulleys and Related Parts
			
007-500 Drive Belts	007-600 Lines, Transmission Oil Cooler	007-700 Grilles	
			

GROUP 7 - Cooling

Illustration Title	Group-Fig. No.
Radiator and Related Parts	
Radiator And Related Parts Gas Engines	Fig. 007-125
Radiator And Related Parts Diesel Engine	Fig. 007-130
Water Pump and Related Parts	
Water Pump 3.9, 5.2 And 5.9 Engine	Fig. 007-210
Water Pump Diesel Engine	Fig. 007-225
Water Pump 8.0 Engine	Fig. 007-230
Tank, Coolant Engine	
Coolant Tank	Fig. 007-320
Pulleys and Related Parts	
Drive Pulleys 3.9, 5.2, 5.9 Ld And 8.0 Engine	Fig. 007-410
Drive Pulleys 5.9 Hd Engine	Fig. 007-420
Drive Pulleys Diesel Engine	Fig. 007-440
Drive Belts	
Drive Belts 3.9L,5.2L And 5.9Ld Engine	Fig. 007-520
Drive Belts Diesel Engine	Fig. 007-530
Drive Belts 5.9 Hd Engine	Fig. 007-540
Drive Belts 8.0 Engine	Fig. 007-550
Lines, Transmission Oil Cooler	
Oil Cooler And Lines Gas Engine	Fig. 007-615
Oil Cooler And Lines Diesel Engine	Fig. 007-620
Auxiliary Oil Cooler 3.9,5.2, 5.9 And 8.0 Engine	Fig. 007-650
Auxiliary Oil Cooler Diesel Engine	Fig. 007-660
Grilles	
Grille And Related Parts	Fig. 007-720

Radiator And Related Parts Gas Engines
Figure 007-125




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DG0 = All Automatic Transmissions									
EML,EMM,EM0 = 5.9L Gas Engine									
EWA,EW0 = 8.0L Gas Engine									
ELF,EL0 = 5.2L Gas Engine									
EHB,EH0 = 3.9L Gas Engine									
1	5503 6415	1				EW0			HOSE AND TUBE, Thermostat
2									CLAMP, Heater Hose
	6502 017	6				EH0, ELF, EM0 EW0			
		8							
3	5503 5944	1				EW0			NIPPLE, Heater Inlet
		1				EH0, EL0, EM0 EW0			Heater Supply Heater Supply
4	6034 506	6				EW0			BOLT AND CONED WASHER, Hex Head, .312-18x1.56
5	53006 047AB	1				EW0			HOUSING, Thermostat
6	53005 868AB	1				EW0			GASKET, Thermostat
7	5304 1078	1				EW0			THERMOSTAT, 195 Degrees
8	5301 0047	1				EW0			SEAL, Thermostat, Thermostat, 8.0L Engine
9	6034 549	2				EH0, EL0, EM0			SCREW, Hex Head, .312-18x.94
10	5302 0115	1				EH0, EL0, EM0			HOUSING, Thermostat, Thermostat
11	5202 8185	1				EH0, EL0, EM0			THERMOSTAT, 195 Degrees
12	5302 1051	1				EH0, EL0, EM0			GASKET, Thermostat, Outlet
13									RADIATOR, Engine Cooling

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Radiator And Related Parts Gas Engines
Figure 007-125




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52029 189AB	1				EH0, EL0, EM0	DG0		[AWL]
	52006 491AC	1				EH0, EL0, EM0	DG0		[-AWL]
		1				EH0, EL0, EM0	DBB		
	52029 176AA	1				EW0	DG0		
	52029 177AA	1				EW0	DBB		
-14	5202 8466	1				EH0, EL0, EM0	DBB		DRAINCOCK, Radiator Radiator
	52028 466AB-	1				EW0	DG0		CAP, Radiator
15	5200 6926	1				EW0	DG0		
		1				EW0	DBB		
16	52029 018AB	1				EH0			HOSE, Radiator Upper
	52028 643AB	1				EL0, EM0			Upper
	52028 641AB	1				EW0			Upper HOSE, Radiator
17	52006 484AB	1				EW0			
	52028 752AB	1				EH0			Lower
	52028 896AA	1				EL0, EML			Lower
18	6032 277	1				EH0, EL0, EM0			CLAMP, Radiator
	5200 6750	1				EW0			
19	6032 277	1				EH0, EL0, EM0			CLAMP, Radiator
	5200 6750	1				EW0			
20									BOLT, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Radiator And Related Parts Gas Engines
Figure 007-125




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
21	6101 718	4							SCREW AND WASHER, Oval Head, M6x1x25, Mounting
22	5200 6486	1				EW0			SHROUD, Fan
	5202 8002	1				EL0, EM0			
	5202 8004	1				EH0			
23	5202 7709	1				EW0			FAN, Cooling
	5202 7846	1				EH0, EL0			
	5202 7999	1				EM0			[NMC]
	5202 7846	1				EM0			
24	6034 256	6				EH0, EL0			SCREW AND WASHER, Hex Head, .312-18x.75
25	5202 7883	1				EL0			DRIVE, Fan
	5202 7884	1				EH0			
	52029 400AA	1				EM0			After 5-1-00
	52027 710AB	1				EM0			Up To 5-1-00
	5202 7885	1				EW0			
26	4401 950	2				EH0, EL0, EM0	DBB		ISOLATOR, Radiator
	5202 7828	2				EW0	DG0		
		2				EW0	DBB		
27	4401 950	2				EH0, EL0, EM0	DBB		ISOLATOR, Radiator Radiator Mounting, Lower
	5202 7828	2				EW0	DG0		
		2				ET0			
		2				EW0	DBB		
28	5202 7560	1				EH0, EL0, EM0			SEAL, Radiator Air, Radiator, Right

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Radiator And Related Parts Gas Engines Figure 007-125

[illegible]


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Radiator And Related Parts Diesel Engine

Figure 007-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
DBB = All Manual Transmissions									
DG0 = All Automatic Transmissions									
ETC,ET0 = 5.9L Diesel Engine									
ETH = 5.9L HO Cummins Turbo Diesel Engine									
1	4546 145	2				ET0			CLIP, Radiator Fan Shroud, Fan Shroud Mtg.
2	4546 145	2				ET0			CLIP, Radiator Fan Shroud
3	52030 191AA	1				ET0			RADIATOR, Engine Cooling
4	6032 277	1				ET0			CLAMP, Radiator, Radiator Hose, Inlet
5	5202 8715	1				ET0			HOSE, Radiator, Inlet,Upper
6	5202 8003	1				ET0			SHROUD, Fan, Radiator Fan
7	52006 482AB	1				ET0			HOSE, Radiator, Outlet,Lower
8	6032 277	1				ET0			CLAMP, Radiator
9									ISOLATOR, Radiator
	5202 7827	2				ETC			Upper
	5202 7828	2				ET0			Lower
10	5200 6926	2				ET0			CAP, Radiator
11	52028 893AA	1				ET0			FAN, Cooling
12	52028 894AA	1				ET0			DRIVE, Fan
13	6022 225	4							SCREW AND WASHER, Hex Head, .312-18x.75
14	4429 460	2				ETC			SCREW, Water Inlet, M10x1.5x25
15	5011 928AA	1				ETC			CONNECTOR, Water Inlet
16	4429 484	2				ETC			PIN, Roll
17	5011 903AA	1				ETC			PLUG, Pipe
18	4761 269	6				ETC			SCREW, Hex Flange Head
19									HOUSING, Thermostat
	5015 713AA	1				ETC	DBB		THERMOSTAT
		1				ETC	DG0		
20	5015 708AA	1				ETC	DG0		
		1				ETC	DBB		SEAL, Water Outlet
21	4429 697	1				ETH	DBB		
		1				ETC	DBB		
		1				ETC	DG0		BOLT, Hex Head, M12x1.75x25
22	4429 495	3				ETH	DBB		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Radiator And Related Parts Diesel Engine Figure 007-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		3				ETC	DBB		
		3				ETC	DG0		
-23	52028 466AB-	1				ET0			DRAINCOCK, Radiator

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Water Pump 3.9, 5.2 And 5.9 Engine
Figure 007-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code EH0 = 3.9L Gas Engine

Note: Sales Code EL0 = 5.2L Gas Engine

Note: Sales Code EM0 = 5.9L Gas Engine


1	53021 018AB	1				EH0,			PUMP, Water, with Pulley
		1				EL0			
2	4483 757	1				EM0			GASKET, Water Pump
						EH0,			
						EL0,			
3	5300 8654	1				EM0			HOSE, Water Pump Bypass
						EH0,			
						EL0,			
						EM0			
4	4401 436	2				EH0,			CLAMP, Radiator
						EL0,			
						EM0			
5	5302 0185	1				EH0,			NIPPLE, By-Pass
		1				EL0			
		1				EM0			
6	6034 279	2				EH0,			SCREW AND WASHER, Hex Head
						EL0,			Lock, .375-16x1.75
						EM0			
7									HUB, Water Pump Pulley, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Water Pump Diesel Engine
Figure 007-225




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:
DBB = All Manual Transmissions
ETC = 5.9L Cummins 24V Diesel Engine
ETH = 5.9L HO Cummins Turbo Diesel

1									SEAL, Water Pump To Front Cover
	4429 698	1				ETC			
		1				ETH	DBB		
2									PUMP, Water
	5010 964AA	1				ETC			
		1				ETH	DBB		
3									SCREW, Cap
	5003 666AA	2				ETC			
		2				ETH	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

Water Pump 8.0 Engine Figure 007-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EW0 = All 8.0L Gas Engines									
1	53021 074AC	1				EW0			PUMP, Water
2	5302 1072	1				EW0			O RING, Water Pump, Pump
3	6034 279	2				EW0			SCREW AND WASHER, Hex Head
4	6034 076	4				EW0			Lock, .375-16x1.75 SCREW AND WASHER, Hex Head
5	5300 5879	1				EW0			Lock, .375-16x4.45 HOSE, Water Pump Bypass, By-
6	4401 438	2				EW0			Pass CLAMP, Radiator
7	5300 6046	1				EW0			NIPPLE, By-Pass, By-Pass Hose
8	5304 1101	1				EW0			ELBOW, .375-18 Straight


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl. ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDP, DDX, DDC = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Coolant Tank
Figure 007-320




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Code EH0 = All 3.9L V-6 Gas Engines									
Sales Code ELF,EL0 = 5.2L Gas Engine									
Sales Code EML,EMM,EM0 = 5.9L Gas Engine									
Sales Code EWA,EW0 = 8.0L Gas Engine									
Sales Code ETC,ET0 = 5.9L Diesel Engine									
1	5202 8147	1				EH0, EL0, EM0, ET0			HOSE, Coolant Reserve Tank
2	2448 761	1				EH0, EL0, EM0, ET0 EW0			CLAMP, Hose
3	5202 7778	1				EH0, EL0, EM0, ET0 EW0			TANK, Coolant Reserve
4	5202 8624	1				EH0, EL0, EM0, ET0 EW0			CAP, Coolant Reserve Tank
	5202 8612	1				EW0 EH0, EL0, EM0, ET0			
5									SCREW, (NOT SERVICED) (Not Serviced)
6									BRACKET, Serviced in Radiator Shroud, (NOT SERVICED) (Not Serviced)
7	4026 148	1				EW0			HOSE, Coolant Reserve Tank
	5202 8147	1				EW0 EH0, EL0, EM0, ET0			Rolled Stock Rolled Stock

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Drive Pulleys 3.9, 5.2, 5.9 Ld And 8.0 Engine
 Figure 007-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code DDP = 5 Speed Manual Transmission Note: Sales Code DDX = 5 Speed Heavy Duty Manual Transmission Note: Sales Code EH0 = 3.9L Gas Engine Note: Sales Code EL0 = 5.2L Gas Engine Note: Sales Code EM0 = 5.9L Gas Engine Note: Sales Code EW0 = 8.0L Gas Engine									
1									PULLEY, Water Pump, Serviced with Pump, (NOT SERVICED) (Not Serviced)
2	5301 0222	1				EH0, EL0, EM0			PULLEY, Crankshaft
-3	53021 284AA-	1				EM0			DAMPER, Crankshaft
4									SCREW, (NOT SERVICED) (Not Serviced)
5	0181 088	10	1, 2, 3			EL0, EM0	DDP		BOLT, Hex Head, .312-18x1.00
		10	6, 7, 8			EL0, EM0			
		10	1, 2, 3			ET0,			
		10	6, 7, 8			EW0 ET0, EW0	DDX		
6	5300 8614	1				EH0, EL0, EM0			BRACKET, Alternator And Compressor
7	6034 247	1				EW0			BOLT, Hex Head, .375-16x.25
		1				EH0, EL0, EM0			
8	5300 9508	1				EH0, EL0, EM0 EW0			PULLEY, Idler
9		1							BUSHING, Idler Pulley

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Drive Pulleys 3.9, 5.2, 5.9 Ld And 8.0 Engine
 Figure 007-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3300 2201	1				EH0, ELO, EM0 EW0			
10		1							BOLT, (NOT SERVICED) (Not Serviced)
11									BOLT, (NOT SERVICED) (Not Serviced)
12	6034 246	1				EH0, ELO, EM0			BOLT, Hex Head, .375-16x.75
13	5300 8618	1				EH0, ELO, EM0			BRACKET, Alternator, w/o A/C
14	5301 0255 5301 0158	1 1				EW0 EH0, ELO, EML			TENSIONER, Belt
15									SCREW, Torx Socket Head Cap, .375-16x2.75
	6035 198	1 1				EMM EW0			Tensioner to Bracket Tensioner to Bracket

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, ELO = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Drive Pulleys 5.9 Hd Engine
Figure 007-420



W/O A/C

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Sales Codes:

DG0 = All Automatic Transmissions

EML,EMM,EM0 = 5.9L Gas Engine

1									PULLEY, Water Pump, (NOT SERVICED) (Not Serviced)
2	5301 0222	1				EH0, EL0, EM0			PULLEY, Crankshaft, Drive
-3	53021 284AA-	1				EM0			DAMPER, Crankshaft
4	0181 112	1					DG0		SCREW AND WASHER, .375-16x1.00
5	5300 8614	1				EH0, EL0, EM0			BRACKET, Alternator And Compressor, Idler Pulley
6	5300 8344	1				EMM			BRACKET, Air Pump And Tensioner
7	5301 0240	1				EMM			TENSIONER, Belt
8	6034 246	3				EMM			BOLT, Hex Head, .375-16x.75
9									SCREW, (NOT SERVICED) (Not Serviced)
10	6501 714	3				EMM			SCREW AND WASHER, Hex Head, M6x1x18
11	5300 8638	1				EMM			PULLEY, Air Pump


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Drive Pulleys Diesel Engine
Figure 007-440




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Code DBB = All Manual Transmissions									
Sales Code ETC,ET0 = 5.9L Diesel Engine									
Sales Code ETH = 5.9L HO CumminsTurbo Diesel									
1	4429 445	1				ETC			BOLT, Hex Head, M8
		1				ETH	DBB		
2	4429 114	3				ETC			SCREW, Hex Flange Head
		3				ETH	DBB		
3	4429 639	1				ETC			BEARING, Idler Pulley
		1				ETH	DBB		
4									SUPPORT, Fan
	4429 660	1				ETC			
		1				ETH	DBB		
5									HUB, Fan
	4429 661	1				ETC			
		1				ETH	DBB		
6									RETAINER, Fan Hub
	4882 043	1				ETC			
		1				ETH	DBB		
7									SCREW, Cap
	4429 668	6				ETC			
		6				ETH	DBB		
8									PULLEY, Fan
	4429 946	1				ETC			
		1				ETH	DBB		
9									BOLT, Hex Head
	4429 779	1				ETC			
		3				ETH	DBB		
10									TENSIONER, Belt
	4429 254	1				ETC			
	5017 789AA	1				ETH	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Drive Belts 3.9L,5.2L And 5.9Ld Engine Figure 007-520





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code EH0 = 3.9L Gas Engine									
Note: Sales Code EL0 = 5.2L Gas Engine									
Note: Sales Code EM0 = 5.9L Gas Engine									
1	5301 0304	1				EH0, ELO,			BELT, Accessory Drive, Serpentine, w/o Air Cond.
2	5301 0303	1				EML EH0, ELO, EML			BELT, Accessory Drive, Serpentine, w/Air Cond.
-3	5300 8745	1				EH0, ELO, EML			LABEL, Belt Routing

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Drive Belts Diesel Engine
Figure 007-530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code EH0 = 3.9L Gas Engine
Note: Sales Code EL0 = 5.2L Gas Engine
Note: Sales Code EM0 = 5.9L Gas Engine
Note: Sales Code EW0 = 8.0L Gas Engine
Note: Sales Code ET0 = 5.9L Diesel Engine

1									BELT, Accessory Drive with Air Conditioning
	5304 0171	1				ET0			without Air Conditioning
	5304 0172	1				ET0			LABEL, Belt Routing
-2	5301 0177	1				ET0			LABEL, Battery Jump Start
-3	5304 0076	2				ET0			



DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Drive Belts 5.9 Hd Engine
Figure 007-540



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code EMM = 5.9L SMPI Magnum V-8

Note: Sales Code EM0 = 5.9L Gas Engine

1	5304 1115	1				EMM			BELT, Accessory Drive, w/Air Conditioning
2	5301 0308	1				EMM			BELT, Accessory Drive, w/o Air Conditioning
-3	5300 8747	1				EMM			LABEL, Belt Routing



DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Drive Belts 8.0 Engine
Figure 007-550



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code EW0 = 8.0L Gas Engine

1	5304 1115	1				EW0			BELT, Accessory Drive, with Air Conditioning
2	5304 1116	1				EW0			BELT, Accessory Drive Federal, Hi Altitude, Without Air
	5304 1118	1				EW0			California, Without Air
-3	5300 8747	1				EW0			LABEL, Belt Routing



DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Oil Cooler And Lines Gas Engine
Figure 007-615



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code DGK = 4 Speed Automatic Transmission 42RE
Note: Sales Code DGP = 4 Speed Automatic Transmission 47RE
Note: Sales Code DGT = 4 Speed Automatic Transmission 46RE
Note: Sales Code DG0 = All Automatic Transmissions
Note: Sales Code EH0 = 3.9L Gas Engine
Note: Sales Code EL0 = 5.2L Gas Engine
Note: Sales Code EM0 = 5.9L Gas Engine
Note: Sales Code EW0 = 8.0L Gas Engine



1	J400 6001	2				EH0, EL0, EM0	DG0		NUT, Hex Flange, .375-16
2	52028 672AD	1				EW0	DGP		TUBE AND HOSE, Oil Cooler Return
	52028 839AA	1				EL0, EM0	DGT		Return
	52028 868AE	1				EH0	DGK		Return
	52028 671AD	1				EW0	DGP		Pressure
	4883 317AB	1				EL0, EM0	DG0		With Aux Cooler, Pressure
	52028 767AG	1				EH0	DGK		Pressure
	52029 303AB	1				EL0, EM0	DGT		Up To 1-17-00, Pressure
	52029 303AC	1				EM0 EL0, EM0	DGT		After 1-17-00, Pressure
3	4140 414	AR				EH0 EL0, EM0	DGT		BRACKET, Cooler Line
	5211 8483	1				EW0	DGP		
	5211 8484	2							
-4	0180 077	1							BOLT, Hex Head, 5/16x18x3/4
5	5300 6015	1					DGK, DGT		BRACKET, Oil Cooler Tube
6	52028 625AC	1				EH0 EL0, EM0	DGK DGT		CONNECTOR, Oil Cooler Line, .375
		1							
7	J400 6001	2				EH0, EL0, EM0	DG0		NUT, Hex Flange, .375-16
8									CLIP, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Oil Cooler And Lines Gas Engine Figure 007-615



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9									SCREW, (NOT SERVICED) (Not Serviced)
10	52117 663AB	1					DGK, DGT		BRACKET, Oil Cooler Tube
11	5300 6015	1					DGK, DGT		BRACKET, Oil Cooler Tube
-12	4810 001AB-	1				ELO, EM0	DGT		VALVE, Oil Cooler Pressure
-13	5014 882AA-	1				EH0 ELO, EM0	DGK DG0		VALVE, Oil Cooler By Pass
-14	52028 721AD-	1				EH0 ELO, EM0	DGK DGT		TUBE, Oil Cooler


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Oil Cooler And Lines Diesel Engine
Figure 007-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DBB = All Manual Transmissions
DG0 = All Automatic Transmissions
EH0 = All 3.9L V-6 Gas Engines
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines
ETC = 5.9L Cummins 24V Diesel Engine
ETH = 5.9L HO Cummins Turbo Diesel
ET0 = 5.9L Diesel Engine


1									BOLT, Hex Head
	4429 630	2				ETC			
		4				ETH	DBB		
2	5011 918AA	1				ETC	DG0		TUBE, Oil Cooler
3	6504 180	2				ET0	DG0		CLAMP, Hose
4	5014 171AA	1				ETC	DG0		TUBE, Oil Cooler
5	4429 812	1				ETC	DG0		ELBOW, Oil Cooler Hose
6	4882 114	1				ETC			NUT, Lock
7	4883 885AA	1				ETC	DG0		COUPLING, Hose
8	5202 7991	2				EH0, EL0, EM0	DG0		BRACKET, Oil Cooler
9	4882 110	1				ETC			SCREW, Hex Head, M8x1.25x16
10	5014 861AA	1				ETC	DG0		COOLER, Torque Converter
11	52028 723AA	1				ETC	DG0		CONNECTOR, Oil Cooler
12	5202 7991	2				EH0, EL0, EM0	DG0		BRACKET, Oil Cooler
13	4882 110	1				ETC			SCREW, Hex Head, M8x1.25x16

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Auxiliary Oil Cooler 3.9,5.2, 5.9 And 8.0 Engine
Figure 007-650



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code DGK = 4 Speed Automatic Transmission 42RE

Note: Sales Code DG0 = All Automatic Transmissions

Note: Sales Code EH0 = All 3.9L V-6 Gas Engines

Note: Sales Code EL0 = All 5.2L 8 Cyl Gas Engines

Note: Sales Code EM0 = All 5.9L 8 Cyl Gas Engines

Note: Sales Code EW0 = All 8.0L Gas Engines

Note: Sales Code NHB = Aux. Cooler

1									COOLER, Transmission Oil
	52028 804AB	1				EH0	DG0		
	52028 901AB	1				EL0, EM0	DG0		
	4863 834	1				EW0	DG0		
2									SCREW, Tapping, M6x1x20
	6502 064	1				EM0	DG0		Cooler Attaching
		3				EW0	DG0		Cooler Attaching
		1				EL0	DG0		Cooler Attaching
3	5202 7991	2				EH0, EL0, EM0	DG0		BRACKET, Oil Cooler
4									TUBE AND HOSE, Oil Cooler
	4863 830AC	1				EW0	DG0		
	52028 868AE	1				EH0	DGK		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Auxiliary Oil Cooler Diesel Engine Figure 007-660




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code DG0 = All Automatic Transmissions									
Note: Sales Code ET0 = 5.9L Diesel Engine									
1	52028 574AB	1				ET0	DG0		COOLER, Transmission Oil
2	52028 732AC	1				ET0	DGP		TUBE, Oil Cooler
3	5202 8673	1				ET0	DGP		TUBE AND HOSE, Oil Cooler
4	52028 467AB	2				ET0	DG0		CONNECTOR, Oil Cooler Tube, .50 Toc
5	52028 680AB	2				ET0	DGP		CLIP
6	5202 8633	1				ET0	DGP		TUBE, Oil Cooler

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Grille And Related Parts
Figure 007-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CLOSURE, Radiator
	55275 412AB	1							Upper
	55275 413AB	1							Lower
-2	5523 5112	1							TAPPING PLATE, Hood Latch, Closure Tapping
3									SCREW, (NOT SERVICED) (Not Serviced)
4	5523 4644	1							CROSS BRACE, Radiator, Radiator Opening, Diagonal
5									BRACKET, Radiator Grille with Chrome Grille
	55076 476AB	1							without Chrome Grille
6									SCREW AND WASHER, Hex Head, (NOT SERVICED) (Not Serviced)
7									GRILLE, Radiator
	55076 550AB	1							Chrome
	QR33 DX8AD	1							Black
	QR33 GW7AD	1							White
	QR33 PR4AD	1							Red
	QR33 SG8AD	1							Green
	QR33 VB3AD	1							Blue
	QR33 VYHAD	1							Yellow
	QR33 WS2AE	1							Silver
	QR33 XV3AE	1							Amber Fire
8	5529 5240	1							MEDALLION, Hood, Rams Head, Medallion Insert ***


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 008

Electrical



008-100 Starters	008-200 Alternators	008-300 Distributor	008-400 Modules
008-500 Relays	008-600 Sensors	008-700 Single Board Engine Controllers	008-800 Switches

Group – 008

Electrical

008-900 Horns	008-1000 Battery Tray and Cables	008-1100 Lamps – Front, Rear and Courtesy	008-1200 Wiring-Engine & Related Parts
008-1300 Wiring-Headlamp to Dash	008-1400 Wiring-Instrument Panel	008-1500 Wiring-Body & Accessories	008-1600 Wiring Repair
008-1900 Spark Plugs-Cables-Coils			

GROUP 8 - Electrical		GROUP 8 - Electrical	
Illustration Title	Group-Fig. No.	Illustration Title	Group-Fig. No.
Starters		Wiring-Engine & Related Parts	
Starter & Mounting Gas Engines	Fig. 008-105	Wiring, Engine	Fig. 008-1220
Starter & Mountings Diesel Engines	Fig. 008-110	Wiring-Headlamp to Dash	
Alternators		Wiring--Headlamp / Dash	Fig. 008-1320
Alternator & Mounting 3.9L, 5.2L & 5.9L Engines	Fig. 008-205	Wiring-Instrument Panel	
Alternator & Mounting 8.0L Engine	Fig. 008-215	Wiring--Instrument Panel	Fig. 008-1420
Alternator & Mounting 5.9L Diesel Engines	Fig. 008-220	Wiring-Body & Accessories	
Distributor		Wiring--body & Accessory	Fig. 008-1530
Distributors	Fig. 008-305	Wiring Repair	
Modules		Wiring Repair Package	Fig. 008-1605
Modules	Fig. 008-405	Spark Plugs-Cables-Coils	
Relays		Spark Plugs--Cables--Coils	Fig. 008-1905
Power Distribution Center Relays and Fuses	Fig. 008-505		
Junction Block Fuse and Relays	Fig. 008-510		
Sensors			
Sensors Engine 3.9L, 5.2L, 5.9L	Fig. 008-605		
Sensors Engine 8.0L	Fig. 008-610		
Sensors Engine 5.9L Diesel	Fig. 008-615		
Sensors, Drivetrain	Fig. 008-620		
Sensors Body	Fig. 008-625		
Single Board Engine Controllers			
Single Board Engine Controllers (JTEC)	Fig. 008-720		
Switches			
Switches Instrument panel	Fig. 008-805		
Switches Drivetrain	Fig. 008-810		
Switches Body	Fig. 008-815		
Horns			
Horn & Mounting	Fig. 008-910		
Battery Tray and Cables			
Battery Tray & Cables	Fig. 008-1020		
Lamps - Front, Rear and Courtesy			
Lamps Front	Fig. 008-1160		
Lamps Rear	Fig. 008-1170		
Lamps, Dome Courtesy & Reading	Fig. 008-1180		
Bulbs & Sockets	Fig. 008-1195		

Starter & Mounting Gas Engines
 Figure 008-105

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V-6 Gas Engines
 EL0 = All 5.2L 8 Cyl Gas Engines
 EM0 = All 5.9L 8 Cyl Gas Engines
 EW0 = All 8.0L Gas Engines


1	56027 702AC	1				EH0, EL0, EM0			STARTER
	56027 703AC	1				EW0			
2	6035 606	1				EH0, EL0, EM0			STUD, .437-14/.437-20x2.00
3	0271 506	1				EH0, EL0, EM0			NUT, Hex, .42-20
4									WASHER, ID=.437 OD=.787 THK=.133, (NOT SERVICED) (Not Serviced)
5									SCREW AND WASHER, Hex Head, .437-14x1.50
	6035 604	1				EH0, EL0, EM0			
		2				EW0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Starter & Mountings Diesel Engines
 Figure 008-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DBB = All Manual Transmissions

ETC = 5.9L Cummins 24V Diesel Engine

ETH = 5.9L Cummins HO Turbo Diesel


1									STARTER
	R474 1012	1				ETC			
	5016 522AA	1				ETH	DBB		
2	4429 834	3				ETC			SCREW, Starter Motor
3	5018 174AA	3				ETH	DBB		SCREW
-4									SPACER, Starter
	5018 522AA-	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Alternator & Mounting 3.9L, 5.2L & 5.9L Engines
Figure 008-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
ELO = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
1	56027 912AB	1				EH0, ELO, EM0,			ALTERNATOR 117 AMP (Before 06/26/00)
	56028 920AA	1				EW0 EH0, ELO, EM0,			136 AMP (Before 06/26/00)
	56029 913AA	1				EW0 EH0, ELO, EM0			117 AMP (06/26/00 & After)
	56028 920AC	1				EH0, ELO, EM0			136 AMP (06/26/00 & After)
2									NUT, 3/8-16, (NOT SERVICED) (Not Serviced)
3	5300 8614	1				EH0, ELO, EM0			BRACKET, Alternator And Compressor, Alternator and A/C Compressor Mounting
4									SCREW AND WASHER, Hex Head, 3/8-16x2.0, (NOT SERVICED) (Not Serviced)
5	6034 246	1				EH0, ELO, EM0			BOLT, Hex Head, .375-16x.75, Hex Head, .375-16x2.75
6	6034 247	1				EW0			BOLT, Hex Head, .375-16x.25 Hex Head .375-16x4.25
		1				EH0, ELO, EM0			Hex Head .375-16x4.25
7	5300 8618	1				EH0, ELO, EM0			BRACKET, Alternator, Alternator w/o Air

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, ELO = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Alternator & Mounting 8.0L Engine
Figure 008-215

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note:									
EH0 = All 3.9L V-6 Gas Engines									
ELO = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
1	56027 912AB	1				EH0, ELO, EM0,			ALTERNATOR 117 AMP (Before 06/26/00)
	56028 920AA	1				EW0 EH0, ELO, EM0,			136 AMP (Before 06/26/00)
	56028 560AA	1				EW0			117 AMP (06/26/00 & After)
	56028 925AA	1				EW0			136 AMP (06/26/00 & After)
2									NUT, .375-16, (NOT SERVICED) (Not Serviced)
3	6034 247	1				EW0			BOLT, Hex Head, .375-16x.25
4									BOLT, .375-16x2.0, (NOT SERVICED) (Not Serviced)
5	53005 621AB	1				EW0			BRACKET, Air Pump And Tensioner
-6	53010 013AB-	1				EW0			BRACE, Alternator
-7	53041 112AB-	1				EW0			BRACKET, Tensioner

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, ELO = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Distributors
Figure 008-305



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1									DISTRIBUTOR, Engine
	4740 338AB	1							
	4740 339AB	1							
2	5602 6706	2							
3									SCREW, Hex Head, M5x0.8x27
	5300 8767	1							
	5602 6702	1							
4									ROTOR, Distributor
	5300 8778	1							
		1							
5									SWITCH, Distributor Pick-Up
	5602 8143	1							
		1							
6	6028 606	1							
7	4343 950	1							
8	2875 923	1							

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Modules
Figure 008-405

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

[ETC]= 5.9L Cummins 24V Diesel Engine

[ETH]= 5.9L Cummins Turbo Diesel Engines

[DBB]=All Manual Transmissions

[DG0]=All Automatic Transmissions

1	55350 003AH	1							MODULE, Compass Temperature With Security
	55350 660AH	1							Without Security
2	5015 525AA	1	1, 6		61, 62				MODULE, Anti-lock Brakes [BGJ]
	5015 526AA	1	2, 7		62, 65				[BGJ]
	5015 528AD	1	2, 7		62, 65				[BGK]
	5015 529AC	1	3, 8		62, 63,				
					64				
	5017 756AA	1	1, 6		61, 62				[BGK]
	5017 757AA	1	2, 7		62, 65				
-3	5003 305AA-	1	1, 6		61, 62				BRACKET, Anti-Lock Brake Module With 4 Wheel ABS
		1	2, 7		62, 65				With 4 Wheel ABS
		1	3, 8		62, 63,				With 4 Wheel ABS
					64				
	5003 311AA-	1	1, 6		61, 62				With Rear Wheel ABS
		1	2, 7		62, 65				With Rear Wheel ABS
4	56043 128AF	1							MODULE, Air Bag Control
5	56020 157AC	1							MODULE, Timing and Control without Keyless Entry (Integrated)
	56045 448AE	1							With Keyless Entry (Integrated)
6	56021 561AC	1							MODULE, Daytime Running Lamp


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Power Distribution Center Relays and Fuses
Figure 008-505




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									POWER DISTRIBUTION CENTER, Serviced in Headlamp to Dash Harness, (NOT SERVICED) (Not Serviced)
2	4671 168	11							RELAY, Mini
3	4638 094	5							RELAY PACKAGE, Electrical
4	00AT C20	1							FUSE, Standard, 20 Amp, Yellow
5	00AT M10	1							FUSE, Mini, 10 AMP, Red
6	00AT M15	5							FUSE, Mini, 15 AMP, Light Blue
7	00AT M20	4							FUSE, Mini, 20 AMP, Yellow
8	6102 075AA	3							FUSE CARTRIDGE, 20 Amp
9	6102 076AA	2							FUSE CARTRIDGE, 30 Amp
10	6102 077AA	3							FUSE CARTRIDGE, 40 Amp
11	6102 078AA	2							FUSE CARTRIDGE, 50 Amp
12	56021 922AA	1							PULLER, Fuse
-13	5602 1167	1							COVER, Power Distribution Center, Lower
-14	56045 543AC- AR								COVER, Power Distribution Center Up to 01/31/01
	56045 543AD- AR								01/31/01 & After
-15	6101 757	1							FUSIBLE LINK, 140 Amp
16	5602 6842	1				ET0			RELAY, Electrical, Heater Intake Air

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Junction Block Fuse and Relays Figure 008-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	56045 391AB	1							JUNCTION BLOCK, Relay
2	5600 6846	1							RELAY, Electrical
3	5600 7348	1							FLASHER
4	4604 235	2							BREAKER, Circuit
5	00AT C10	1							FUSE, Standard, 10 AMP, Red
6	00AT C15	1							FUSE, Standard, 15 AMP, Light Blue
7	000A TM5	1							FUSE, Mini, 5 Amp, Tan
8	00AT M10	1							FUSE, Mini, 10 AMP, Red
9	00AT M20	1							FUSE, Mini, 20 AMP, Yellow
10	4687 835	1							FUSE, Mini, 25 Amp, Natural
-11	4897 895AA-	1							HOLDER, Fuse
-12	4897 906AA-	2							HOLDER, Fuse

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Sensors Engine 3.9L, 5.2L, 5.9L
Figure 008-605



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DG0 = All Automatic Transmissions

EM0 = All 5.9L 8 Cylinder Gas Engines

EV0 = All 4.7L Gas Engines

1	5602 7872	1				EH0, EL0, EM0			SENSOR, Air Temperature
2	5602 9405	1				EH0, EL0, EM0			SENSOR, Map
3	4882 219	1				EM0 EL0			SENSOR, Throttle Position
4	5602 7870	1				EH0	DG0		SENSOR, Crankshaft Position
	5602 7871	1				EH0, EL0, EM0	DBB		
5	56030 111AA	1				EML			SENSOR, Oxygen Federal / Export Emission (After Catalyst) 02/21/00 & After
		2				EL0	DG0		California Emission (After Catalyst) 02/21/00 & After
	56041 706AA	1				EML	DG0		California Emission (After Catalyst) 02/21/00 & After, Right & Left
	56030 111AA	1				EL0, EML	DBB		California / U.S. 50 State Emission (After Catalyst) 02/21/00 & After
		1				EH0			U.S. 50 State / Export Emission (After Catalyst) 02/21/00 & After
	56041 212AF	1				EH0, EL0, EML			Federal / California Emission (After Catalyst) Up to 02/21/00
		1				EL0, EML	DG0		California Emission (After Catalyst) Up to 02/21/00
6	5600 4815	1				EH0, EL0, EM0			SENSOR, Coolant Temperature
7									SENSOR, Oxygen


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Sensors Engine 3.9L, 5.2L, 5.9L
Figure 008-605




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56041 213AF	2				EMM	DDP		Federal Emission (Before Catalyst)
		2	1, 2, 3			EMM	DDP		Federal Emission (Before Catalyst)
		1				EMM	DG0		Federal Emission (Before Catalyst), Left Side
	56031 110AA	1				EMM	DG0		Federal / Export Emissions (Before Catalyst), Left Side
	56041 213AF	1				EML	DDP		Federal / California Emission (Before Catalyst)
		2				EL0,	DG0		California Emission (Before Catalyst)
	56041 698AA	1				EML	DG0		California Emissions (Before Catalyst), Right & Left
	56031 110AA	1				EL0,	DBB		California / U.S 50 States Emissions (Before Catalyst)
	56030 100AA	1				EML			U.S 50 States / Export Emissions (Before Catalyst)
	56030 111AA	1				EH0			U.S 50 States / Export Emissions (After Catalyst)
	56041 706AA	2				EML	DG0		California Emissions (After Catalyst)
	56041 212AE	1				EH0			Federal / California Emissions (Before Catalyst)
		1				EMM	DG0		Federal Emissions (Before Catalyst), Right Side
		2	6, 7, 8			EMM	DDP		Federal Emissions (Before Catalyst)
		1				EW0			California Emissions (Before Catalyst)
		2				EW0			Federal / California Emissions (Before Catalyst)
		1				EL0,	DG0		California Emissions (Before Catalyst)
		1				EML	DDC		Federal / California Emissions (Before Catalyst)
-8									SENSOR, Camshaft, Serviced in Distributor Pickup Switch, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Sensors Engine 8.0L
Figure 008-610




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5602 7872	1				EW0			SENSOR, Air Temperature
2	4896 131AA	1				EW0			SENSOR, Map
3	4882 219	1				EW0			SENSOR, Throttle Position
4	5602 7864	1				EW0			SENSOR, Crankshaft Position
5									SENSOR, Oxygen
	56030 111AA	1				EW0			California Emission (After Catalyst) 02/21/00 & After
	56041 212AF	1				EW0			California Emission (After Catalyst) Up to 02/21/00
6	5600 4815	1				EW0			SENSOR, Coolant Temperature
7	5602 7860	1				EW0			SENSOR, D.I.S. Camshaft Reference
8	56030 100AA	2				EW0			SENSOR, Oxygen

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Sensors Engine 5.9L Diesel
Figure 008-615




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SENSOR, Turbo Boost Pressure
	5012 801AA	1				ETC			Up to 04/4/00, Map Sensor
	5017 791AA	1				ETC			After 04/4/00, Map Sensor
		1				ETH			
2	5011 851AA	1				ETC			O RING
3	5014 197AA	1				ETC			SENSOR, Air Temperature
4	5003 602AA	1				ETC			O RING
5									BELLCRANK, Accelerator and Cruise
	5303 1575	1				ETC	DG0		
	5303 1576	1				ETC	DBB		
		1				ETH	DBB		
6									SENSOR, Camshaft
	5018 511AA	1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
7	5003 602AA	1				ETC			O RING
8	4638 672	1				ETC			SCREW
9	5011 852AA	1				ETC			SENSOR, Temperature Sending Unit
10	5003 602AA	1				ETC			O RING
11	5015 582AA	1				ETC			SENSOR, Fuel/Water
-12									SENSOR, Oil Pressure
	5012 991AB-	1				ETH			
		1				ETC			
		1				ETH	DBB		
		1				ETC	DBB		
-13	5015 488AA-	1				ETC			SENSOR, Crankshaft

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Sensors, Drivetrain
Figure 008-620




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
[DG4]=Multi-Speed Automatic Transmission									
1	56028 196AA	1	1, 2, 3				DGK		TRANSDUCER, Pressure Sensor
		1	6, 7, 8				DGP		
2	4412 879	1	1, 2, 3				DGK		SENSOR, Transmission Output Speed
		1	6, 7, 8				DGP		
3	56028 187AD	1	1, 2, 3				DBB		SENSOR, Wheel Speed
		1	1, 6		61, 62				
	56028 229AB	1	6, 7, 8				DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Sensors Body
Figure 008-625



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note:									
DG0 = All Automatic Transmissions									
EM0 = All 5.9L 8 Cylinder Gas Engines									
EV0 = All 4.7L Gas Engines									
1	4688 204	1							SENSOR, Ambient Temperature
-2	56021 433AC-	1							BRACKET, Ambient Temperature Sensor
3	5602 7332	1							SENSOR, Battery Temperature
4	5515 5039	1							SENSOR, Washer Fluid Level
5									SENSOR KIT, Anti-Lock Brakes
	5015 283AA	1	6			61, 62			
	5015 882AA	1	8			62, 63, 64			
		2	8			62, 63, 64			
		2	3			63, 64			
6									SENSOR, Anti-Lock Brake
	56028 216AA	2	2, 3			62, 63, 64, 65			
	56028 217AA	2	1			61, 62			
7	56028 187AD	1					DG0		SENSOR, Wheel Speed, RWAL in rear Differential

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Single Board Engine Controllers (JTEC)
Figure 008-720




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EH0=3.9L Engine									
EM0=5.9L Engine									
EML=5.9L Engine MPI (Light Duty)									
EMM=5.9L Engine MPI (Heavy Duty)									
EW0=8.0L Engine									
ET0=5.9L Turbo Diesel Engine									
ETC=5.9L Cummins 24V Diesel Engine									
ETH=5.9L High Output Turbo Diesel Engine									
DG0=Automatic Transmission									
DBB=Manual Transmission									
1	56028 500AB	1				ETC	DBB		MODULE, Powertrain Control w/Federal Emissions (Before 06/26/00)
		1				ETH	DBB		w/Federal Emissions (Before 06/26/00)
	56028 504AB	1				ETC	DBB		w/California Emissions (Before 06/26/00)
		1				ETH	DBB		w/California Emissions (Before 06/26/00)
	56028 506AB	1				ETC	DG0		w/Federal Emissions (Before 06/26/00)
		1				ETH	DG0		w/Federal Emissions (Before 06/26/00)
	56028 508AB	1				ETC	DG0		w/California Emissions (Before 06/26/00)
		1				ETH	DG0		w/California Emissions (Before 06/26/00)
	56028 514AB	1				EH0	DBB		w/Federal or California Emissions (Before 06/26/00)
	56028 516AB	1				EH0	DG0		w/Federal or California Emissions (Before 06/26/00)
	56028 543AB	1				EL0	DBB		w/Federal or California Emissions (Before 06/26/00)
	56028 544AB	1				EL0	DG0		w/Federal Emissions (Before 06/26/00)
	56028 545AB	1				EL0	DG0		w/California Emissions (Before 06/26/00)
	56028 547AB	1				EML	DBB		w/Federal Emissions (Before 06/26/00)
	56028 550AB	1				EML	DG0		w/Federal Emissions (Before 06/26/00)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Single Board Engine Controllers (JTEC)
Figure 008-720




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56028 551AB	1	1, 6		61, 62	EML	DG0		w/California Emissions (Before 06/26/00)
	56028 555AB	1				EW0	DBB		w/California Emissions (Before 06/26/00)
	56028 557AB	1				EW0	DG0		w/California Emissions (Before 06/26/00)
	56029 552AA	1	2, 3, 7, 8		62, 63, 64, 65	EML	DG0		w/California Emissions (Before 06/26/00)
	56040 401AD	1				EMM	DBB		w/Federal or Export Emissions (Before 06/26/00)
	56040 402AC	1				EM0	DBB		w/Leaded Fuel Emissions (Before 06/26/00)
	56040 412AD	1				EMM	DG0		w/Federal or Export Emissions (Before 06/26/00)
	56040 413AC	1				EM0	DG0		w/Leaded Fuel Emissions (Before 06/26/00)
	56040 418AF	1				EW0	DBB		w/Federal or Export Emissions (Before 06/26/00)
	56040 420AE	1				EW0	DG0		w/Federal or Export Emissions (Before 06/26/00)
	56040 262AB	1				EH0	DBB		w/U.S. 50 State or Export Emissions (06/26/00 & After)
	56040 264AB	1				EH0	DG0		w/U.S. 50 State or Export Emissions (06/26/00 & After)
	56040 269AB	1				ELF	DGT		w/U.S. 50 State or Export Emissions (06/26/00 & After)
	56040 270AB	1				ELF	DGT		w/California Emissions (06/26/00 & After)
	56040 272AB	1				ELF	DDC		w/U.S. 50 State or Export Emissions (06/26/00 & After)
	56040 273AB	1				EML	DG0		w/Federal or Export Emissions (06/26/00 & After)
	56040 274AB	1				EML	DG0		w/California Emissions (06/26/00 & After)
	56040 276AB	1				EML	DBB		w/Federal, California or Export Emissions (06/26/00 & After)
	56040 279AC	1				EW0	DG0		w/California Emissions (06/26/00 & After)
	56040 280AC	1				EW0	DBB		w/California Emissions (06/26/00 & After)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Single Board Engine Controllers (JTEC)
Figure 008-720




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56040 284AC	1				ET0	DBB		w/Federal or Export Emissions (06/26/00 & After)
	56040 285AC	1				ET0	DBB		w/California Emissions (06/26/00 & After)
	56040 286AC	1				ET0	DG0		w/Federal or Export Emissions (06/26/00 & After)
	56040 287AC	1				ET0	DG0		w/California Emissions (06/26/00 & After)
	56040 401AD	1				EMM	DBB		w/Federal Emissions (06/26/00 & After)
	56040 402AD	1				EM0	DBB		w/Leaded Fuel Emissions (06/26/00 & After)
	56040 412AD	1				EMM	DG0		w/Federal Emissions (06/26/00 & After)
	56040 413AD	1				EM0	DG0		w/Leaded Fuel Emissions (06/26/00 & After)
	56040 418AF	1				EW0	DBB		w/Federal Emissions (06/26/00 & After)
	56040 420AE	1				EW0	DG0		w/Federal Emissions (06/26/00 & After)
-2									MODULE, Engine Controller
	3330 30305J	1				ETC	DG0		w/Federal Emissions (Before 06/26/00)
	3330 32304J	1				ETH	DBB		w/Federal Emissions (Before 06/26/00)
	3330 33305J	1				ETC	DBB		w/Federal Emissions (Before 06/26/00)
	3739 30303J	1				ETH	DBB		w/California Emissions (Before 06/26/00)
	3739 31304J	1				ETC	DBB		w/California Emissions (Before 06/26/00)
	3739 32304J	1				ETC	DG0		w/California Emissions (Before 06/26/00)
	3832 37301J	1				ETC	DG0		w/Federal or Export Emissions (06/26/00 & After)
	3832 38301J	1				ETC	DG0		w/California Emissions (06/26/00 & After)
	3832 39300J	1				ETC	DBB		w/Federal or Export Emissions (06/26/00 & After)
	3833 30300J	1				ETC	DBB		w/California Emissions (06/26/00 & After)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Single Board Engine Controllers (JTEC)
Figure 008-720




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3833 31300J	1				ETH	DBB		w/Federal or Export Emissions (06/26/00 & After)
	3833 32300J	1				ETH	DBB		w/California Emissions (06/26/00 & After)
3									SCREW, Tapping, M4x8, SCREW, Mounting M4.8x1.59x45.00, (NOT SERVICED) (Not Serviced)
4									NUT AND WASHER, M6x1.00, (NOT SERVICED) (Not Serviced)
5	56028 207AA	1							BRACKET, Module, JTEC Module

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Switches Instrument panel
Figure 008-805




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGT = 4 Speed Automatic Transmission 46RE									
DG0 = All Automatic Transmissions									
EM0 = All 5.9L 8 Cylinder Gas Engines									
EV0 = All 4.7L Gas Engines									
1	56021 673AD	1							SWITCH, Headlamp With Cargo Lamp
	56021 674AD	1							
	56021 675AE	1							
2	5066 184AA	1							SWITCH, Horn
3	4728 424	1					DG0		SWITCH, Multifunction
		1					DBB		
4	56045 879AA	1					DBB		SWITCH, Ignition
		1					DG0		
-5	6503 845	5					DBB		SCREW, Ignition Switch
		5					DG0		
6	4685 619AB	1							SWITCH, Remote Radio Right
	4685 632AB	1							Left
7	5602 1048	1					DG0		SWITCH, Overdrive Lockout
8	56045 177AC	1							SWITCH, Passenger Airbag Disarm
9	53007 944AB	1					DBB		SWITCH, Clutch Starter Interlock
10	5017 047AA	1							SWITCH, Parking Brake
11	5083 344AA	1							SWITCH PACKAGE, Stop Lamp
12	56045 044AD	1							BRACKET, Brake Lamp Switch
13	56021 332AB	1							SWITCH, Speed Control Right
	56021 333AB	1							Left
14	56045 454AG	1							CLOCKSPRING Without Speed Control
	56045 455AG	1							With Speed Control
	56045 456AG	1							With Remote Radi Controls
15	4565 022	1							SWITCH AND LAMP, Glove Box

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Switches Drivetrain
Figure 008-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5603 1005	1				EW0			SENDING UNIT, Oil Pressure
		1				EH0, EL0, EM0			
2	56028 181AB	1	1, 2, 3			EL0	DGT		SWITCH, Neutral, Safety, Back Up
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3				DGP		
3	5600 7270	1	6, 7, 8			ETH	DEE		SWITCH, Back Up Lamp
		1	1, 2, 3			ETH	DEE		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Switches Body
Figure 008-815



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4373 666	2							SWITCH, Seat
2	56021 912AB	1							SWITCH, Window and Door Lock
3	5602 1311	1							SWITCH, Mirror
-4	5600 7040	1							KNOB, Power Mirror Switch
-5	6503 107	1							NUT, Plastic, Mirror Mounting
6									SWITCH, Disarm
	56045 449AA	1							Left
	56045 450AA	1							Right
7	5602 0394	1							SWITCH, 2 Gang
8	4687 558	2							SWITCH, Door Ajar
9									BEZEL, Power Window/Door Lock Switch
	56020 390AB	1							2 gang
	56045 302AA	1							3 gang
-10	4796 652	1							CLIP, Bezel


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Horn & Mounting
Figure 008-910

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	56020 085AB	1							HORN, Low Note, w/Bracket
-2	5602 0086	1							HORN AND BRACKET, High Note
-3	6101 718	4							SCREW AND WASHER, Oval Head, M6x1x25



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Battery Tray & Cables
Figure 008-1020

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V-6 Gas Engines
ELF = 5.2L SMPI Magnum V-8 Engine
EL0 = All 5.2L 8 Cyl Engines
EM0 = All 5.9L 8 Cyl Engines
EW0 = All 8.0L Gas Engines
ETC = 5.9L Cummins 24V Diesel Engine
ET0 = All 5.9L Turbo Diesel Engines

1									TRAY, Battery
	55275 126AD	1				ET0			Up to and Including 7/04/00
	55275 127AD	1							Up to and Including 7/04/00
	55275 126AE	1				ET0			7/05/00 and After
	55275 127AE	1							7/05/00 and After
-2									STUD PLATE, Battery Tray
	5523 5050	1				ET0			Weld Stud Battery Tray to
		1							Wheelhouse
									Weld Stud Battery Tray to
									Wheelhouse
3	6101 308	10							NUT, U, M6x1
4									STRAP, Battery
	5527 5220	1							Battery Hold Down
		1				ET0			Battery Hold Down
5									STUD, Battery Hold Down
	5523 5142	2							Battery Hold Down
		2				ET0			Battery Hold Down
6	5523 5051	1			61, 62, 63, 64				PLATE, Battery Tray
-7									NUT AND WASHER, Hex Nut-Coned
									Washer, .25-20
	6033 560	4				EW0			
		1				EL0, EM0			
8									WIRING, Battery Positive
	56017 788AB	1				ET0			Right
	56021 878AC	1				EH0, EL0, EM0,			
						EW0			
	56020 664AB	1				ETC	DBB		Left
		1				ETC	DG0		Left
9									WIRING, Battery Negative


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Battery Tray & Cables
Figure 008-1020




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56020 663AB	1				EH0, EL0, EM0, EW0			(Alternator Wiring Included)
	56020 665AD	1				ET0		Right	
	56020 688AC	1				ET0		Left	
-10	5602 7332	1							SENSOR, Battery Temperature
-11	6500 284	3				EH0, ELF, EM0, EW0			NUT, Hex, M6x1.00 Battery Wiring Attaching
		2				ET0			Battery Wiring Attaching
-12									NUT, Hex, .312-18, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lamps Front
Figure 008-1160



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V-6 Gas Engines
ELO = All 5.2L 8 Cyl Engines
EM0 = All 5.9L 8 Cyl Engines
EW0 = All 8.0L Gas Engines
ETC = 5.9L Cummins 24V Diesel Engine

1									LAMP, Headlamp Park And Turn Right
	55076 748AI	1							Left
	55076 749AI	1							
	55077 024AC	1							w/Quad H/Lamp, Right
	55077 025AC	1							w/Quad H/Lamp, Left
-2									BULB, Headlamp 9004LL
	0154 824	1							
	0154 882AA-	1							Quad Headlamps
-3									HEADLAMP
	55054 780AF-	1							Right
	55054 781AF-	1							Left
	55077 042AC-	1							w/Quad H/Lamp, Right
	55077 043AC-	1							w/Quad H/Lamp, Left
-4									CARRIER, Headlamp H/Lamp/Park/Turn Signal w/o Quad
	55076 674AC-	1							
									H/Lamp, Right
	55077 034AC-	1							H/Lamp/Park/Turn Signal w/Quad
									H/Lamp, Right
	55077 035AC-	1							H/Lamp/Park/Turn Signal w/Quad
									H/Lamp, Left
	55076 675AG-	1							Up to 02/01/01, H/Lamp/Park/Turn Signal w/o Quad H/Lamp
	55076 675AH-	1							02/01/01 & After, H/Lamp/Park/ Turn Signal w/o Quad H/Lamp
-5	6033 375AB-	1							SCREW, Special Head, .218-28x2.44
-6	55054 856AB-	1							SCREW, Aero Headlamp
-7									WELT, Headlamp To Grille
	5507 6746	1							Right
	5507 6747	1							Left
-8	4805 147	1							VENT, Headlamp
-9	J400 4262	3							PIN, Push, .15x.41
10	6502 776AB	2							CLIP, Lamp, Headlamp Mounting
-11	6033 376	3							CLIP, Lamp
-12	55077 046AA-	2							RETAINER, Headlamp Bulb
13	6504 289	6							SCREW, Hex Head


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, ELO = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lamps Front
Figure 008-1160




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	0154 525	2							BULB, 3157A, Park & Turn Signal
15	5602 1441	1							LAMP, Underhood
-16	4897 446AA-	1							LENS, Lamp Module
17	L000 0561	1							BULB, 561, Underhood Lamp
-18	0154 554	2				EH0, EL0, EM0, EW0			SCREW, Self Piercing, .25-14x.625
19									LAMP, Park, Turn, Side Marker
	55077 032AC	1							w/Quad H/Lamp, Right
	55077 033AC	1							w/Quad H/Lamp, Left
	55054 772AC	1							Up to 02/01/01, Right
	55054 772AD	1							02/01/01 & After, Right
	55054 773AC	1							Up to 02/01/01, Left
	55054 773AD	1							02/01/01 & After, Left
-20									LAMP, Fog
	55076 940AB-	1							Right
	55076 941AB-	1							Left
	55076 942AB-	2							Sport
-21	4418 098	2							CLIP, Tube, Fog Lamp Wiring
-22	5013 490AA-	1							BULB, 896
-23	6035 422	4							BOLT, Square Head, .312-18x.875
-24	6035 423	4							NUT AND WASHER, Hex Coned, .312-18

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lamps Rear
Figure 008-1170



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAMP, Tail Stop Turn
	55055 264AC	1			61, 62				w/o Sport Package (Black), Right
	55055 265AC	1			61, 62				w/o Sport Package (Black), Left
	5505 5270	1	2, 3, 7, 8		63, 64, 65				Right
	5505 5271	1	2, 3, 7, 8		63, 64, 65				Left
	5EK44 DX8AC	1							w/Sport Package (Black), Right
	5EK44 GW7AC	1							w/Sport Package (White), Right
	5EK44 PR4AC	1							w/Sport Package (Red), Right
	5EK44 SG8AC	1							w/Sport Package (Green), Right
	5EK44 VB3AC	1							w/Sport Package (Blue), Right
	5EK44 VYHAC	1							w/Sport Package (Yellow), Right
	5EK45 DX8AC	1							w/Sport Package (Black), Left
	5EK45 GW7AC	1							w/Sport Package (White), Left
	5EK45 PR4AC	1							w/Sport Package (Red), Left
	5EK45 SG8AC	1							w/Sport Package (Green), Left
	5EK45 VB3AC	1							w/Sport Package (Blue), Left
	5EK45 VYHAC	1							w/Sport Package (Yellow), Left
	5EK44 WSBAC	1							w/Sport Package (Silver), Right
	5EK45 WSBAC	1							w/Sport Package (Silver), Left
	5EK44 ZDRAC	1							W/Sport Package (Graphite), Right
	5EK45 ZDRAC	1							W/Sport Package (Graphite), Left
	5EK44 XVLAC	1							W/Sport Package (Amber Fire), Right
	5EK45 XVLAC	1							W/Sport Package (Amber Fire), Left
-2	5505 4572	1	2, 3, 7, 8		63, 64, 65				GASKET, Tail Lamp
3	6035 455	4			61, 62				SCREW, Tapping, .19-16x.625
4	6502 831	4							CLIP, Lamp
-5	L000 3157	2							BULB, 3157, Tail Lamp
-6	5602 1369	1							WIRING, Turn Signal and Back Up, Tail Lamp
7	6035 081	4	2, 3, 7, 8		63, 64, 65				NUT, .25-20
8	4352 164	1			61, 62				BRACKET, License Lamp
9									GROMMET, GROMMET (Not Serviced) ***, (NOT SERVICED) (Not Serviced)


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lamps Rear Figure 008-1170



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	3635 219	4	2, 3, 7, 8		63, 64, 65				BRACKET, Tail Lamp
11	0180 126	4	2, 3, 7, 8		63, 64, 65				BOLT, Hex Head, .375-16x1.50
12	6025 011	8	1		61				NUT AND WASHER, Hex Nut-Coned Washer, .375-16
13	5507 6850	AR							PANEL, License Plate
-14	5505 4891	2			61, 62				LENS, License Lamp
15									SCREW, SCREW (Not Serviced), (NOT SERVICED) (Not Serviced)
16									WIRING, License Lamp
	4362 133	AR							
	5601 8807	2			61, 62				[MBF,MBD,MBQ]
-17	L000 0168	AR							BULB, 168
18	4357 065	1			61, 62				LENS, License Lamp
19	0153 339	2			61, 62				SCREW, Hex Head, .25-20x.875
20	5505 4823	1			61, 62, 65				LAMP BAR, Tailgate, Tailgate I.D.
-21	5505 4819	2	3, 8		62				LAMP, Side Marker, Dual Wheel Fender (Red)
-22	5505 4820	2	3, 8		62				LENS, Clearance Lamp, Yellow, Dual Wheel Fender
23	5505 4821	2	3, 8		62				HOUSING, Clearance Lamp
24									SCREW, SCREW, Mounting (Not Serviced), (NOT SERVICED) (Not Serviced)
25	6504 118	5							U-NUT, M6 x 1.00, M6x1.00
26	5505 4824	1			61, 62, 65				WIRING, Tailgate, Lamp Bar, Tailgate Lamp Bar
27									LAMP, High Mounted Stop
	5507 6688	1							Hi-Mtd. Stop w/Cargo Lamp
	5507 6689	1							Hi-Mtd. Stop w/o Cargo Lamp
-28									SEAL, High Mounted Stop Lamp
	5505 4852	1							Hi-Mtd. Stop w/Cargo Lamp
		1							Hi-Mtd. Stop w/o Cargo Lamp
-29									LENS, High Mounted Stop Lamp, LENS, Serv. Assy., (NOT SERVICED) (Not Serviced)
-30									LENS, High Mounted Stop Lamp, LENS, Hi-Mtd. Stop, Serv. Assy., (NOT SERVICED) (Not Serviced)


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lamps Rear
Figure 008-1170



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
31	5505 4893	1							WIRING, High Mounted Stop Lamp,
-32	L000 0921	2							Hi-Mtd. Stop w/Cargo Lamp
33									BULB, 921, Hi-Mounted Stop Lamp
	5505 4956	2	3, 8		62				LAMP, Fender Marker
	5505 4958	2	3, 8		62				Red
34									Yellow
									BRACKET, BRACKET, Fender Lamp
									(Serviced w/Housing Assembly),
									(NOT SERVICED) (Not Serviced)
-35	5505 4960	2	3, 8		62				WIRING, Clearance Lamp Jumper,
									Pigtail to Chassis Wire

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lamps, Dome Courtesy & Reading
Figure 008-1180


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55077 067AA	5							LAMP, Cab
2	L000 0194	5							BULB, 194
3									SCREW, (NOT SERVICED) (Not Serviced)
-4	J400 0141	10							NUT, Square, .286x.355
5	JV76 TL2	1							LAMP, Dome, Beige
6	0154 762	1							BULB, 579
7									BEZEL, Dome Lamp, Serviced w/ Dome Lamp, (NOT SERVICED)
8									(Not Serviced) SCREW, Dome Lamp Mtg., (NOT SERVICED) (Not Serviced)
9									LAMP, High Mounted Stop
	5507 6688	1							Hi-Mtd. & Cargo w/Cargo Lamp
	5507 6689	1							Hi-Mtd. Stop Lamp w/o Cargo Lamp
10	5505 4852	1							SEAL, High Mounted Stop Lamp, Hi-Mtd. Stop Lamp
11	5505 4893	1							WIRING, High Mounted Stop Lamp, Hi-Mtd. Stop Lamp w/Cargo Lamp

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Bulbs & Sockets
Figure 008-1195



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DD0 = All 5 Speed Manual Transmissions									
1	L000 PC74	1					DD0		BULB, PC74
-2	L000 3157	2			61, 62				BULB, 3157
-3	L000 0194	5							BULB, 194
-4	L000 1156	1	2, 3, 7, 8		63, 64, 65				BULB, 1156
-5	L000 0921	4							BULB, 921
-6	L000 0168	1			61, 62				BULB, 168
-7	L000 0074	1					DD0		BULB, 74
-8	5015 731AA-	1							BULB AND SOCKET, Indicator Lamp
-9	5015 732AA-	1							BULB AND SOCKET, Indicator Lamp

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

Wiring, Engine
Figure 008-1220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EL0=5.2L Engine									
EML / EMM=5.9L MAGNUM SMPI Engine									
EW0=8.0L Engine									
ETC=5.9L Cummins 24V Engine									
ET0=5.9L Turbo Diesel Engine									
DG0=Automatic Transmission									
DBB-Manual Transmission									
DDC=5 Speed HD Manual Transmission									
DDP=5 Speed Manual Transmission									
1									WIRING, Engine
	56045 610AC	1				EW0	DG0		Before 06/26/00
	56045 611AD	1				EW0	DBB		Before 06/26/00
	56045 726AF	1				EL0	DDC		Before 06/26/00
	56045 727AF	1				EL0, EML	DDP		Before 06/26/00
	56045 729AF	1				EMM	DBB		Before 06/26/00
	56045 950AE	1				EL0, EML	DG0		California Emissions (Before 06/26/00)
	56045 952AE	1				EMM	DG0		California Emissions (Before 06/26/00)
	5018 324AA	1				ETC	DG0		Federal Emissions (06/26/00 & After)
		1				ETC	DBB		Federal Emissions (06/26/00 & After)
	5015 722AB	1				ETC	DBB		Federal Emissions (Before 06/26/00)
		1				ETC	DBB		California Emissions (Before 06/26/00)
		1				ETC	DG0		California Emissions (Before 06/26/00)
	5019 448AB	1				ETH	DBB		Federal / California Emissions (06/26/00 & After) Wiring Acessories Harness
		1				ETC	DBB		Federal / Export Emissions (06/26/00 & After) Wiring Acessories Harness
	5019 665AA	1				ETC			Federal /California Emissions cummins number 3935856 lower engine harness to module on block

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring, Engine
Figure 008-1220





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ETH	DBB		Federal /California Emissions cummins number 3935856 lower engine harness to module on block
	56045 319AE	1				ET0	DBB		[XCK] Before 06/26/00
	56045 320AE	1				ET0	DG0		Before 06/26/00
	56045 728AE	1				EL0, EML	DG0		Federal / Leaded Fuel Emissions (Before 06/26/00)
	56045 730AE	1				EMM	DG0		Federal / Leaded Fuel Emissions (Before 06/26/00)
	56045 740AA	1				EM0	DG0		California Emissions (06/26/00 & After)
	56045 902AE	1				EW0	DG0		06/26/00 & After
	56045 903AB	1				ET0	DG0		06/26/00 & After
	56045 904AB	1				ET0	DBB		06/26/00 & After
	56045 931AC	1				EW0	DBB		06/26/00 & After
	56045 933AC	1				EL0	DDC		06/26/00 & After
	56045 934AC	1				EMM	DDP		06/26/00 & After
	56045 935AC	1				EML	DBB		06/26/00 & After
	56045 947AE	1				EL0, EML	DG0		Federal / Leaded Fuel or Export Emissions (06/26/00 & After)
	56045 948AD	1				EL0	DG0		California Emissions (06/26/00 & After)
	56045 949AE	1				EMM	DG0		Federal / Leaded Fuel or Export Emissions (Before 06/26/00)
	5015 722AB	1				ETC	DG0		Federal Emissions (Before 06/26/ 00)
	56045 932AC	1				EH0	DBB		Before 06/26/00
	56045 946AC	1				EH0	DG0		Before 06/26/00
	5019 448AB	1				ETC			Federal / California Emissions (06/ 26/00 & After)
	56045 725AD	1				EH0	DG0		06/26/00 & After
-2	5601 9829	1	6, 7, 8						WIRING, Indicator Lamp, 4x4
-3									Indicator Lamp
	4856 792	1							STRAP, Ground
	4430 302	1				EH0, EL0, EM0 EW0			Radio Engine to I/Panel
			2						Engine to I/Panel

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring, Engine
Figure 008-1220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-4	5011 852AA-	1				ETC			SENSOR, Temperature Sending Unit, Diesel Engine
-5	56021 908AC-	1				ET0			WIRING, Jumper, Diesel Engine
-6	5017 125AA-	1							WIRING KIT, 4 Way, Female, Underhood
-7	4372 040	1			61, 62				STRAP, Ground

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring--Headlamp / Dash Figure 008-1320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DBB = All Manual Transmissions EH0 = All 3.9L V-6 Gas Engines EL0 = All 5.2L 8 Cyl Gas Engines EM0 = All 5.9L 8 Cyl Gas Engines EW0 = All 8.0L Gas Engines									
1	56045 425AD	1				ET0			WIRING, Headlamp to Dash (Before 06/26/00) USA/EUROPE w/o Quad Halogen H/Lamp
	56045 428AD	1				ET0			(Before 06/26/00) USA/EUROPE w/Quad Halogen H/Lamp
	56045 430AD	1				ET0			(Before 06/26/00) CANADA w/ Quad Halogen H/Lamp
	56045 884AE	1			61, 62	EH0, EL0, EM0, EW0			06/26/00 and After (Federal/ Leaded Fuel & Export Emissions), without ABS
	56045 885AE	1			61, 62	EH0, EW0			06/26/00 and After (California/US 50 State Emissions), with Overhead Console, Trip/Compass & without ABS
	1				61, 62	EH0, EW0			06/26/00 and After (California/US 50 State Emissions), with Keyless Entry Remote & without ABS
	1				61, 62	EL0, EM0	DBB		06/26/00 and After (California/US 50 State Emissions), with Overhead Console, Trip/Compass & without ABS
	1				61, 62	EL0, EM0	DBB		06/26/00 and After (California/US 50 State Emissions), with Keyless Entry Remote & without ABS
	1				61, 62	EH0, EL0, EM0, EW0			06/26/00 and After (Federal/ Leaded Fuel & Export Emissions), without ABS & with Overhead Console & Trip/ Compass
	1				61, 62	EH0, EL0, EM0, EW0			06/26/00 and After (Federal/ Leaded Fuel & Export Emissions), without ABS & with RemoteKeyless Entry


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring--Headlamp / Dash
Figure 008-1320




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56045 886AE	1			61, 62	EH0, EL0, EM0, EW0			06/26/00 and After (Federal/ Leaded Fuel & Export Emissions), without ABS, with Trailer Tow & Foglamps
		1	2, 3, 7, 8		63, 64, 65	EH0, EL0, EM0, EW0			06/26/00 and After (without ABS)
		1			61, 62	EL0, EM0	DBB		06/26/00 and After (California/US 50 StateEmissions), without ABS, with Trailer Tow & Foglamps
		1			61, 62	EH0, EW0			06/26/00 and After (California/US 50 StateEmissions), without ABS, with Trailer Tow & Foglamps
	56045 887AE	1				EH0, EL0, EM0, EW0			06/26/00 and After (Federal/ Leaded Fuel & Export Emissions), with ABS, Trailer Tow & Foglamps
		1				EL0, EM0	DBB		06/26/00 and After (California/US 50 State Emissions with ABS
		1				EH0, EW0			06/26/00 and After (California/US 50 State Emissions) with ABS
	56045 940AE	1				EH0, EL0, EM0, EW0			06/26/00 (USA/EUROPE) with Quad Halogen Headlamp
	56045 941AE	1				EH0, EL0, EM0, EW0			06/26/00 (Canada) with Quad Halogen Headlamp
	56045 943AE	1				ET0			06/26/00 (Canada) with Quad Halogen Headlamp
	56045 420AH	1				EH0, EL0, EM0, EW0			Before 06/26/00 (Federal & Leaded Fuel Emissions), without ABS
		1				EL0, EM0	DBB		Before 06/26/00 (California Emissions), without ABS
		1				EH0, EW0			Before 06/26/00 (California Emissions), without ABS

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring--Headlamp / Dash
Figure 008-1320




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56045 421AG	1				EH0, EL0, EM0, EW0			Before 06/26/00 (Federal & Leaded Fuel Emissions), with Keyless Entry, Trip/Compass & without ABS
		1				EH0, EL0, EM0, EW0			Before 06/26/00 (Federal & Leaded Fuel Emissions), with Keyless Entry, Mini Overhead Console & without ABS
		1				EH0, EL0, EM0, EW0			Before 06/26/00 (Federal & Leaded Fuel Emissions), without Keyless Entry, ABS & with Mini Overhead Console
		1				EL0, EM0	DBB		Before 06/26/00 (California Emissions), with Keyless Entry, Trip/Compass & without ABS
		1				EL0, EM0	DBB		Before 06/26/00 (California Emissions), with Keyless Entry, Mini Overhead Console & without ABS
		1				EL0, EM0	DBB		Before 06/26/00 (California Emissions), with Trip/Compass & without ABS
		1				EH0, EW0			Before 06/26/00 (California Emissions), with Keyless Entry, Trip/Compass & without ABS
		1				EH0, EW0			Before 06/26/00 (California Emissions), with Keyless Entry, Mini Overhead Console & without ABS
		1				EH0, EW0			Before 06/26/00 (California Emissions), with Trip/Compass & without ABS
	56045 422AG	1				EH0, EL0, EM0, EW0			Before 06/26/00 (Federal & Leaded Fuel Emissions), with Trailer Tow, Foglamps, Without ABS & Quad Halogen Headlamp
		1				EL0, EM0	DBB		Before 06/26/00 (California Emissions), with Trailer Tow, Foglamps, Without ABS & Quad Halogen Headlamp

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring--Headlamp / Dash
Figure 008-1320




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EH0, EW0			Before 06/26/00 (California Emissions), with Trailer Tow, Foglamps, Without ABS & Quad Halogen Headlamp
	56045 423AG	1				EH0, EL0, EM0, EW0			Before 06/26/00 (Federal & Leaded Fuel Emissions), With ABS & without Quad Halogen Headlamp
		1				EL0, EM0	DBB		Before 06/26/00 (California Emissions), With ABS & without Quad Halogen Headlamp
		1				EH0, EW0			Before 06/26/00 (California Emissions), With ABS & without Quad Halogen Headlamp
	56045 424AF	1				EH0, EL0, EM0, EW0			Before 06/26/00 (Canada), without Quad Halogen Headlamp
	56045 427AG	1				EH0, EL0, EM0, EW0			Before 06/26/00 (Federal & Leaded Fuel Emissions), with Quad Halogen Headlamp
	56045 665AE	1				EL0, EM0	DG0		06/26/00 and After (California Emissions), with Quad Halogen Headlamp
	56045 773AE	1				EL0, EM0	DG0		06/26/00 and After (California Emissions), without Quad Halogen Headlamp
	56045 940AE	1				EL0, EM0	DBB		06/26/00 and After (California/US 50 State Emissions), with Quad Halogen Headlamp
		1				EH0, EW0			06/26/00 and After (California/US 50 State Emissions), with Quad Halogen Headlamp
	56045 942AE	1				ET0			06/26/00 and After, with Quad Halogen Headlamp
	56045 944AE	1				ET0			06/26/00 and After (USA/ EUROPE), without Quad Halogen Headlamp
	56045 945AE	1				ET0			06/26/00 and After (Canada), without Quad Halogen Headlamp

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Wiring--Headlamp / Dash
Figure 008-1320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56045 898AE	1				EH0, EL0, EM0, EW0			06/26/00 and After (Canada), without Quad Halogen Headlamp
2	6102 075AA	3							FUSE CARTRIDGE, 20 Amp
-3	5601 7713	1							PULLER, Fuse
4	00AT M10	1							FUSE, Mini, 10 AMP, Red
5	00AT M15	1							FUSE, Mini, 15 AMP, Light Blue
6	00AT M20	1							FUSE, Mini, 20 AMP, Yellow
7	000A TM5	1							FUSE, Mini, 5 Amp, Tan
8	00AT C10	1							FUSE, Standard, 10 AMP, Red
9	00AT C15	1							FUSE, Standard, 15 AMP, Light Blue
10	4687 835	1							FUSE, Mini, 25 Amp, Natural
-11									HOLDER, Fuse
	4897 895AA-	1							I.O.D. Fuse
	4897 906AA-	2							Airbag Fuse
-12	4604 235	2							BREAKER, Circuit, 20 AMP
-13	5600 7348	1							FLASHER, Turn Signal

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

Wiring--Instrument Panel
Figure 008-1420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING, Instrument Panel
	56045 362AC	1							with Keyless Entry & Infinity Sound System (Before 06/26/00)
	56045 363AC	1							with Keyless Entry & without Infinity Sound System (Before 06/26/00)
	56045 364AC	1							without Keyless Entry & with Infinity Sound System (Before 06/26/00)
	56045 365AC	1							without Keyless Entry & without Infinity Sound System (Before 06/26/00)
	56045 768AB	1							with Keyless Entry, Infinity Sound System, Power Seats & Audio Control Steering Wheel (Before 06/26/00)
	56045 362AG	1							with Keyless Entry & Infinity Sound System (06/26/00 & After)
	56045 363AG	1							with Keyless Entry & without Infinity Sound System (06/26/00 & After)
	56045 364AG	1							without Keyless Entry & with Overhead Console & Infinity Sound System (06/26/00 & After)
	56045 365AG	1							without Keyless Entry & without Infinity Sound System (06/26/00 & After)
	56045 768AF	1							with Keyless Entry, Infinity Sound System, Power Seats & Audio Control Steering Wheel (06/26/00 & After)
-2	56045 164AC-	1							WIRING, Steering Wheel
3	00AT M10	1							FUSE, Mini, 10 AMP, Red
4	00AT M15	1							FUSE, Mini, 15 AMP, Light Blue
5	00AT M20	1							FUSE, Mini, 20 AMP, Yellow
6	000A TM5	1							FUSE, Mini, 5 Amp, Tan
7	00AT C10	1							FUSE, Standard, 10 AMP, Red
8	00AT C15	1							FUSE, Standard, 15 AMP, Light Blue
9	4687 835	1							FUSE, Mini, 25 Amp, Natural
-10									HOLDER, Fuse
	4897 895AA-	1							(I.O.D. Fuses)
	4897 906AA-	2							(Airbag Fuses)
-11	5601 7713	1							PULLER, Fuse
-12	4604 235	2							BREAKER, Circuit, 20 AMP


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring--Instrument Panel
Figure 008-1420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-13	5600 7348	1							FLASHER




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring--body & Accessory
Figure 008-1530




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
ET0 = All 5.9L Turbo Diesel Engines									
1	56045 321AA	1							WIRING, Body Base Model w/Power Seats, w/o Infinity Stereo & Keyless Entry w/Keyless Entry & w/o Infinity Stereo w/Infinity Stereo & w/o Keyless Entry w/Infinity Stereo & Keyless Entry
	56045 322AA	1							
	56045 323AA	1							
	56045 324AA	1							
2	56045 325AA	1							WIRING, Chassis W/o Trailer Tow W/o Trailer Tow W/Trailer Tow
	56045 519AD	1			62				
	56045 520AD	1	1, 6		61				
	56045 521AD	1	2, 3, 7, 8		63, 64, 65				
	56045 522AE	1			61, 62				
3	5013 607AA	1							WIRING, Overhead Console w/Full Overhead Console & w/o Security System w/Full Overhead Console & Security System w/Mini Overhead Console w/Full Overhead Console, Sunvisor w/Illuminated Vanity Mirrors, Rear View Mirror w/Automatic Day/ Night & w/o Clearance Lamp w/Full Overhead Console & Clearance Lamp w/Mini Overhead Console & w/o Clearance Lamp w/o Full or Mini Overhead Console & w/Clearance Lamp w/Mini Overhead Console & Clearance Lamp
	5013 608AA	1							
	5013 609AA	1							
	56045 921AA	1							
	56045 922AB	1							
	56045 923AA	1							
	56045 924AB	1							
4	5505 4893	1							WIRING, High Mounted Stop Lamp, w/Cargo Lamp
	56045 137AB	2							

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring--body & Accessory
Figure 008-1530




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56045 238AB	1							w/Power Mirrors, Left Door
	56045 240AB	1							w/Power Windows (1-Touch) & w/o Infinity Stereo, Left Door
	56045 241AB	1							w/Power Windows (1-Touch) & Infinity Stereo, Left Door
6	56045 242AB	1							WIRING, Door w/Power Mirrors & w/o Power Windows, Locks, Mirrors & w/o Infinity Stereo, Right Door
	56045 244AB	1							w/Power Windows (1-Touch) & w/o Infinity Stereo, Right Door
	56045 245AB	1							w/Power Windows (1-Touch) & Infinity Stereo, Right Door
7	5601 8807	1 AR			61, 62				WIRING, Liscense Lamp
8	56020 143AD	1	2, 3, 7, 8		63, 64, 65				WIRING, Trailer Tow Up to 05/28/01, 7-way to 4-Way Connector (Electric Brake Controller)
		1			61, 62				Up to 05/28/01, 7-way to 4-Way Connector (Electric Brake Controller)
	56045 795AA	1	2, 3, 7, 8		63, 64, 65				After 05/28/01, 7-way to 4-Way Connector (Electric Brake Controller)
		1			61, 62				After 05/28/01, 7-way to 4-Way Connector (Electric Brake Controller)
-9	56038 366AB-	1							CONNECTOR, 7 Way
10	5602 1369	2			61, 62				WIRING, Turn Signal and Back Up
11	5602 0190	1							WIRING, Mirror Jumper, W/ Illuminated Visor Mirror
-12	5505 4824	1			61, 62, 65				WIRING, Tailgate, w/Dual Rear Wheels
-13	5601 6895	1			61, 62				WIRING, Fender Lamp, w/Dual Rear Wheels
-14	56021 863AB-	1							WIRING, Fog Lamp Jumper w/Bright Bumper, Foglamp & Front Bumper Sight Shield

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring--body & Accessory
Figure 008-1530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1							w/Foglamp & w/o Sport Apperance Group
	56045 212AC-	1							w/Sport Apperance Group
		1							w/Body Color Front Bumper
-15	56017 840AB-	1							WIRING, Power Seat, 40/20/40 Split Bench
-16	56045 178AA-	1							WIRING, Instrument Panel Jumper
-17	56021 994AB-	1							WIRING, Temperature Sensor Jumper, w/Full Overhead Console
-18	56021 908AC-	1				ET0			WIRING, Jumper, Air Heater (Diesel Engine)
-19	5601 9405	1				ET0			WIRING, Air Intake Heater, Diesel Engine

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring Repair Package
Figure 008-1605

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1	5013 930AA-	1							WIRING PACKAGE, Underhood Connector Repair, For Electrical Connector Repair Information visit the World Wide Web at http://dto.vftis.com/mopar/disclaimer.asp
-2	4641 780	1							STRAP, Tie
-3	5072 951AA-	1							WIRING REPAIR PACKAGE, Fuel Pump
-4	4773 905	AR							SOCKET AND WIRING, Turn Signal Lamp

For Electrical Connector Repair Information visit
the World Wide Web at

<http://dto.vftis.com/mopar/disclaimer.asp>

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

Spark Plugs--Cables--Coils
Figure 008-1905

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V-6 Gas Engines
EL0 = All 5.2L 8 Cyl Gas Engines
EML = 5.9L SMPI Magnum V-8 Engine
EMM = 5.9L SMPI Magnum V-8 Engine
EM0 = All 5.9L 8 Cyl Gas Engines
EW0 = All 8.0L Gas Engines

1	4728 037AC	1				EH0			CABLE PACKAGE, Ignition
2	4728 037AC	1				EH0			CABLE PACKAGE, Ignition
	4728 038AD	1				EH0, EL0, EM0			
		1				EMM			
3	4796 500	1				EW0			CABLE PACKAGE, Ignition
4	SP00Q C9MC4 10					EW0			SPARK PLUG
	SP0RC 12LC4	6				EH0			
		8				EL0, EM0			
-5	5602 8179	10				EW0			SPARK PLUG, RC-9-MC4
6	5602 6850	3				EW0			SEPERATOR, Ignition Cable
	5602 8186	1				EH0, EL0, EML			2-Wire 1-Wire
		1				EMM			1-Wire
	56041 333AA	2				EH0, EL0, EM0			5-Wire
-7	5602 6852	1				EW0			TRAY, Ignition Cable
	5602 6853	1				EW0			Lower Upper
8	5602 7045	1				EH0			CABLE, Ignition Coil
	5602 7055	1				EL0, EML			
		1				EMM			[NAB]
	5602 7056	1				EMM			[NAA,NAE]
9	56028 256AA	1				EH0			CABLE, Ignition [#2]

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Spark Plugs--Cables--Coils
Figure 008-1905

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56028 257AA	1				EH0			[#3]
	56028 258AA	1				EH0			[#4]
	56028 259AA	1				EH0			[#5]
	56028 277AA	1				EH0			[#6]
	56028 255AA	1				EH0			[#1]
10	56028 256AA	3				EL0, EM0			CABLE, Ignition [# 1,2,4]
	56028 277AA	1				EL0,			[#8]
	56028 279AA	1				EM0 EL0, EM0			[#3]
	56028 280AA	2				EL0,			[#5,7]
	56028 255AA	1				EM0 EL0, EM0			[#6]
11									CABLE, Ignition
	5300 6567	1				EW0			[#1]
	5300 6568	1				EW0			[#2]
	5300 6571	1				EW0			[#5]
	5602 6844	1				EW0			[#6]
	5602 6845	1				EW0			[#7]
	5602 6847	1				EW0			[#9]
	5602 6848	1				EW0			[#10]
	5602 7823	2				EW0			[#4,8]
12	5602 8172	1				EH0, EL0, EML			COIL, Ignition
		1				EMM			
	5603 2520	1				EW0			6 Tower
	5603 2521	1				EW0			4 Tower
13									BRACKET, Ignition Coil
	5300 8980	1				EMM			[NAA,NAE]
	5602 6891	1				EH0, EL0, EML			
-14	5304 0054	1				EMM EW0			[NAB] BRACKET, Coil Mount and Plenum

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 08A


Instrument Panel and Radios and Consoles

Illustration Title	Group-Fig. No.
Instrument Panel	
Instrument Panel	Fig. 08A-135
Instrument Panel Cluster	
Instrument Cluster	Fig. 08A-235
Radio, Antenna, and Speakers	
Radio	Fig. 08A-333
Speakers	Fig. 08A-334
Antenna	Fig. 08A-335
Consoles	
Overhead Console	Fig. 08A-430
Floor Console	Fig. 08A-435



08A-100 Instrument Panel	08A-200 Instrument Panel Cluster	08A-300 Radio, Antenna, and Speakers	08A-400 Consoles

Instrument Panel
Figure 08A-135



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									INSTRUMENT PANEL KIT, w/Lower I/Panel & w/o Passenger Airbag
	SS39 1AZAA	1							[AZ]
	SS39 1C8AA	1							[C3]
	SS39 1K9AA	1							[K9]
-2									COVER, Instrument Panel Opening
	RU58 1AZAA-	1							[AZ]
	RU58 1K9AA-	1							[K9]
	5GD95 DX9AA-	1							Black
	RU58 1C8AA-	1							[C3]
-3	5505 5689	1							DUCT, Defroster, with Grille Cover
-4	55055 725AB-	1							BRACKET, Instrument Panel to Cowl, Reinforcement Support (Mid Left to Cowl Top)
-5	6101 786	4							SCREW, Self Tapping, M6x1x15, Bracket Reinforcement Support Mounting
-6									PANEL, Instrument Upper
	5GK45 LAZAB-	1							[AZ]
	5GK45 RC8AB-	1							[C3]
	5GK45 VK9AB-	1							[K9]
-7	5602 1449	1							BRACKET, Instrument Panel Wiring
-8									NUT, Plastic Snap-In, For .190-16 Screw, (NOT SERVICED) (Not Serviced)
-9	5FZ72 DX9AB-	1							BIN, Instrument Panel, [AZ] Access Bin (Located to the right of the Radio)
10									DOOR, Fuse Access
	RU36 LAZAB	1							[AZ]
	RU36 RC8AB	1							[C3]
	RU36 VK9AB	1							[K9]
-11	5601 7713	1							PULLER, Fuse
12									SWITCH, Headlamp
	56021 673AD	1							with Cargo Lamp
	56021 674AD	1							without Cargo Lamp
	56021 675AC	1							with Cargo Lamp & Foglamp
13	6101 946	8							SCREW, Tapping
-14									NUT, Plastic Snap-In, For .190-16 Screw, (NOT SERVICED) (Not Serviced)


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Instrument Panel
Figure 08A-135



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	4372 399	1							COVER, Radio Opening
16	0154 629	2							SCREW, Hex Flange Head, .25-14x. 75
17									CLUSTER PACKAGE, CLUSTER (See 8A-230), (NOT SERVICED) (Not Serviced)
18	RU38 LAZAA	1							RELEASE, Parking Brake [AZ] (Handle with Pivot Bracket & Retainer)
	RU38 RC8AA	1							[C3] (Handle with Pivot Bracket & Retainer)
	RU38 VK9AA	1							[K9] (Handle with Pivot Bracket & Retainer)
19	56045 177AC	1							SWITCH, Passenger Airbag Disarm
20	5013 874AA	1							BEZEL, Instrument Panel Switch Passenger Airbag (English)
	5013 875AA	1							Passenger Airbag (French/English)
21	4685 164	1							COVER, Glove Box Lamp Hole
22	5FR47 1AZAB	1							GLOVE BOX, Instrument Panel [AZ]
	5FR47 1C8AB	1							[C3]
	5FR47 1K9AB	1							[K9]
-23	5010 362AA-	1							BIN, Glove box
24	4565 022	1							SWITCH AND LAMP, Glove Box LATCH, Glovebox, LATCH
25									ASSEMBLY, Glove Box (Serviced in Glove Box Assembly), (NOT SERVICED) (Not Serviced)
26									BEZEL, Instrument Cluster
	5GK52 AAAAA	1							Woodgrain (Argent)
	5GK51 DX9AA	1							Black
-27	6504 067	13							CLIP, Hood, Bezel to I/Panel
28	5014 842AA	1							OUTLET, Air Conditioning & Heater, Driver Side Left
29									OUTLET, Air Conditioning & Heater, OUTLET, Air Conditioning & Heater (Center)
	5014 840AA	1							Right
	5014 841AA	1							Left
30	4793 555	1							RING, Cigar Lighter Mounting
31	4685 590	1							BASE, Cigar Lighter

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions


Instrument Panel
Figure 08A-135



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
32	4685 536	1							KNOB AND ELEMENT, Cigar Lighter
33									KNOB, KNOB, Cigar Lighter (Serviced w/Item # 34), (NOT SERVICED) (Not Serviced)
34									COVER, Steering Column Opening
	5EU13 1AZAB	1							[AZ]
	5EU13 1C8AB	1							[C3]
	5EU13 1K9AB	1							[K9]
35	4793 554	1							POWER OUTLET, Cigar Lighter
-36	4793 555	1							RING, Cigar Lighter Mounting
-37	4685 591	1							CAP, Cigar Lighter, Power Outlet
38									CUPHOLDER, Instrument Panel
	5FR42 1AZAC	1							[AZ]
	5FR42 1C8AC	1							[C3]
	5FR42 1K9AC	1							[K9]
39									COVER, Instrument Panel Opening with Manual Transmission
	5GD95 DX9AA	1							With Automatic Transmission
	5GD98 DX9AA	1							includes lens and bulb holder for cup holder
40									ASH RECEIVER, Instrument Panel
	5FR4 51AZ	1							[AZ]
	5FR4 51C8	1							[C3]
	5FR4 51K9	1							[K9]
-41	55055 853AD-	1							SHIELD, Ash Tray
-42	6032 723	2							SCREW, Self Tapping, M4.2x1. 69x19.05
43									LABEL, Air Bag Warning
	4595 748AA	1							English
	4595 749AA	1							Bilingual
	55350 848AA	2							Sun Visor (English/French)
44	5010 358AA	1							STRIKER, Glove Box Door Latch
45									SCREW, Console, SCREW, I/Panel to Cowl Bar (M4x8x1.59x32.00) Not Serviced, (NOT SERVICED) (Not Serviced)
46									SCREW AND WASHER, SCREW & WASHER ASSEMBLY, I/Panel End Support to Body (M8x1.25x30.00) ***, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

Instrument Panel
Figure 08A-135




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
47	6504 485AB	4							NUT, Plastic Snap-in
48	5FM16 1AZAB	1							BIN, Instrument Panel [AZ]
	5FM16 1C8AB	1							[C3]
	5FM16 1K9AB	1							[K9]
49	5GJ24 LAZAA	1							COVER, Control Unit [AZ]
	5GJ24 RC8AA	1							[C3]
	5GJ24 VK9AA	1							[K9]
50	RU34 LAZAA	1							GRILLE, Instrument Panel Demister [AZ], Right
	RU34 RC8AA	1							[C3], Right
	RU34 VK9AA	1							[K9], Right
	RU35 LAZAA	1							[AZ], Left
	RU35 RC8AA	1							[C3], Left
	RU35 VK9AA	1							[K9], Left
51	5GE24 LAZAA	1							AIR BAG, Passenger, Cover & air/Heat Outlet Included [AZ]
	5GE24 RC8AA	1							[C3]
	5GE24 VK9AA	1							[K9]
52	RU48 LAZAA	1							OUTLET, Air Conditioning & Heater [AZ], Right
	RU48 RC8AA	1							[C3], Right
	RU48 VK9AA	1							[K9], Right
	RU49 LAZAA	1							[AZ], Left
	RU49 RC8AA	1							[C3], Left
	RU49 VK9AA	1							[K9], Left
-53	5012 954AA-	4							RETAINER, Air Outlet
54	5FZ72 DX9AB	1							BIN, Instrument Panel, [AZ] (Access Bin with Lamp) Covered Hole in Bin (Mat Serviced In Assembly Only)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Instrument Cluster
Figure 08A-235




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	CLUSTER								
	56045 679AA	1							120 MPH w/3.9L/5.2L & 5.9L Engine (upto 07/10/00)
	56045 680AA	1							120 MPH w/8.0L Engine (upto 07/10/00)
	56045 681AA	1							120 MPH w/5.9L Turo Diesel Engine (upto 07/10/00)
	56045 683AA	1							200 KMH w/3.9L/5.2L & 5.9L Engine (upto 07/10/00)
	56045 684AA	1							200 KMH w/8.0L Engine (upto 07/10/00)
	56045 685AA	1							200 KMH w/5.9L Turbo Diesel Engine (upto 07/10/00)
	56045 780AB	1							120 MPH w/3.9L/5.2L & 5.9L Engine (after 07/10/00)
	56045 782AB	1							120 MPH w/8.0L Engine (after 07/10/00)
	56045 784AB	1							120 MPH w/5.9L Turo Diesel Engine (after 07/10/00)
	56045 786AB	1							200 KMH w/3.9L/5.2L & 5.9L Engine (after 07/10/00)
	56045 788AB	1							200 KMH w/8.0L Engine (after 07/10/00)
	56045 790AB	1							200 KMH w/5.9L Turbo Diesel Engine (after 07/10/00)
2	6032 723	2							SCREW, Self Tapping, M4.2x1.69x19.05, Cluster mounting & PRNDL Plug Attaching
3	5602 0162	1							MASK, Instrument Cluster
4	5602 0161	1							LENS, Cluster
5									KNOB, KNOB, Trip Odometer (Serviced w/Cluster Assembly), (NOT SERVICED) (Not Serviced)
6	5602 0622	1							INDICATOR, PRNDL
7									LAMP, Bulb And Socket
	5269 391	1							8.0L Engine
		2							5.9L Turbo Diesel Engine
		1							3.9L/5.2L & 5.9L Engines
8	5602 1790	1							BRACKET, Gear Selector, w/ Automatic Transmission
9									SCREW, Tapping

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Instrument Cluster
Figure 08A-235



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6101 946	2							
		3							
-10	5600 7476	1							PLUG, w/Manual Transmission

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Radio
Figure 08A-333

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
RAS= AM/FM Cassette									
RAZ=AM/FM w/CD & Cassette									
RBA=AM/FM w/Cassette & CD Changer Control (Australia, Europe, Middle East & Taiwan									
RBN=AM/FM w/ Cassette & CD Changer Control									
RBR=AM/FM w/CD & Equalizer									
1	56038 933AB	1							RADIO, AM/FM Cassette, RAS
2	4704 383AH	1							RADIO, AM/FM with CD and Cassette, RAZ
3	4704 392AD	1							RADIO, AM/FM Cassette with CD Control, RBA
4	4704 386AD	1							RADIO, AM/FM Cassette with CD Control, RBN
5	4704 373AE	1							RADIO, AM/FM with CD and Equalizer, RBR
6	4372 399	1							COVER, Radio Opening, PLATE, Radio Opening (w/O Radio)
7	5604 3033	1							STRAP, Ground
8	6035 165	1							SCREW, Tapping, .19-16x.75

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Speakers
Figure 08A-334

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
[RCD]=Standard Speaker System									
[RCE]=Infinity Speaker System									
1	5602 0370	2							SPEAKER, Door, Lower Door [RCD] Standard
	56043 123AB	2							[RCE] Infinity
2	5FV66 LAZAB	1							SPEAKER, Front Tweeter, A Pillar [AZ]
	5FV66 RC3AB	1							[C3]
	5FV66 RK5AB	1							[K9]
3	5602 0372	2							SPEAKER, 5.25", Rear [RCD] Standard
	5604 3856	2							[RCE] Infinity
4	56009 941AB	1							CHOKE, Speaker, [RCE] Infinity
5	6032 723	2							SCREW, Self Tapping, M4.2x1. 69x19.05
6	6034 715	8							CLIP, Speaker
7									SCREW, Hex Flange Head Tapping, .190x16x.750, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Antenna
Figure 08A-335

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	56043 039AB	1							CABLE, Antenna
2	5600 6990	1							PLUG, Sealing, Antenna Hole
3	5600 6828	1							CAP NUT, Antenna
4	4685 574	1							MAST, Antenna, Black
5	4685 574AD	1							MAST, Antenna, Bright
6	5604 3018	1							ADAPTER, Antenna
7	56043 019AC	1							CABLE, Antenna, Cable & Body
8	2860 332	2							PLUG, Anti-Rattle, Firewall Antenna Cable Hole
9	4274 258	1							TAPE, Radio Connector, Foam, Antenna Cable Connectors
10	5269 593	1							CAP, Antenna Body

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Overhead Console
Figure 08A-430

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	SN94 TL2AA	1							HOUSING, Overhead Console, Beige
2	5013 618AA	1							LENS, Maplamp Right
	5013 619AA	1							Left
3	L002 1202	2							BULB, 212-2, T-Cartridge
4	55350 003AF	1							MODULE, Compass Temperature with Security
	55350 660AF	1							without Security
5	5013 606AA	1							HOUSING, Bulb, (Bulb Reflectors & Storage Door Detent Spring Included)
6	5013 608AA	1							WIRING, Overhead Console with Temperture Compass
	5013 609AA	1							without Temperture Compass
7	5013 612AA	1							LENS, Message Center without Security L.E.D.
	5013 613AA	1							with Security L.E.D.
8	SN93 TL2AA	1							COVER, Module, without Compass & Temperature Module (Beige)
9	SN96 TL2AA	1							DOOR, Sunglass Bin, with Liner (Beige)
10	SN97 TL2AA	1							BUTTON, Door Lock, (Beige)
11	SN98 TL2AA	1							DOOR, Garage Door Opener, with Snap Off Spacer & Adapters (Beige)


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Floor Console
Figure 08A-435

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CONSOLE, Floor
	5EZ5 4LAZ	1							[AZ]
	5EZ5 4RC8	1							[C3]
	5EZ5 4VK9	1							[K9]
2	5GA43 DX9AA	1							MAT, Console Cup Holder, Black
3	55055 630AB	1							BRACKET, Console
4									SCREW, Hex Flange Head Tapping, .190-16x.750, (NOT SERVICED) (Not Serviced)
5									CUPHOLDER, Console
	5EZ5 3LAZ	1	1, 2, 3						[AZ]
	5EZ5 3RC8	1	1, 2, 3						[C3]
	5EZ5 3VK9	1	1, 2, 3						[K9]
6	5GA44 DX9AA	1							PAD, Console Storage Bin, Black
7									BEZEL, Transfer Case
	5FB39 LAZAB	1	6, 7, 8						[AZ]
	5FB39 RC8AB	1	6, 7, 8						[C3]
	5FB39 VK9AB	1	6, 7, 8						[K9]



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 009

Engine Mounting


GROUP 9 - Engine Mounting


Illustration Title

Group-Fig. No.

Engine Mounting

Engine Mounting, Front, 3.9 [EHC], 5.2L [ELF], 5.9L Light Duty [EML], 5.9L [EMM], 5.9L Diesel [ETC,E]	Fig. 009-110
Engine Mounting, Rear, 2WD, 3.9L [EHC], 5.2L [ELF], 5.9L (EML), 5.9L [EMM], 8.0L [EWA], 5.9L Diesel	Fig. 009-120
Engine Mounting, Rear, 4WD, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel	Fig. 009-130



<div>009-100</div> <div>Engine Mounting</div> <div></div>			
--	--	--	--

Engine Mounting, Front, 3.9 [EHC], 5.2L [ELF], 5.9L Light Duty [EML], 5.9L [EMM], 5.9L Diesel [ETC,E
Figure 009-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[DBB]= All Manual Transmissions

[DG0]= All Automatic Transmissions

[EH0]= All 3.9L Gas Engines

[EL0]= All 5.2L Gas Engines

[EM0]= All 5.9L Gas Engines

[EW0]= All 8.0L Gas Engines

[ETC]= 5.9L Cummins 24 Valve Diesel

[ETH]= 5.9L High Output Cummins Turbo Diesel

1	5205 8238	1				EH0, EL0, EM0, EW0			SHIELD, Exhaust Manifold, Right
-2	5700 8125	1				EH0, EL0, EM0, EW0			SHIELD, Engine Mount, Left
3	6502 960	2				EH0, EL0, EM0, EW0			SCREW AND WASHER, Hex Head, M12x1.75x155
4									INSULATOR, Engine Mount
	52020 228AB	1				EH0			Right
	52020 326AB	1	1			EL0, EM0			Right
	52020 228AB	1	6			EL0, EM0			Right
	52058 804AB	1	2, 3, 7, 8			EM0, EW0			Right
	52021 490AC	1				ETC			Right
		1				ETH			Right
	52020 229AB	1				EH0			Left
		1	6			EL0,			Left
						EM0			
	52020 327AB	1	1			EL0, EM0			Left
	52018 235AB	1	2, 3, 7, 8			EM0,			Left
						EW0			
	52021 491AC	1				ETC			Left
		1				ETH			Left
5									RESTRICTOR, Engine Mount


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Engine Mounting, Front, 3.9 [EHC], 5.2L [ELF], 5.9L Light Duty [EML], 5.9L [EMM], 5.9L Diesel [ETC,E
Figure 009-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5201 9983	2	1, 6						
	52058 447AB	2	2, 3, 7, 8						
	52058 448AB	1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
6									NUT, [M12x1.75], (NOT SERVICED) (Not Serviced)
7	6035 212	6				EH0, EL0, EM0, EW0 ETC			SCREW, Hex Flange Head, .375- 16x1.125
-8 9	4864 516	8							BOLT, Hex Flange Head SCREW, [.190x.625], (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Engine Mounting, Rear, 2WD, 3.9L [EHC], 5.2L [ELF], 5.9L (EML), 5.9L [EMM], 8.0L [EWA], 5.9L Diesel
Figure 009-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes
[DDC]= 5 Speed Heavy Duty Manual Transmissions
[DDP]= 5 Speed Manual Transmissions
[DDX]= 5 Speed Heavy Duty Manual Transmissions
[DEE]= 6 Speed Heavy Duty Manual Transmissions
[DG0]= All Automatic Transmissions
[EH0]= All 3.9L Gas Engines
[EL0]= All 5.2L Gas Engines
[EM0]= All 5.9L Gas Engines
[ET0]= All 5.9L Turbo Diesel Engines
[EW0]= All 8.0L Gas Engines
[

1									BRACKET, Transmission Mount
	5201 9637	1	1, 2, 3			EH0, EL0, EM0	DG0		
	5205 8695	1	1, 2, 3			ET0,	DG0		
	5201 9639	1	1			EW0 EH0, EL0, EM0	DDC		
	5201 9641	1					DDP, DDX		
	52019 603AB	1				ET0	DEE		
2									SCREW AND WASHER, Hex Head Locking, .437-14x1.25
	6033 358	3	1, 2, 3				DG0		
		2	1, 6				DDC		
		2					DDP, DDX		
		4					DEE		
3									NUT, M10x1.50, (NOT SERVICED) (Not Serviced)
4									INSULATOR, Engine Mount
	5201 9615	1	1			EH0			
	5205 8218	1	1, 2, 3			EL0, EM0,			
						EW0			
5	52021 367AA	1	2, 3, 7, 8			ET0			SCREW, M10x1.50x30.00, (NOT SERVICED) (Not Serviced)


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Engine Mounting, Rear, 2WD, 3.9L [EHC], 5.2L [ELF], 5.9L (EML), 5.9L [EMM], 8.0L [EWA], 5.9L Diesel
Figure 009-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
6									NUT, Coned Washer, M10 x 1.50
	6101 761	4				EH0			
		2				EL0, EM0, ET0, EW0			




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Engine Mounting, Rear, 4WD, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel
Figure 009-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[DDC]= 5 Speed Heavy Duty Manual Transmission

[DDP]= 5 Speed Manual Transmission

[DDX]= 5 Speed Heavy Duty Manual Transmission

[DEE]= 6 Speed Heavy Duty Manual Transmission

[DG0] All Automatic Transmissions

[EL0]= All 5.2L Gas Engines

[EM0]= All 5.9L Gas Engines

[ET0]= All 5.9L Turbo Diesel Engines

[EW0]= All 8.0L Gas Engines

1	5201 9641	1	6			EL0, EM0	DDC		BRACKET, Transmission Mount
		1					DDP, DDX DEE		
-2	52019 603AB	1				ET0	DG0		BRACKET, Transmission Case
	52058 593AB-	1	6, 7, 8			EL0, EM0			Mounting
-3	52058 693AB-	1	6, 7, 8			ET0, EW0	DG0		BRACKET, Transfer Case Shaft
4									SCREW AND WASHER, Hex Head
	6033 358	4	6, 7, 8						Locking, .437-14x1.25
		2	1, 6				DDC DDP, DDX DG0 DEE		
		3	1, 2, 3						
		4							
5	52020 251AA	1	6			EL0, EM0			INSULATOR, Engine Mount
		1	7, 8			EM0, EW0			
	52021 367AA	1	2, 3, 7, 8			ET0			
6									SCREW, M10x1.50x30.00, (NOT SERVICED) (Not Serviced)
7	6101 761	2							NUT, Coned Washer, M10 x 1.50

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Group – 3.9L

Engine 3.9L Six Cylinder

GROUP 3.9L - Engine 3.9L Six Cylinder

Illustration Title Group-Fig. No.

Cylinder Head	
Cylinder Head, 3.9L [EHC]	Fig. 3.9L-210
Cylinder Block	
Cylinder Block, 3.9L [EHC]	Fig. 3.9L-310
Crankshaft, Piston and Torque Converter	
Crankshaft, Piston & Torque Converter, 3.9L [EHC]	Fig. 3.9L-410
Camshafts & Valves	
Camshaft and Valves, 3.9L [EHC]	Fig. 3.9L-510
Timing Belt and Cover	
Timing Gear and Cover, 3.9L [EHC]	Fig. 3.9L-610
Engine Oiling	
Engine Oiling, 3.9L [EHC]	Fig. 3.9L-710
Manifolds	
Manifold, Intake and Exhaust, 3.9L [EHC]	Fig. 3.9L-810
Crankcase Ventilation	
Crankcase Ventilation, 3.9L [EHC]	Fig. 3.9L-910



3.9L-200 Cylinder Head	3.9L-300 Cylinder Block	3.9L-400 Crankshaft, Piston and Torque Converter	3.9L-500 Camshafts & Valves
3.9L-600 Timing Belt and Cover	3.9L-700 Engine Oiling	3.9L-800 Manifolds	3.9L-900 Crankcase Ventilation

Cylinder Head, 3.9L [EHC]
Figure 3.9L-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EH0]= All 3.9L Gas Engines

[EL0]= All 5.2L Gas Engines

[EM0]= All 5.9L Gas Engines

-1	4897 384AB-	1				EH0			GASKET PACKAGE, Engine, Upper
2	4777 536	1				EH0, EL0, EM0			CAP, Oil Filler
3									COVER, Cylinder Head
	5302 0336	1				EH0			With Oil Fill Hole
	5302 0609	1				EH0			Without Oil Fill Hole
4	5300 6699	2				EH0			GASKET, Valve Cover
5	5302 1135	2				EH0			HEAD, Cylinder
6	5302 0489	2				EH0			GASKET, Cylinder Head
7	4556 020	4				EH0			PLUG, Core, 1.25 Diameter
8	6035 878AA	12				EH0, EL0, EM0			STUD
-9	6035 877AA-	3				EH0			SCREW AND WASHER, Hex Head, .25-20x.875
10	5302 0419	6				EH0			SHIELD, Heat
11	6034 690	8				EH0			BOLT, Cylinder Head .50-13X2.00
	6034 691	8				EH0			.50X4.625
12									NUT AND WASHER, Hex Nut-Coned Washer, .25-20, (NOT SERVICED) (Not Serviced)


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cylinder Block, 3.9L [EHC]
Figure 3.9L-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EH0]= All 3.9L Gas Engines

[EL0]= All 5.2L Gas Engines

[EM0]= All 5.9L Gas Engines

[EW0]= All 8.0L Gas Engines

-1	4720 651AB-	1				EH0			GASKET PACKAGE, Engine, Lower
2	4713 599	1				EH0			BLOCK, Short, Contains: Crank, Rods, Pistons, Rings, Cam Bearings
3	3830 603	1				EH0			BEARING, Camshaft, #1
4	4556 020	1				EH0			PLUG, Core, 1.25 Diameter
-5	4556 022	7				EH0			PLUG, Core, 1.625 Diameter
-6	4556 023	AR				EH0, EL0, EM0			PLUG, Core, 1.695 Diameter
7	3751 818	2				EH0			PLUG, Pipe
-8	5300 9518	1				EH0			PLUG, Cylinder Block Oil Hole
9	1122 532	2				EH0			DOWEL, Block To Clutch Housing
10	0141 215	4				EH0			DOWEL, .312 x .500
11	4798 276AB	1				EH0, EL0, EM0			HEATER PACKAGE, Engine Block
12	6501 445	AR							O RING, Engine Block Heater, 1-11/ 32 Diameter 11/64 Width
13	5602 0061	1				EH0, EL0, EM0, EW0			CORD, Engine Block Heater


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Crankshaft, Piston & Torque Converter, 3.9L [EHC]
Figure 3.9L-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[DBB]= All Manual Transmissions									
[DG0]= All Automatic Transmissions									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EM0]= All 5.9L Gas Engines									
1									PIN, Piston, Serviced in Piston, (NOT SERVICED) (Not Serviced)
2									PISTON PIN AND ROD
	4778 861	3				EH0			#1,3,5 B Size, 3.90925
	4778 862	3				EH0			#2,4,6 B Size, 3.90925
	4778 863	3				EH0			#1,3,5 C Size, 3.90975
	4778 864	AR				EH0			#2,4,6 C Size, 3.90975
	4778 865	3				EH0			#1,3,5 D Size, 3.91025
	4778 866	AR				EH0			#2,4,6 D Size, 3.91025
3	4720 653	3				EH0			RING PACKAGE, Piston, Standard Size Complete Engine
4									ROD, Connecting, Serviced in Piston, (NOT SERVICED) (Not Serviced)
5	4397 658	6				EH0			BEARING, Connecting Rod, STD.
6	4397 659	AR				EH0			BEARING, Connecting Rod, .001" U/S
7	6033 441	6				EH0			BOLT, Connecting Rod
8	4397 778	4				EH0			BEARING PACKAGE, Crankshaft, Standard Size, #1
9	4397 780	AR				EH0			BEARING PACKAGE, Crankshaft, .001 Undersize, #1
10	4720 595	2				EH0,			BEARING, Crankshaft, STD., #2
						EL0			
11	4720 596	AR				EH0,			BEARING PACKAGE, Crankshaft, .001 Undersize, #2
						EL0			
12	4397 778	4				EH0			BEARING PACKAGE, Crankshaft, Standard Size, #3
13	4397 783	AR				EH0			BEARING PACKAGE, Crankshaft, .001 Undersize, #3
14	4397 701	1				EH0			BEARING PACKAGE, Crankshaft, Standard Size, #4
15	4397 702	AR				EH0			BEARING PACKAGE, Crankshaft, .001 Undersize, #4

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Crankshaft, Piston & Torque Converter, 3.9L [EHC] Figure 3.9L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	5302 0601	1				EH0			CRANKSHAFT
-17	6036 207AA-	1				EH0, EL0, EM0			SCREW AND WASHER
-18	6036 207AA-	1				EH0, EL0, EM0			SCREW AND WASHER
19	5302 0229	1				EH0, EL0			DAMPER, Crankshaft
20									CAP, Serviced in Block, (NOT SERVICED) (Not Serviced)
21	6032 296	6				EH0			NUT, Hex, .375-24
22	6027 264	6				EH0			SCREW, Socket Hex Head, .50- 13x3.25, #1,2,3
-23	6033 300	2				EH0			SCREW, Cap, .50-13x2.80, #4
24	4778 228	2				EH0			SEAL PACKAGE, Crankshaft
25	53009 180AB	1				EH0, EL0	DBB		BEARING, Pilot
26	4736 593	1				EH0	DG0		TORQUE CONVERTER
27	1949 424	6				EH0, EL0,	DG0		SCREW, Hex Head Header Point, .75-16x2.25
28	5211 8256	1				EM0 EH0	DG0		PLATE, Torque Converter Drive
29	1949 765	4				EH0, EL0,	DG0		SCREW, Hex Head Header Point, .312-24x.44
30	2843 214	1				EM0 EH0	DBB		GEAR, Flywheel Ring
-31	2121 196	1				EH0	DG0		GEAR, Ring
32	5302 0621	1				EH0	DBB		FLYWHEEL
33	6035 948AA	1				EH0, EL0, EM0			WASHER, Sealing


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Camshaft and Valves, 3.9L [EHC] Figure 3.9L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EM0]= All 5.9L Gas Engines									
1	5300 8282	12				EH0			ROCKER ARM, Valve
2	5300 8283	12				EH0			PIVOT, Rocker Arm
3	6036 154AA	12				EH0			BOLT, Hex Flange Head, .312-18x1.72
4	5300 8633	6				EH0			RETAINER, Rocker Arm Pivot
5	3300 3521	24				EH0			LOCK, Valve Spring Retainer
6	3300 4626	12				EH0			RETAINER, Valve Spring
7	5302 1056	12				EH0			SPRING, Valve
8	5300 9886	6				EH0			SEAL, Valve Guide, Standard, .003 O/S
-9	3300 3016	AR				EH0, EL0			SEAL, Valve Guide, .015" Oversize
10	5300 9887	6				EH0			SEAL, Valve Guide, Standard, .003 O/S
-11	3300 2733	AR				EH0, EL0			SEAL, Valve Guide, .015" Oversize
12	5300 6723	6				EH0			VALVE, Intake, Standard
-13	5300 9287	AR				EH0, EL0			VALVE, Intake, .003" O/S
-14	5300 9285	AR				EH0, EL0			VALVE, Intake, .015" O/S
15	5300 6724	6				EH0			VALVE, Exhaust, Standard
-16	5300 9291	AR				EH0, EL0			VALVE, Exhaust, .003" O/S
17	2863 071	1				EH0			PLUG, Camshaft
18	3830 603	1				EH0			BEARING, Camshaft, #1
-19	4179 776	1				EH0			BEARING, Camshaft, #2
-20	4179 778	1				EH0			BEARING, Camshaft, #3 or #4
-21	1632 526	1				EH0			BEARING, Camshaft, #4 or #5
22	4713 439	12				EH0			TAPPET PACKAGE, Valve
23	0431 787	1				EH0, EL0, EM0			KEY, Camshaft Sprocket
24	5302 0282	1				EH0			CAMSHAFT, Engine
25	5300 6722	12				EH0			PUSH ROD, Valve
26	4387 226	1				EH0			RETAINER, Tappet Yoke Aligning


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Camshaft and Valves, 3.9L [EHC]
Figure 3.9L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
27	4483 045	6				EHO			YOKE, Tappet Aligning
28	1947 953	2				EHO			SCREW AND WASHER, Hex Head

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Timing Gear and Cover, 3.9L [EHC]
Figure 3.9L-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EH0]= All 3.9L Gas Engines

[EL0]= All 5.2L Gas Engines

[EM0]= All 5.9L Gas Engines

1	4897 297AA	1				EH0,			SEAL PACKAGE, Timing Case
2	5302 1057	1				EL0			Cover
						EH0,			GASKET, Chain Case Cover
						EL0,			
						EM0			
3	4897 723AA	1				EH0,			COVER PACKAGE, Engine Timing
						EL0			
4	3671 649	1				EL0,			TAB, Timing Chain Oil
						EM0			
5	4315 764	1				EL0,			PLATE, Camshaft Thrust
						EM0			
6	1947 953	2				EH0			SCREW AND WASHER, Hex Head
7	6029 411	1				EH0,			KEY, Crankshaft Sprocket
						EL0			
8	6029 411	1				EH0,			KEY, Crankshaft Sprocket
						EL0			
9	8350 7095	1				EH0,			CHAIN PACKAGE, Timing
						EL0			
10	6034 321	1				EH0,			SCREW AND WASHER, Hex Head,
						EL0,			Coned, Header, .437-14x1.375
						EM0			
11	6034 479	1				EH0,			BOLT, Hex Head, .375-16x2.25
						EL0,			
						EM0			
12	6034 452	1				EH0,			STUD, .375-16x.375-16x2.38
						EL0,			
						EM0			
13	6034 453	2				EH0,			STUD, .375-16x.375-16x1.63
						EL0,			
						EM0			


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Engine Oiling, 3.9L [EHC] Figure 3.9L-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EML]= Magnum 5.9L V-8									
[EM0]= All 5.9L Gas Engines									
1	4071 043	1				EH0, EL0			COVER, Engine Oil Pump
2	3837 648	1				EH0, EL0			SHAFT AND ROTOR PACKAGE, Oil Pump
3	5302 0462	1				EH0, EL0			PICKUP, Engine Oil
4	5300 9295	1				EH0, EL0			PUMP, Engine Oil
5	0179 842	2				EH0, EL0, EM0			SCREW, Hex Head Header Point, .375-16x1.375
6	1737 725	1				EH0			BUSHING, Oil Pump and Distributor
7	5302 0546	1				EH0, EL0, EM0			SHAFT, Oil Pump
8	0108 636	1				EH0, EL0			PIN, Cotter
9	2843 208	1				EH0, EL0			PLUNGER, Oil Pressure Relief Valve
10	2402 473	1				EH0, EL0			SPRING, Oil Pressure Relief Valve
11	2806 273	1				EH0, EL0			CAP, Oil Pressure Relief Valve
12	0220 480	5				EH0, EL0			SCREW, Hex Head Header Point, .25-20x.75
13	5300 5646	1				EH0			GASKET, Oil Pan
14	6034 549	14				EH0			SCREW, Hex Head, .312-18x.94
15	5302 0920	1				EH0			PAN, Engine Oil
16	5302 0461	1				EH0, EL0, EM0			GASKET, Oil Filter Adapter
17	6035 417	1				EH0, EL0			PLUG, Oil Drain
18	5302 0927	1				EH0			INDICATOR, Engine Oil Level


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Engine Oiling, 3.9L [EHC] Figure 3.9L-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19	5302 0926	1				EH0, ELO, EML			TUBE, Oil Gauge
20	5281 090	1				EH0, ELO, EM0			FILTER, Engine Oil
21	5300 7563	1				EH0, ELO, EM0			CONNECTOR, Oil Filter
22	5302 1053	1				EH0, ELO, EM0			PLATE, Oil Filter Adapter

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Manifold, Intake and Exhaust, 3.9L [EHC]
Figure 3.9L-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EM0]= All 5.9L Gas Engines									
[EW0]= All 8.0L Gas Engines									
1	4897 382AB	2				EH0			GASKET PACKAGE, Intake Manifold
2	5139 846AA	1				EH0			MANIFOLD, Intake
3	6035 967AA	12				EH0, EL0,			SCREW AND WASHER, Hex Head
4	5300 6601	1				EM0			GASKET, Intake Manifold Pan
5	6034 643	4				EH0, EL0,			STUD, .312-18/.312-24x2.25
6	6034 806	4				EM0			SCREW AND WASHER, Hex Head, .312-18x3.125
7	5303 0872	1				EH0			MANIFOLD, Exhaust
8	5301 0185	1				EH0			MANIFOLD, Exhaust
9	0118 615	4				EH0, EL0, EM0,			NUT, Hex, .375-16
10	0115 729	4				EW0 EH0, EL0, EM0			NUT, Hex, .312 x 24
11	6035 375	4				EH0, EL0, EM0			BOLT, Hex Head, .375-16x2.50
12	4004 001	4				EH0, EL0, EM0, EW0			RETAINER, Exhaust Pipe to Manifold
13	6034 583	14				EH0			SCREW AND WASHER, Hex Head, .25-20x.892
14	5300 6600	1				EH0			PAN, Intake Manifold
15	5301 0091	4				EH0, EL0, EM0			CLAMP, Exhaust Manifold

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Crankcase Ventilation, 3.9L [EHC]
Figure 3.9L-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Code
[EH0]= All 3.9L Gas Engines
[EL0]= All 5.2L Gas Engines
[EM0]= All 5.9L Gas Engines


1	53030 817AB	1				EH0,			HOSE, Crankcase Vent
2	5303 0497	1				EL0 EH0, EL0, EM0			FITTING, Crankcase Vent Tube
3	2946 079	1				EH0, EL0, EM0			GROMMET, Crankcase Vent
4	53008 675AD	1				EH0, EL0, EM0			TUBE, PCV Valve
5	5303 1134	1				EH0			VALVE, Crankcase Vent
6	5303 0017	1				EH0, EL0, EM0			GROMMET, Crankcase Vent

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 5.2L
Engine 5.2L Eight Cylinder



5.2L-100



5.2L-200 Cylinder Head	5.2L-300 Cylinder Block	5.2L-400 Crankshaft, Piston and Torque Converter	5.2L-500 Camshafts & Valves
5.2L-600 Timing Belt and Cover	5.2L-700 Engine Oiling	5.2L-800 Manifolds	5.2L-900 Crankcase Ventilation

GROUP 5.2L - Engine 5.2L Eight Cylinder

Illustration Title	Group-Fig. No.
Cylinder Head Cylinder Head, 5.2L [ELF]	Fig. 5.2L-210
Cylinder Block Cylinder Block, 5.2L [ELF]	Fig. 5.2L-310
Crankshaft, Piston and Torque Converter Crankshaft, Piston and Torque Converter, 5.2L [ELF]	Fig. 5.2L-410
Camshafts & Valves Camshaft and Valves, 5.2L [ELF]	Fig. 5.2L-510
Timing Belt and Cover Timing Gear and Cover, 5.2L [ELF]	Fig. 5.2L-610
Engine Oiling Engine Oiling, 5.2L [ELF]	Fig. 5.2L-710
Manifolds Manifold, Intake and Exhaust, 5.2L [ELF]	Fig. 5.2L-810
Crankcase Ventilation Crankcase Ventilation, 5.2L [ELF]	Fig. 5.2L-910

Cylinder Head, 5.2L [ELF]
Figure 5.2L-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EH0]= All 3.9L Gas Engines

[ELF]= Magnum 5.2L V-8

[EL0]= All 5.9L Gas Engines

[EM0]= All 5.9L Gas Engines

-1	4897 385AC-	1				EL0			GASKET PACKAGE, Engine
2	4777 536	1				EH0, EL0, EM0			CAP, Oil Filler
3	53020 340AC	1				EL0, EM0			COVER, Cylinder Head With Oil Fill Hole
	53020 612AC	1				EL0, EM0			W/O Oil Fill Hole
4	5300 6695	2				EL0, EM0			GASKET, Valve Cover
5	5302 1137	2				ELF			HEAD, Cylinder
6	5302 0490	2				EL0			GASKET, Cylinder Head
7	4556 020	4				ELF			PLUG, Core, 1.25 Diameter
8	6035 878AA	12				EH0, EL0, EM0			STUD
-9	6035 877AA-	7				EL0, EM0			SCREW AND WASHER, Hex Head, .25-20x.875
10	5302 0419	8				EL0, EM0			SHIELD, Heat
11	6034 691	10				EL0, EM0			BOLT, Cylinder Head .50x4.625
	6034 690	10				EL0, EM0			.50-13x2.00



DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cylinder Block, 5.2L [ELF] Figure 5.2L-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EM0]= All 5.9L Gas Engines									
[EW0]= All 8.0L Gas Engines									
-1	4720 740AB-	1				EL0			GASKET PACKAGE, Engine
2	4713 602	1				EL0			BLOCK, Short, Contains: Crank, Rods, Pistons, Rings, Cam Bearings
3	3830 603	1				EL0			BEARING, Camshaft, #1
4	4556 020	1				EL0			PLUG, Core, 1.25 Diameter
-5	4556 022	9				EL0			PLUG, Core, 1.625 Diameter
-6	4556 023	AR				EH0, EL0, EM0			PLUG, Core, 1.695 Diameter
7	3751 818	2				EL0			PLUG, Pipe, Right
-8	5300 9518	1				EL0			PLUG, Cylinder Block Oil Hole
-9									PLUG, Cylinder Block Oil Hole, (NOT SERVICED) (Not Serviced)
10	1122 532	2				EL0			DOWEL, Block To Clutch Housing
11	0141 215	4				EL0			DOWEL, .312 x .500
12	4798 276	1				EH0, EL0, EM0			HEATER PACKAGE, Engine Block
13									O RING, Engine Block Heater
	6501 445	AR							1-11/32 Diameter 11/64 Width
	6501 446	1				EH0, EL0, EM0			1-11/32 Diameter 9/64 Width
14	5602 0061	1				EH0, EL0, EM0, EW0			CORD, Engine Block Heater
15	5302 0465	1				EL0			PLUG, Cylinder Block


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Crankshaft, Piston and Torque Converter, 5.2L [ELF] Figure 5.2L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[DBB]= All Manual Transmissions									
[DG0]= All Automatic Transmissions									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EM0]= All 5.9L Gas Engines									
1									PIN, Piston, Serviced in Piston, (NOT SERVICED) (Not Serviced)
2									PISTON PIN AND ROD
	4778 857	4				EL0			#1,3,5,7 Size C, 3.90975
	4778 858	4				EL0			#2,4,6,8 Size C, 3.90975
	4778 855	4				EL0			#1,3,5,7 Size A,B, 3.90875, 3.90925
	4778 856	4				EL0			#2,4,6,8 Size A,B, 3.90875, 3.90925
	4778 859	4				EL0			#1,3,5,7 Size D, 3.91025
	4778 860	4				EL0			#2,4,6,8 Size D, 3.91025
3	4720 727	1				EL0			RING PACKAGE, Piston
4									ROD, Connecting, Serviced in Piston, (NOT SERVICED) (Not Serviced)
5	2421 305	4				EL0			BEARING, Connecting Rod, STD.
-6	2421 306	AR				EL0			BEARING, Connecting Rod, .001" U/S
7	6033 441	8				EL0			BOLT, Connecting Rod
8	4397 778	4				EL0			BEARING PACKAGE, Crankshaft, Standard Size
9	4397 780	AR				EL0			BEARING PACKAGE, Crankshaft, .001 Undersize, #1
10	4397 777	2				EL0			BEARING PACKAGE, Crankshaft, Standard Size, #2,4
11	4397 781	AR				EL0			BEARING PACKAGE, Crankshaft, .001 Undersize, #2,4
12	4720 595	2				EH0, EL0			BEARING, Crankshaft, STD., #3
13	4720 596	AR				EH0, EL0			BEARING PACKAGE, Crankshaft, .001 Undersize, #3
14	4397 701	1				EL0			BEARING PACKAGE, Crankshaft, Standard Size, #5
15	4397 702	AR				EL0			BEARING PACKAGE, Crankshaft, .001 Undersize, #5


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML, EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Crankshaft, Piston and Torque Converter, 5.2L [ELF] Figure 5.2L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	5302 0603	1				EL0			CRANKSHAFT
-17	6036 207AA-	1				EH0, EL0, EM0			SCREW AND WASHER
-18	6036 207AA-	1				EH0, EL0, EM0			SCREW AND WASHER
19	5302 0229	1				EH0, EL0			DAMPER, Crankshaft
20									CAP, Serviced in Block, (NOT SERVICED) (Not Serviced)
21	6032 296	8				EL0			NUT, Hex, .375-24
22	6027 264	8				EL0			SCREW, Socket Hex Head, .50- 13x3.25, #1,2,3
-23	6033 300	2				EL0			SCREW, Cap, .50-13x2.80, #4
24	4778 228	2				EL0			SEAL PACKAGE, Crankshaft
25	53009 180AB	1				EH0, EL0	DBB		BEARING, Pilot
26	4736 595	1				EL0	DG0		TORQUE CONVERTER
27	1949 424	6				EH0, EL0,	DG0		SCREW, Hex Head Header Point, .75-16x2.25
28	5211 8255	1				EM0 EL0	DG0		PLATE, Torque Converter Drive
29	1949 765	4				EH0, EL0,	DG0		SCREW, Hex Head Header Point, .312-24x.44
30	2843 214	1				EM0 EL0	DBB		GEAR, Flywheel Ring
-31	3515 203	1				EL0	DG0		GEAR, Ring
32	5302 0521	1				EL0	DBB		FLYWHEEL
33	6035 948AA	1				EH0, EL0, EM0			WASHER, Sealing
34	6036 143AA	6				EH0, EL0, EM0	DBB		SCREW

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

61= Reg. Cab (118 WB)
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)


ENGINE

EHC, EH0 = 3.9L 6 Cyl.
ELF, EL0 = 5.2L 8 Cyl.
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP, DDX, DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

Camshaft and Valves, 5.2L [ELF] Figure 5.2L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EM0]= All 5.9L Gas Engines									
1	5300 8282	16				EL0,			ROCKER ARM, Valve
2	5300 8283	16				EM0			PIVOT, Rocker Arm
3	6036 154AA	16				EL0,			BOLT, Hex Flange Head, .312-18x1.
4	5300 8633	8				EM0			RETAINER, Rocker Arm Pivot
5	3300 3521	32				EL0,			LOCK, Valve Spring Retainer
6	3300 4626	16				EM0			RETAINER, Valve Spring
7	5302 1056	16				EL0,			SPRING, Valve
8	5300 9886	8				EM0			SEAL, Valve Guide, Standard, .003
-9	3300 3016	AR				ELF,			O/S
10	5300 9887	8				EM0			SEAL, Valve Guide, Standard, .003
-11	3300 2733	AR				ELF,			O/S
12	5300 6723	8				EM0			SEAL, Valve Guide, .015" Oversize
-13	5300 9287	AR				EL0			VALVE, Intake, Standard
-14	5300 9285	AR				ELF,			VALVE, Intake, .003" O/S
15	5300 6724	8				EM0			VALVE, Intake, .015" O/S
-16	5300 9291	AR				EL0			VALVE, Exhaust, Standard
17	2863 071	1				EM0			VALVE, Exhaust, .003" O/S
18	3830 603	1				EL0			PLUG, Camshaft
-19	4179 776	1				EL0			BEARING, Camshaft, #1
-20	4179 777	1				EL0			BEARING, Camshaft, #2
						EL0			BEARING, Camshaft, #3


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Camshaft and Valves, 5.2L [ELF]
Figure 5.2L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-21	4179 778	1				EL0			BEARING, Camshaft, #3 or #4
-22	1632 526	1				EL0			BEARING, Camshaft, #4 or #5
23	4713 439	16				EL0			TAPPET PACKAGE, Valve
24	0431 787	1				EH0, EL0, EM0			KEY, Camshaft Sprocket
25	5302 0283	1				EL0			CAMSHAFT, Engine
26	5300 6722	16				EL0, EM0			PUSH ROD, Valve
27	4323 207	1				EL0, EM0			RETAINER, Tappet Yoke Aligning
28	4483 045	8				EL0, EM0			YOKE, Tappet Aligning
29	1947 953	2				EL0, EM0			SCREW AND WASHER, Hex Head

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Timing Gear and Cover, 5.2L [ELF]
Figure 5.2L-610


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EM0]= All 5.9L Gas Engines									
1	4897 297AA	1				EH0,			SEAL PACKAGE, Timing Case
						EL0			Cover
2	5302 1057	1				EH0,			GASKET, Chain Case Cover
						EL0,			
						EM0			
3	4897 723AA	1				EH0,			COVER PACKAGE, Engine Timing
						EL0			
4	3671 649	1				EL0,			TAB, Timing Chain Oil
						EM0			
5	4315 764	1				EL0,			PLATE, Camshaft Thrust
						EM0			
6	1947 953	3				EH0,			SCREW AND WASHER, Hex Head
						EL0,			
						EM0			
7	6029 411	1				EH0,			KEY, Crankshaft Sprocket
						EL0			
8	6029 411	1				EH0,			KEY, Crankshaft Sprocket
						EL0			
9	8350 7095	1				EH0,			CHAIN PACKAGE, Timing
						EL0			
10	6034 321	1				EH0,			SCREW AND WASHER, Hex Head,
						EL0,			Coned, Header, .437-14x1.375
						EM0			
11	6034 479	1				EH0,			BOLT, Hex Head, .375-16x2.25
						EL0,			
						EM0			
12	6034 452	1				EH0,			STUD, .375-16x.375-16x2.38
						EL0,			
						EM0			
13	6034 453	2				EH0,			STUD, .375-16x.375-16x1.63
						EL0,			
						EM0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Engine Oiling, 5.2L [ELF]
Figure 5.2L-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EML]= Magnum 5.9L V-8									
[EM0]= All 5.9L Gas Engines									
1	4071 043	1				EH0, EL0			COVER, Engine Oil Pump
2	3837 648	1				EH0, EL0			SHAFT AND ROTOR PACKAGE, Oil Pump
3	5302 0462	1				EH0, EL0			PICKUP, Engine Oil
4	5300 9295	1				EH0, EL0			PUMP, Engine Oil
5	0179 842	2				EH0, EL0, EM0			SCREW, Hex Head Header Point, .375-16x1.375
6	1737 725	1				EL0			BUSHING, Oil Pump and Distributor
7	5302 0546	1				EH0, EL0, EM0			SHAFT, Oil Pump
8	0108 636	1				EH0, EL0			PIN, Cotter
9	2843 208	1				EH0, EL0			PLUNGER, Oil Pressure Relief Valve
10	2402 473	1				EH0, EL0			SPRING, Oil Pressure Relief Valve
11	2806 273	1				EH0, EL0			CAP, Oil Pressure Relief Valve
12	0220 480	5				EH0, EL0			SCREW, Hex Head Header Point, .25-20x.75
13	5300 5650	1				EL0			GASKET, Oil Pan
14	6034 549	18				EL0, EM0			SCREW, Hex Head, .312-18x.94
15	5302 0913	1				EL0			PAN, Engine Oil
16	6035 417	1				EH0, EL0			PLUG, Oil Drain, w/Gasket
17	5302 0928	1				EL0, EML			INDICATOR, Engine Oil Level

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Engine Oiling, 5.2L [ELF]
Figure 5.2L-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	5302 0926	1				EH0, ELO, EML			TUBE, Oil Gauge
19	5281 090	1				EH0, ELO, EM0			FILTER, Engine Oil
20	5300 7563	1				EH0, ELO, EM0			CONNECTOR, Oil Filter
21	5302 1053	1				EH0, ELO, EM0			PLATE, Oil Filter Adapter
22	5302 0461	1				EH0, ELO, EM0			GASKET, Oil Filter Adapter

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, ELO = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Manifold, Intake and Exhaust, 5.2L [ELF]
Figure 5.2L-810**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EM0]= All 8.9L Gas Engines									
[EW0]= All 8.0L Gas Engines									
1	4897 383AB	1				EL0, EM0			GASKET PACKAGE, Intake Manifold
2	4897 490AC	1				EL0, EM0			MANIFOLD, Intake
3	6035 967AA	12				EH0, EL0, EM0			SCREW AND WASHER, Hex Head
4	5300 6623	1				EL0,			GASKET, Intake Manifold Pan
5	6034 643	4				EM0 EH0, EL0, EM0			STUD, .312-18/.312-24x2.25
6	6034 806	8				EL0, EM0			SCREW AND WASHER, Hex Head, .312-18x3.125
7	5303 0873	1				EL0			MANIFOLD, Exhaust, Right
8	5301 0189	1				EL0			MANIFOLD, Exhaust, Left
9	0118 615	4				EH0, EL0, EM0, EW0			NUT, Hex, .375-16
10	0115 729	4				EH0, EL0, EM0			NUT, Hex, .312 x 24
11	6035 375	4				EH0, EL0, EM0			BOLT, Hex Head, .375-16x2.50
12	4004 001	4				EH0, EL0,			RETAINER, Exhaust Pipe to Manifold
13	6034 583	15				EM0, EW0 EL0, EM0			SCREW AND WASHER, Hex Head, .25-20x.892
14	5300 6617	1				EL0, EM0			PAN, Intake Manifold


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Manifold, Intake and Exhaust, 5.2L [ELF]
Figure 5.2L-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	5301 0091	4				EH0, EL0, EM0			CLAMP, Exhaust Manifold

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Crankcase Ventilation, 5.2L [ELF]
Figure 5.2L-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EH0]= All 3.9L Gas Engines

[EL0]= All 5.2L Gas Engines

[EM0]= All 5.9L Gas Engines

1	53030 817AB	1				EH0, EL0			HOSE, Crankcase Vent
2	5303 1135	1				EL0, EM0			VALVE, Crankcase Vent
3	5303 0017	1				EH0, EL0, EM0			GROMMET, Crankcase Vent
4	53008 675AD	1				EH0, EL0, EM0			TUBE, PCV Valve
5	5303 0497	1				EH0, EL0, EM0			FITTING, Crankcase Vent Tube
6	2946 079	1				EH0, EL0, EM0			GROMMET, Crankcase Vent


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year









September 16, 2005

Group – 5.9L
Engine 5.9L Eight Cylinder




GROUP 5.9L - Engine 5.9L Eight Cylinder

Illustration Title	Group-Fig. No.
Cylinder Head Cylinder Head, 5.9L [EML], 5.9L [EMM]	Fig. 5.9L-210
Cylinder Block Cylinder Block, 5.9L [EML], 5.9L [EMM]	Fig. 5.9L-310
Crankshaft, Piston and Torque Converter Crankshaft, Piston and Torque Converter, 5.9L [EML], 5.9L [EMM]	Fig. 5.9L-410
Camshafts & Valves Camshaft and Valves, 5.9L [EML], 5.9L [EMM]	Fig. 5.9L-510
Timing Belt and Cover Timing Gear and Cover, 5.9L [EML] 5.9L [EMM]	Fig. 5.9L-610
Engine Oiling Engine Oiling, 5.9L [EML], 5.9L [EMM]	Fig. 5.9L-710
Manifolds Manifold, Intake and Exhaust, 5.9L [EML], 5.9L [EMM]	Fig. 5.9L-810
Crankcase Ventilation Crankcase Ventilation, 5.9L [EML], 5.9L [EMM]	Fig. 5.9L-910

5.9L-200 Cylinder Head	5.9L-300 Cylinder Block	5.9L-400 Crankshaft, Piston and Torque Converter	5.9L-500 Camshafts & Valves
			
5.9L-600 Timing Belt and Cover	5.9L-700 Engine Oiling	5.9L-800 Manifolds	5.9L-900 Crankcase Ventilation
			

**Cylinder Head, 5.9L [EML], 5.9L [EMM]
Figure 5.9L-210**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Code									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EM0]= All 5.9L Gas Engines									
-1	4897 386AE-	1	1			EM0			GASKET PACKAGE, Engine Upper
2	4777 536	1				EH0, EL0, EM0			CAP, Oil Filler
3									COVER, Cylinder Head
	53020 340AC	1				EL0, EM0			With Oil Fill Hole
	53020 612AC	1				EL0, EM0			Without Oil Fill Hole
4	5300 6695	2				EL0, EM0			GASKET, Valve Cover
5	5302 1137	2				EM0			HEAD, Cylinder
6	5302 1098	2				EM0			GASKET, Cylinder Head
7	4556 020	4				EM0			PLUG, Core, 1.25 Diameter
8	6035 878AA	12				EH0, EL0, EM0			STUD
-9	6035 877AA-	7				EL0, EM0			SCREW AND WASHER, Hex Head, .25-20x.875
10									BOLT, Cylinder Head
	6034 690	10				EL0, EM0			.50-13x2.00
	6034 691	10				EL0, EM0			.50x4.625



DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cylinder Block, 5.9L [EML], 5.9L [EMM]
Figure 5.9L-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EM0]= All 5.9L Gas Engines									
[EW0]= All 8.0L Gas Engines									
-1	4746 001AB-	1				EM0			GASKET PACKAGE, Engine
2	4741 528AB	1				EM0			BLOCK, Short, Contains: Crank, Rods, Pistons, Rings, Cam Bearings
3	3830 603	1				EM0			BEARING, Camshaft, #1
4	4556 020	2				EM0			PLUG, Core, 1.25 Diameter
-5	4556 022	8				EM0			PLUG, Core, 1.625 Diameter
6	3751 818	2				EM0			PLUG, Pipe
-7	5300 9518	1				EM0			PLUG, Cylinder Block Oil Hole
-8									PLUG, Cylinder Block, 3/8NPT, (NOT SERVICED) (Not Serviced)
9	1122 532	2				EM0			DOWEL, Block To Clutch Housing
10	0141 215	4				EM0			DOWEL, .312 x .500
11	4798 276	1				EH0, EL0, EM0			HEATER PACKAGE, Engine Block
12	6501 445	AR							O RING, Engine Block Heater 1-11/32 Diameter 11/64 Width
	6501 446	1				EH0, EL0, EM0			1-11/32 Diameter 9/64 Width
13	5602 0061	1				EH0, EL0, EM0, EW0			CORD, Engine Block Heater

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Crankshaft, Piston and Torque Converter, 5.9L [EML], 5.9L [EMM] Figure 5.9L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[DBB]= All Manual Transmissions									
[DG0]= All Automatic Transmission									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EM0]= All 5.9L Gas Engines									
1									PIN, Piston, Serviced in Piston, (NOT SERVICED) (Not Serviced)
2									PISTON PIN AND ROD, B-Size
-3	4778 871AB	4				EM0			#1,3,5,7 - 3.99975
	4778 872AB	4				EM0			#2,4,6,8 - 3.99975
-4	4778 873AB-	4				EM0			PISTON PIN AND ROD, C-Size
	4778 874AB-	4				EM0			#1,3,5,7 - 4.00025
-5	4778 875AB-	4				EM0			PISTON PIN AND ROD, D-Size
	4778 876AB-	4				EM0			#1,3,5,7 - 4.00075
5	4740 259	4				EM0			RING, Piston
6									ROD, Connecting, Serviced in Piston, (NOT SERVICED) (Not Serviced)
7	2421 305	4				EM0			BEARING, Connecting Rod, STD.
8	6033 441	8				EM0			BOLT, Connecting Rod
9	4026 487	3				EM0			BEARING PACKAGE, Crankshaft, Standard Size, #1,2,4
10	4713 030	1				EM0			BEARING PACKAGE, Crankshaft, Standard Size, #3
11	3780 100	1				EM0			BEARING PACKAGE, Crankshaft, Standard Size, #5
12									CRANKSHAFT AND KEY
-13	4790 759AB	1				EM0	DBB		
		1				EM0	DG0		
-14	6036 207AA-	1				EH0,			BOLT, Hex Head
-15						EL0,			
						EM0			
-16	6036 207AA-	1				EH0,			SCREW AND WASHER
15						EL0,			
						EM0			
16	5302 0182	1				EM0			DAMPER, Crankshaft
									CAP, Serviced in Block, (NOT SERVICED) (Not Serviced)


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Crankshaft, Piston and Torque Converter, 5.9L [EML], 5.9L [EMM]
Figure 5.9L-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17	6032 296	8				EM0			NUT, Hex, .375-24
18	6027 264	10				EM0			SCREW, Socket Hex Head, .50-13x3.25
19	4798 216AB	1				EM0			SEAL PACKAGE, Crankshaft
20	53009 180AB	1				EM0	DBB		BEARING, Pilot
21	4736 591	1				EM0	DG0		TORQUE CONVERTER
22	1949 424	6				EH0, EL0, EM0	DG0		SCREW, Hex Head Header Point, .75-16x2.25
23	4863 841	1				EM0	DG0		PLATE, Torque Converter Drive
24	1949 765	4				EH0, EL0, EM0	DG0		SCREW, Hex Head Header Point, .312-24x.44
25	2843 214	1				EM0	DBB		GEAR, Flywheel Ring
-26	3515 203	1				EM0	DG0		GEAR, Ring
27	5302 0585	1				EM0	DBB		FLYWHEEL
28	6035 948AA	1				EH0, EL0, EM0			WASHER, Sealing
29	6036 143AA	6				EH0, EL0, EM0	DBB		SCREW

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Camshaft and Valves, 5.9L [EML], 5.9L [EMM] Figure 5.9L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[ELF]= Magnum 5.2L V-8									
[EL0]= All 5.2L Gas Engines									
[EM0]= All 5.9L Gas Engines									
1	5300 8282	16				EL0, EM0			ROCKER ARM, Valve
2	5300 8283	16				EL0, EM0			PIVOT, Rocker Arm
3	6036 154AA	16				EL0, EM0			BOLT, Hex Flange Head, .312-18x1.72
4	5300 8633	8				EL0, EM0			RETAINER, Rocker Arm Pivot
5	3300 3521	32				EL0, EM0			LOCK, Valve Spring Retainer
6	3300 4626	16				EL0, EM0			RETAINER, Valve Spring
7	5302 1056	16				EL0, EM0			SPRING, Valve
8	5300 9886	8				ELF, EM0			SEAL, Valve Guide, Standard, .003 O/S
9	5300 9887	8				ELF, EM0			SEAL, Valve Guide, Standard, .003 O/S
10	5300 6723	8				ELF, EM0			VALVE, Intake, Standard
11	5300 6724	8				EL0, EM0			VALVE, Exhaust, Standard
12	2863 071	1				EM0			PLUG, Camshaft
13	3830 603	1				EM0			BEARING, Camshaft, #1
-14	4179 776	1				EM0			BEARING, Camshaft, #2
-15	4179 777	1				EM0			BEARING, Camshaft, #3
-16	4179 778	1				EM0			BEARING, Camshaft, #3 or #4
-17	1632 526	1				EM0			BEARING, Camshaft, #4 or #5
18	4713 439	16				EM0			TAPPET PACKAGE, Valve
19	0431 787	1				EH0, EL0, EM0			KEY, Camshaft Sprocket
20	5302 1101	1				EM0			CAMSHAFT, Engine
21	5300 6722	16				EL0, EM0			PUSH ROD, Valve


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Camshaft and Valves, 5.9L [EML], 5.9L [EMM]
Figure 5.9L-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
22	4323 207	1				EL0,			RETAINER, Tappet Yoke Aligning
23	4483 045	8				EM0			YOKE, Tappet Aligning
24	1947 953	2				EL0,			SCREW AND WASHER, Hex Head
						EM0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Timing Gear and Cover, 5.9L [EML] 5.9L [EMM]
Figure 5.9L-610




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[DBB]= All Manual Transmissions									
[DG0]= All Automatic Transmissions									
[EH0]= All 3.9L Gas Engines									
[ELO]= All 5.2L Gas Engines									
[EM0]= All 5.9L Gas Engines									
1	4897 297AA	1				EM0			SEAL PACKAGE, Timing Case Cover
2	5302 1057	1				EH0, ELO, EM0			GASKET, Chain Case Cover
3	4897 723AA	1				EM0			COVER PACKAGE, Engine Timing TAB, Timing Chain Oil
4	3671 649	1				ELO, EM0			
5	4315 764	1				ELO, EM0			PLATE, Camshaft Thrust
6	1947 953	3				ELO, EM0			SCREW AND WASHER, Hex Head
7	6029 411	1				EM0	DG0		KEY, Crankshaft Sprocket
		1				EM0	DBB		
8	6029 411	1				EM0	DG0		KEY, Crankshaft Sprocket
		1				EM0	DBB		
9	8350 7095	1				EM0			CHAIN PACKAGE, Timing
10	6034 321	1				EH0, ELO, EM0			SCREW AND WASHER, Hex Head, Coned, Header, .437-14x1.375
11	6034 479	1				EH0, ELO, EM0			BOLT, Hex Head, .375-16x2.25
12	6034 452	1				EH0, ELO, EM0			STUD, .375-16x.375-16x2.38
13	6034 453	2				EH0, ELO, EM0			STUD, .375-16x.375-16x1.63

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, ELO = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Engine Oiling, 5.9L [EML], 5.9L [EMM]
Figure 5.9L-710**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EML]= Magnum 5.9L V-8 Engines									
[EMM]= Magnum 5.9L V-8 Engines									
[EM0]= All 5.9L Gas Engines									
1	4071 043	1				EM0			COVER, Engine Oil Pump
2	3837 648	1				EM0			SHAFT AND ROTOR PACKAGE, Oil Pump
3	5302 0462	1				EM0			PICKUP, Engine Oil
4	5300 9295	1				EM0			PUMP, Engine Oil
5	0179 842	2				EH0, EL0,			SCREW, Hex Head Header Point, .375-16x1.375
6	1737 725	1				EM0			BUSHING, Oil Pump and Distributor
7	5302 0546	1				EH0, EL0,			SHAFT, Oil Pump
8	0108 636	1				EM0			PIN, Cotter
9	2843 208	1				EM0			PLUNGER, Oil Pressure Relief Valve
10	2402 473	1				EM0			SPRING, Oil Pressure Relief Valve
11	2806 273	1				EM0			CAP, Oil Pressure Relief Valve
12	0220 480	5				EM0			SCREW, Hex Head Header Point, .25-20x.75
13	5300 8610	1				EM0			GASKET, Oil Pan
14	6034 549	18				EL0, EM0			SCREW, Hex Head, .312-18x.94
15	5302 0918	1				EM0			PAN, Engine Oil
16	6035 417	1				EM0			PLUG, Oil Drain
17									INDICATOR, Engine Oil Level
	5302 0928	1				EL0, EML			
	5302 0934	1				EMM			
18	5302 0926	1				EH0, EL0, EML			TUBE, Oil Gauge
-19	5302 0062	1				EMM			TUBE, Engine Oil Indicator
20	5281 090	1				EH0, EL0, EM0			FILTER, Engine Oil


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Engine Oiling, 5.9L [EML], 5.9L [EMM] Figure 5.9L-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
21	5300 7563	1				EH0, ELO, EM0			CONNECTOR, Oil Filter
22	5302 1053	1				EH0, ELO, EM0			PLATE, Oil Filter Adapter
23	5302 0461	1				EH0, ELO, EM0			GASKET, Oil Filter Adapter

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Manifold, Intake and Exhaust, 5.9L [EML], 5.9L [EMM]
Figure 5.9L-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EM0]= All 5.9L Gas Engines									
[EW0]= All 8.0L Gas Engines									
1	4897 383AB	1				EL0, EM0			GASKET PACKAGE, Intake Manifold
2	4897 490AC	1				EL0, EM0			MANIFOLD, Intake
3	6035 967AA	12				EH0, EL0, EM0			SCREW AND WASHER, Hex Head
4	5300 6623	1				EL0,			GASKET, Intake Manifold Pan
5	6034 643	4				EM0 EH0, EL0, EM0			STUD, .312-18/.312-24x2.25
6	6034 806	8				EL0, EM0			SCREW AND WASHER, Hex Head, .312-18x3.125
7	5303 0873	1				EM0			MANIFOLD, Exhaust, Right
8	5301 0189	1				EM0			MANIFOLD, Exhaust, Left
9	0118 615	4				EH0, EL0, EM0, EW0			NUT, Hex, .375-16
10	0115 729	4				EH0, EL0, EM0			NUT, Hex, .312 x 24
11	6035 375	4				EH0, EL0, EM0			BOLT, Hex Head, .375-16x2.50
12	5300 6617	1				EL0, EM0			PAN, Intake Manifold
13	4004 001	4				EH0, EL0, EM0, EW0			RETAINER, Exhaust Pipe to Manifold
14									PLUG, 3/8-18, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Manifold, Intake and Exhaust, 5.9L [EML], 5.9L [EMM]
Figure 5.9L-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	5301 0091	4				EH0, ELO, EM0			CLAMP, Exhaust Manifold
16	6034 583	15				ELO, EM0			SCREW AND WASHER, Hex Head, .25-20x.892

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, ELO = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Crankcase Ventilation, 5.9L [EML], 5.9L [EMM]
Figure 5.9L-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EH0]= All 3.9L Gas Engines

[EL0]= All 5.2L Gas Engines

[EM0]= All 5.9L Gas Engines

1	53030 817AD	1				EH0, EL0, EM0			HOSE, Crankcase Vent
2	5303 1135	1				EL0, EM0			VALVE, Crankcase Vent
3	5303 0017	1				EH0, EL0, EM0			GROMMET, Crankcase Vent
4	53008 675AD	1				EH0, EL0, EM0			TUBE, PCV Valve
5	5303 0497	1				EH0, EL0, EM0			FITTING, Crankcase Vent Tube
6	2946 079	1				EH0, EL0, EM0			GROMMET, Crankcase Vent

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 8.0L

Engine 8.0L Ten Cylinder (Truck)

GROUP 8.0L - Engine 8.0L Ten Cylinder (Truck)


Illustration Title

Group-Fig. No.

Cylinder Head	
Cylinder Head, 8.0L (EWA)	Fig. 8.0L-210
Cylinder Block	
Cylinder Block, 8.0L (EWA)	Fig. 8.0L-310
Crankshaft, Piston and Torque Converter	
Crankshaft, Piston and Torque Converter, 8.0L (EWA)	Fig. 8.0L-410
Camshafts & Valves	
Camshaft and Valves, 8.0L (EWA)	Fig. 8.0L-510
Timing Belt and Cover	
Timing Gear and Cover, 8.0L (EWA)	Fig. 8.0L-610
Engine Oiling	
Engine Oiling, 8.0L (EWA)	Fig. 8.0L-710
Manifolds	
Manifold, Intake, 8.0L (EWA)	Fig. 8.0L-810
Manifold, Exhaust, 8.0L (EWA)	Fig. 8.0L-815
Crankcase Ventilation	
Crankcase Ventilation, 8.0L (EWA)	Fig. 8.0L-910


8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

8.0L10-100



8.0L-200 Cylinder Head	8.0L-300 Cylinder Block	8.0L-400 Crankshaft, Piston and Torque Converter	8.0L-500 Camshafts & Valves
8.0L-600 Timing Belt and Cover	8.0L-700 Engine Oiling	8.0L-800 Manifolds	8.0L-900 Crankcase Ventilation

Cylinder Head, 8.0L (EWA)
Figure 8.0L-210





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Codes:									
EW0=All 8.0L V-10 Engines									
-1	4746 045AC-	1				EW0			GASKET PACKAGE, Engine, Upper
2	5304 1054	1				EW0			COVER, Cylinder Head, Right
3	5304 1055	1				EW0			COVER, Cylinder Head, Left
4	4556 020	1				EW0			PLUG, Core, 1.25 Diameter
5	J400 7307	12				EW0			BOLT, Hex Flange Head, .500-13x4.52
6									HEAD, Cylinder
	53020 066AB	2				EW0			Up To 6/23/00
	53020 066AC	2				EW0			After 6/23/00
7	J317 8449	2				EW0			PLUG, Cylinder Block Oil Hole
8	5304 1049	2				EW0			GASKET, Cylinder Head
9	5302 0073	2				EW0			GASKET, Valve Cover
10	6034 444	7				EW0			STUD, .312-18/.250-20x2.685
11	6034 443	17				EW0			SCREW, Hex Head Coned, .312-18x1.375
12	4777 536	1				EW0			CAP, Oil Filler
13	5302 0067	12				EW0			BOLT, Cylinder Head

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cylinder Block, 8.0L (EWA)
Figure 8.0L-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

EW0=All 8.0L V-10 Engines

DBB=All Manual Transmissions

DG0=All Automatic Transmissions

1	6034 847	12				EW0			BOLT, Main Bearing Cap
2	J400 5149	4				EW0			DOWEL, Oil Pump
3	4796 663	1				EW0			BLOCK, Short, Contains: Crank, Rods, Pistons, Rings, Cam Bearings
4									SCREW AND WASHER, Hex Head, .437-14x2.00
	6024 473	2					DG0		
		2				EW0	DBB		
5									CAP, (NOT SERVICED) (Not Serviced)
6	4556 022	11				EW0			PLUG, Core, 1.625 Diameter
7	J317 8449	2				EW0			PLUG, Cylinder Block Oil Hole
8	J010 3877	2				EW0			PLUG, Square Head, 1/8-27NPTx.32
9									PLUG, (NOT SERVICED) (Not Serviced)
10									DOWEL, [.187x.500], (NOT SERVICED) (Not Serviced)
11	5304 0018	2				EW0			DOWEL, Clutch Housing
12	4798 276	1				EW0			HEATER PACKAGE, Engine Block
13	6501 445	AR							O RING, Engine Block Heater
14	5602 7117	AR							CORD, Engine Block Heater

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Crankshaft, Piston and Torque Converter, 8.0L (EWA)
Figure 8.0L-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales codes:									
EW0=All 8.0L V-10 Engines									
DBB=All Manual Transmissions									
DG0=All Automatic Transmissions									
1	53006 216AC	1				EW0	DBB		FLYWHEEL
2	4428 037	1				EW0	DBB		GEAR, Ring
3	53005 843AB	1				EW0			RETAINER, Crankshaft Rear Oil Seal
4	4856 120AB	5				EW0			PISTON PIN AND ROD #2,4,6,8,10 #1,3,5,7,9 RING, Piston
	4856 121AB	5				EW0			
5	4741 750	1				EW0			
6	52107 562AB	1				EW0	DBB		BEARING, Pilot
7	5302 0776	1				EW0			DAMPER, Crankshaft
8	5300 5840	1				EW0			CRANKSHAFT
9	6032 296	10				EW0			NUT, Hex, .375-24, Quantity listed per Bank
10	6033 441	10				EW0			BOLT, Connecting Rod, Quantity listed per Bank
11	5211 8506	1				EW0	DG0		CONVERTER, Torque
12	5300 5837	1				EW0			GASKET, Rear Crankshaft Oil Seal
13	5302 1075	1				EW0			GASKET, Rear Crankshaft Oil Seal
14	6035 811	8				EW0	DBB		BOLT, Hex Head, .437-20x1.50
-15	6035 462	8				EW0	DG0		BOLT, Flexplate
16	2421 305	5				EW0			BEARING, Connecting Rod, STD., Quantity listed per Bank
-17	2421 306	AR				EW0			BEARING, Connecting Rod, .001" U/S
18	6034 749	1				EW0			KEY, Crankshaft Sprocket
19									ROD, Connecting, Serviced in Piston, (NOT SERVICED) (Not Serviced)
20	5211 8473	1				EW0	DG0		PLATE, Torque Converter Drive
21	4741 492	2				EW0			BEARING, Crankshaft, STD., #1,6
-22	4741 495	AR				EW0			BEARING, Crankshaft, .001" U/S, #1,6
-23	4741 493	3				EW0			BEARING, Crankshaft, STD., #2,4,5
-24	4741 496	AR				EW0			BEARING, Crankshaft, .001" U/S, #2,4,5

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005





Figure 8.0L-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-25	4798 449	1				EW0			BEARING, Crankshaft, STD., #3
-26	4798 450	AR				EW0			BEARING, Crankshaft, .001" U/S, #3
27	6036 207AA	1				EW0			BOLT, Hex Head
28	6033 439	6				EW0	DG0		BOLT, Hex Head, .37-24x.55
29	6035 462	8				EW0	DG0		BOLT, Flexplate
30	6022 235	8				EW0			BOLT AND WASHER, Hex Head, .312-18x1.00

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Camshaft and Valves, 8.0L (EWA)
Figure 8.0L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

EW0=All 8.0L V-10 Engines

1	53005 845AB	1				EW0			PLATE, Camshaft Thrust
2	53021 692AA	20				EW0			PIVOT, Rocker Arm
3	5245 335	20				EW0			ROCKER ARM, Valve
4	5304 1123	20				EW0			PUSH ROD, Valve
5	5300 5866	1				EW0			RETAINER, Tappet Yoke Aligning
6	4848 550	10				EW0			RETAINER, Rocker Arm Pedestal
7	5302 0842	1				EW0			CAMSHAFT, Engine
8	0141 195	1				EW0			DOWEL, .25x.62
9	6036 403AA	20				EW0			SCREW, Hex Flange Head
10	5300 5824	1				EW0			PLUG, Camshaft
11	5300 9887	10				EW0			SEAL, Valve Guide
12	5300 9886	10				EW0			SEAL, Valve Guide
13	5300 5863	10				EW0			VALVE, Intake, Standard
14	5300 5864	10				EW0			VALVE, Exhaust, Standard
15									INSERT, Exhaust Valve, Serviced in Cylinder Head, (NOT SERVICED) (Not Serviced)
16	4713 439	20				EW0			TAPPET PACKAGE, Valve
17	5302 1056	20				EW0			SPRING, Valve
18	3300 4626	20				EW0			RETAINER, Valve Spring
19	3300 3521	40				EW0			LOCK, Valve Spring Retainer
20	1947 953	4				EW0			SCREW AND WASHER, Hex Head
21	5245 169	10				EW0			YOKE, Tappet Aligning
22	4741 475	1				EW0			BEARING, Camshaft, #1
-23	4741 476	1				EW0			BEARING, Camshaft, #2
-24	4741 477	1				EW0			BEARING, Camshaft, #3
-25	4741 478	1				EW0			BEARING, Camshaft, #4
-26	4741 479	1				EW0			BEARING, Camshaft, #5
-27	4741 480	1				EW0			BEARING, Camshaft, #6
28	6034 757	3				EW0			SCREW


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Timing Gear and Cover, 8.0L (EWA)
Figure 8.0L-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

EW0=All 8.0L V-10 Engine

1	53020 971AC	1				EW0			COVER, Timing Case
2	4798 467	1				EW0			CHAIN PACKAGE, Timing
3	5302 1103	1				EW0			SEAL, Timing Case Cover
4	5302 0956	1				EW0			GASKET, Chain Case Cover
5	6034 749	1				EW0			KEY, Crankshaft Sprocket
6	6033 958	7				EW0			SCREW, Hex Flange Head, .375-16x2.00
7	6024 035	1				EW0			BOLT, Hex Head, .375-14x1.75, Cam Sprocket To Camshaft

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Engine Oiling, 8.0L (EWA)
Figure 8.0L-710

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

EW0=All 8.0L V-10 Engine

1	5300 6833	1				EW0			COVER, Engine Oil Pump
2	53020 922AB	1				EW0			PAN, Engine Oil
3	5302 0930	1				EW0			TUBE, Oil Gauge
4	5300 6834	1				EW0			PICKUP, Engine Oil
5	5302 0929	1				EW0			INDICATOR, Engine Oil Level
6	4746 610	1				EW0			ROTOR PACKAGE, Oil Pump
7	0154 557	7				EW0			SCREW, Hex Head Coned, .25-20x. 875
8	5300 5884	1				EW0			GASKET, Oil Pan
9	5302 0075	1				EW0			GASKET, Oil Pump Relief Valve
10	5304 0062	1				EW0			GASKET, Oil Pickup Tube
11	6035 417	1				EW0			PLUG, Oil Drain
12	2843 208	1				EW0			PLUNGER, Oil Pressure Relief Valve
13	6034 549	18				EW0			SCREW, Hex Head, .312-18x.94
14	6034 594	4				EW0			STUD, .312-18/.250-20x2.355
15	5302 0068	1				EW0			PLUG, Cylinder Block Oil Hole
16	2402 473	1				EW0			SPRING, Oil Pressure Relief Valve
17	5302 0311	1				EW0			FILTER, Engine Oil
18	5300 7563	1				EW0			CONNECTOR, Oil Filter
19									SEAL, (NOT SERVICED) (Not Serviced)
20	6034 549	2				EW0			SCREW, Hex Head, .312-18x.94
21	6034 475	5				EW0			SCREW, Torx Head, .25-20x.75


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Manifold, Intake, 8.0L (EWA)
Figure 8.0L-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

EW0=All 8.0L V-10 Engine

1	6034 349	5				EW0			SCREW, Hex Head Pilot Point, .312-18 UNC 2A
2	6034 506	5				EW0			BOLT AND CONED WASHER, Hex Head, .312-18x1.56
3	6034 507	1				EW0			SCREW, Hex Head Coned, .375-16x2.25
4	6034 508	1				EW0			SCREW, Hex Head Coned, .375-16x3.00
5	6034 509	12				EW0			SCREW, Hex Head Coned, .375-16x1.75
6	5303 1583	1				EW0			MANIFOLD, Intake
7	5303 1580	1				EW0			MANIFOLD, Intake
8									CONNECTOR, Serviced in Manifold, (NOT SERVICED) (Not Serviced)
9	5304 0055	1				EW0			CONNECTOR, Manifold Vacuum, .375 90 Degree
10	5300 6046	1				EW0			NIPPLE, By-Pass
11	5301 0047	1				EW0			SEAL, Thermostat
12	4741 732	2				EW0			GASKET PACKAGE, Intake Manifold
13	5301 0044	4				EW0			PLUG, Core, 1.50 Diameter
14	5300 6836	1				EW0			GASKET, Intake Manifold


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Manifold, Exhaust, 8.0L (EWA)
Figure 8.0L-815



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

EW0=All 8.0L V-10 Engine

1	5303 1401	1				EW0			MANIFOLD, Exhaust, Right
2	5300 6733	1				EW0			MANIFOLD, Exhaust, Left
3	5303 1550	1				EW0			SHIELD, Heat, Right
4	5303 1551	1				EW0			SHIELD, Heat, Left
5	6034 808	10				EW0			STUD, .312-18/.312-24x4.00
6	6034 806	10				EW0			SCREW AND WASHER, Hex Head, .312-18x3.125
7	5300 6920	2				EW0			GASKET, Exhaust Manifold


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Crankcase Ventilation, 8.0L (EWA)
Figure 8.0L-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

EW0=All 8.0L V-10 Engine

1	5300 6342	1				EW0			HOSE, Crankcase Vent
2	5303 0497	1				EW0			FITTING, Crankcase Vent Tube
3	2946 079	2				EW0			GROMMET, Crankcase Vent
4	5304 1044	1				EW0			TUBE, PCV Valve
5	5303 0495	1				EW0			TUBE, Crankcase Vent To Air Cleaner
6	2946 079	2				EW0			GROMMET, Crankcase Vent

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 5.9LD

Engine 5.9L Six Cylinder (Diesel)

GROUP 5.9LD - Engine 5.9L Six Cylinder (Diesel)

Illustration Title Group-Fig. No.

Cylinder Head
Cylinder Head, 5.9L Diesel [ETC,ETH] Fig. 5.9LD-210

Cylinder Block
Cylinder Block, 5.9L Diesel [ETC,ETH] Fig. 5.9LD-310

Crankshaft, Piston and Torque Converter
Crankshaft and Piston, 5.9L Diesel [ETC,ETH] Fig. 5.9LD-410
Flywheel and Torque Converter, 5.9L Diesel [ETC,ETH] Fig. 5.9LD-415
Torque Converter Cooler, 5.9L Diesel [ETC,ETH] Fig. 5.9LD-420


Camshafts & Valves
Camshaft and Valves, 5.9L Diesel [ETC,ETH] Fig. 5.9LD-510









Timing Belt and Cover
Timing Gear and Cover, 5.9L Diesel [ETC,ETH] Fig. 5.9LD-610

Engine Oiling
Engine Oiling, 5.9L Diesel [ETC,ETH] Fig. 5.9LD-710


Manifolds
Manifold, Intake and Exhaust, 5.9L Diesel [ETC,ETH] Fig. 5.9LD-810

Oil Cooler
Engine Oil Cooler, 5.9L Diesel [ETC,ETH] Fig. 5.9LD-1110
Oil Lines, 5.9L Diesel [ETC,ETH] Fig. 5.9LD-1115



5.9LD-200 Cylinder Head	5.9LD-300 Cylinder Block	5.9LD-400 Crankshaft, Piston and Torque Converter	5.9LD-500 Camshafts & Valves
			
5.9LD-600 Timing Belt and Cover	5.9LD-700 Engine Oiling	5.9LD-800 Manifolds	5.9LD-1100 Oil Cooler
			

Cylinder Head, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NoteSale Code:[DBB]=Transmissions - All Manual									
[ETC]= Engine- 5.9L Cummins 24V Diesel									
[ETH]= Engine- 5.9L H0 Cummins Turbo									
-1	5016 652AA-	AR				ETC			GASKET PACKAGE, Engine Upper
		AR				ETH	DBB		
2	5011 403AA	26				ETC			SCREW
		26				ETH	DBB		
3	5011 876AA	1				ETH			GASKET, Cylinder Head
		1				ETC	DBB		
		1				ETC	DG0		
4	5018 181AA	1				ETH	DBB		HEAD, Cylinder
	5015 842AA	1				ETC	DG0		
		1				ETC	DBB		
5	5011 883AA	2				ETC			PLUG, Expansion
	5016 559AA	7				ETH	DBB		
6	4883 329	14				ETH	DBB		PLUG, Expansion
		14				ETC	DG0		
		14				ETC	DBB		
7	4429 735	14				ETC			PLUG, Expansion
	5003 605AA	11				ETH	DBB		
8	5017 786AA	2				ETH	DBB		PLUG, Expansion
		2				ETC	DG0		
		2				ETC	DBB		
9	5011 884AA	2				ETC			PLUG, Expansion
10	5015 718AB	1				ETH	DBB		COVER, Cylinder Head
	5015 718AA	1				ETC	DG0		
		1				ETC	DBB		
11	5014 704AA	1				ETC			CAP, Oil Filler
		1				ETH	DBB		
12									GASKET, Valve Cover

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Cylinder Head, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5016 356AA	1				ETC			
		1				ETH	DBB		
13	5015 724AA	5				ETC	DBB		SCREW
		5				ETC	DG0		
		5				ETH	DBB		
14	4429 460	3				ETC			SCREW, Water Inlet, M10x1.5x25
		3				ETH	DBB		
15	5011 842AA	1				ETC			BRACKET, Engine Lift
		1				ETH	DBB		
16									SCREW, Hex Flange Head
	4638 666	2				ETC			
		2				ETH	DBB		
17	5011 841AA	1				ETC			BRACKET, Engine Lift
		1				ETH	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

Cylinder Block, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes: SALES CODES									
[DBB]=Transmissions - All Manual									
[DGO]= Transmissions - All Automatic									
[ETC]= Engine- 5.9L Cummins 24V Diesel									
[ETH]= Engine- 5.9L H0 Cummins Turbo									
1	5011 043AA	1				ETH	DBB		BLOCK, Cylinder
		1				ETC	DGO		
		1				ETC	DBB		
2	5003 617AA	1				ETC	DBB		BUSHING, Camshaft
		1				ETC	DGO		
		1				ETH	DBB		
3	5003 615AA	14				ETC			BOLT, Hex Head
		14				ETH	DBB		
4									CAP, (NOT SERVICED) (Not Serviced)
5	4797 725	5				ETC			PLUG, Cylinder Block Oil Hole
6	4429 735	4				ETC			PLUG, Expansion
7									PLUG, Expansion
	4429 956	3				ETC			
		3				ETH	DBB		
8	4429 068	14				ETC			DOWEL, Block To Clutch Housing
		14				ETH	DBB		
9	4429 343	2				ETC			DOWEL, Ring
		2				ETH	DBB		
10	5003 606AA	6				ETC			JET, Piston Oil Cooler
	5003 606AB	6				ETH	DBB		
11									PLUG, Expansion
	4429 687	1				ETC			
		1				ETH	DBB		
12	4429 257	2				ETC			DOWEL, Front Cover
		2				ETH			
13	4429 568	2				ETC			PLUG, Pipe

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cylinder Block, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ETH	DBB		
14	5003 614AA	4				ETC			PLUG, Expansion
		2				ETH	DBB		
15	5003 605AA	1				ETC			PLUG, Expansion
		1				ETH	DBB		
16	4429 068	2				ETC			DOWEL, Block To Clutch Housing
		14				ETH	DBB		
17	4429 955	6				ETC			PLUG, Expansion
		3				ETH	DBB		
18	4429 958	2				ETC			PLUG, Expansion
		1				ETH	DBB		
19	5011 781AA	1				ETC			PLUG, Cylinder Block
		1				ETH	DBB		
20	4882 037	1				ETC			O RING
		1				ETH	DBB		
21	4429 369	1				ETC			PLUG, Pipe
		1				ETH	DBB		
22	4882 110	1				ETH	DBB		SCREW, Hex Head, M8x1.25x16
		1				ETC	DG0		
		1				ETC	DBB		
23	4429 166	AR				ETC			SLEEVE, Cylinder Block
24	5011 792AA	3				ETC			SCREW, Hex Head
		3				ETH	DBB		
25	4429 959	2				ETC			NUT, Tappet Cover
		2				ETH	DBB		
26	4429 960	2				ETC			WASHER, Plain
		2				ETH	DBB		
27									SEAL, Grommet O-Ring


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cylinder Block, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5003 620AA	6				ETC			
		6				ETH	DBB		
28	4798 940	1				ETC			GASKET, Camshaft Cover
		1				ETH	DBB		
29	5003 621AA	3				ETC			SPACER
		3				ETH	DBB		
30	5014 179AA	1				ETC			COVER, Camshaft
		1				ETH	DBB		
31	5015 551AA	1				ETC			COVER, Camshaft
		1				ETH	DBB		
32	5011 794AA	1				ETC			BRACKET
		1				ETH	DBB		
33	4798 889	1				ETC			CORD, Engine Block Heater
		1				ETH	DBB		
34	5003 619AA	1				ETC			HEATER, Engine Block
		1				ETH	DBB		
35	5011 913AA	1				ETC	DBB		PLUG
		1				ETC	DG0		
		1				ETH	DBB		
36	5003 647AA	1				ETH	DBB		O RING, Oil Cooler
		1				ETC	DG0		
		1				ETC	DBB		
-37	5013 690AA-	1				ETC			PLUG, Crank Sensor Hole Plate
-38	5011 856AA-	1				ETC			SCREW, Crank Sensor Hole Plate
									Attach
-39	5014 528AA-	AR				ETC			GASKET KIT, Lower Engine Set

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Crankshaft and Piston, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note; Sales Codes
[DBB]= All Manual Transmissions
[DG0]= All Automatic Transmissions
[ETC]= 5.9L Cummins 24 Valve Diesel Engines
[ETH]= 5.9L High Output Cummins Turbo Diesel

1	5017 775AA	1				ETC	DG0		CRANKSHAFT
		1				ETC	DBB		
		1				ETH	DBB		
2	4882 036	1				ETC			GEAR, Crankshaft
		1				ETH	DBB		
3	4429 483	1				ETC			PIN, Crankshaft Gear
		1				ETH			
4	5011 783AA	1				ETC			TONE RING, Sensor
		1				ETH			
5	5011 784AA	5				ETC			SCREW
		5				ETH			Fits ETC & ETH
6	4429 070	1				ETC			BEARING KIT, Crankshaft, Standard
		1				ETH	DBB		
-7									BEARING KIT, Crankshaft, .25mm
	4429 271	AR				ETC			Oversize
		1				ETH	DBB		
-8									BEARING KIT, Crankshaft, .50mm
	4429 272	AR				ETC			Oversize
		1				ETH	DBB		
-9									BEARING KIT, Crankshaft, .75mm
	4429 273	AR				ETC			Oversize
		1				ETH	DBB		
-10									BEARING KIT, Crankshaft, 1.00mm
	4429 274	AR				ETC			Oversize
		1				ETH	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005




Crankshaft and Piston, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11									BEARING, Crankshaft Thrust, .50 mm U/S
	5012 552AA	AR 1				ETC ETH			
-12									BEARING, Crankshaft Thrust, 1.00 mm U/S
	5012 551AA-	1 1				ETC ETH			
13									SLEEVE, Wear
	5011 935AA	1 1				ETC ETH	DBB		
14									SLEEVE KIT, Wear
	4897 876AA	1 1				ETC ETH	DBB		
15									BEARING, Connecting Rod, STD.
	4429 175	12 12				ETC ETH	DBB		
-16									BEARING, Connecting Rod, .25 mm U/S
	4429 171	AR AR				ETC ETH			
-17									BEARING, Connecting Rod, .50 mm U/S
	4429 172	AR AR				ETC ETH			
-18									BEARING, Connecting Rod, .75 mm U/S
	4429 173	AR AR				ETC ETH			
-19									BEARING, Connecting Rod, 1.00 mm U/S
	4429 174	AR AR				ETC ETH			
20									ROD, Connecting
	5003 649AA	6 6				ETC ETH	DBB		
21									SCREW, Connecting Rod, 24x.44
	4429 919	12 12				ETC ETH	DBB		
22									BUSHING, Serviced in Rod, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005




Crankshaft and Piston, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
23									PISTON AND RINGS, Diesel Engine,
									A Grade
	5015 810AA	6				ETC			
	5018 093AA	6				ETH	DBB		
-24									PISTON AND RINGS, Diesel Engine,
									B Grade
	5015 811AA-	6				ETC			
	5019 614AA-	6				ETH	DBB		
-25									PISTON AND RINGS, Diesel Engine,
									C Grade
	5015 812AA-	6				ETC			
	5019 615AA-	6				ETH	DBB		
-26									PISTON AND RINGS, Diesel Engine,
									.50MM Oversize
	5015 813AA-	AR				ETC			
	5019 612AA-	6				ETH	DBB		
-27									PISTON AND RINGS, Diesel Engine,
									1.00MM Oversize
	5015 814AA-	AR				ETC			
	5019 613AA-	6				ETH	DBB		
28									RING KIT, Piston, Standard
	5011 858AA	6				ETC			
		6				ETH			
-29									RING KIT, Piston, .50MM Oversize
	5011 942AA-	AR				ETC			
		6				ETH			
-30									RING KIT, Piston, 1.00MM Oversize
	5011 870AA-	AR				ETC			
		6				ETH			
31									RING, Piston Pin
	5003 650AA	12				ETC			
		12				ETH	DBB		
32									PIN, Piston
	5015 706AA	6				ETC			
		6				ETH	DBB		


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Flywheel and Torque Converter, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes
[DBB]= All Manual Transmissions
[DG0]= All Automatic Transmissions
[ETC]= 5.9L 24 Valve Cummins Diesel
[ETH]= 5.9I High Output Cummins Turbo Diesel
[ET0]= All 5.9L Turbo Diesels


1	4429 630	2				ETC			BOLT, Hex Head
		2				ETH	DBB		
2	4429 248	1				ETC	DBB		PLUG, Adaptor Plate
		1				ETC	DG0		
		1				ETH	DBB		
3	4429 260	1				ETC			O RING, Transmission Adapter Plug
		1				ETH	DBB		
4	4638 817	1				ETC			HOUSING, Rear Main Seal
		1				ETH	DBB		
5	5015 705AA	1				ETC	DG0		SEAL
		1				ETC	DBB		
		1				ETH	DBB		
6	4429 678	2				ETC			PIN, Dowel
		2				ETH	DBB		
7	4429 638	6				ETC			BOLT, Hex Head
		6				ETH	DBB		
8	4761 248	8				ETC			BOLT, Flywheel Housing
		8				ETH	DBB		
9	4874 537	1				ETC			ADAPTER, Transmission
		1				ETH	DBB		
10	4761 247	1				ETC			COVER, Flywheel Housing
		1				ETH	DBB		
11	4856 021	1				ETC			GASKET, Rear Cover

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Flywheel and Torque Converter, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ETH	DBB		
12	6501 681	8				ETC	DBB		WASHER, Flat
		8				ETH	DBB		
13	6501 680	8				ETC	DBB		SCREW, Hex Head, M12x1.25x34.00
		8				ETH	DBB		
14	5015 624AA	1				ETC	DBB		FLYWHEEL
	5018 079AA	1				ETH	DBB		
15	4429 903	1				ETC	DBB		GEAR, Ring
		1				ETH	DBB		
16	5015 625AA	1				ETC	DBB		BEARING, Pilot
		1				ETH	DBB		
17	4429 522	8				ETC	DG0		SCREW, Cap
18	4798 968	1				ETC	DG0		PLATE, Drive Plate Backing
19	5015 709AA	1				ETC	DG0		PLATE, Torque Converter Drive
-20	6033 439	6				ET0	DG0		BOLT, Hex Head, .37-24x.55
21	5211 8868	1				ET0	DG0		CONVERTER, Torque

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Torque Converter Cooler, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-420


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Code									
[DBB]= All Manual Transmissions									
[DG0]= All Automatic Transmissions									
[ETC]= 5.9L, 24 Valve Cummins Diesel									
1	4429 369	1				ETC			PLUG, Pipe
2									PLUG
	5011 913AA	1				ETC	DBB		
		1				ETC	DG0		
3									O RING, Oil Cooler
	5011 914AA	1				ETC	DBB		
		1				ETC	DG0		
4	4429 630	5				ETC	DG0		BOLT, Hex Head
5	4883 885AA	1				ETC	DG0		COUPLING, Hose
6	5011 405AA	2				ETC	DG0		HOSE, Oil Cooler
7	5011 409AA	2				ETC	DG0		HOSE, Oil Cooler
8	4429 089	2				ETC	DG0		CLAMP, Tube Retaining
9	4429 089	2				ETC	DG0		CLAMP, Tube Retaining
10	5011 900AA	8				ETC	DG0		CLAMP, Heater
11	5014 171AA	1				ETC	DG0		TUBE, Oil Cooler
12	5011 918AA	1				ETC	DG0		TUBE, Oil Cooler
13	5014 861AA	1				ETC	DG0		COOLER, Torque Converter
14	4429 568	2				ETC			PLUG, Pipe
15	4429 114	1				ETC	DG0		SCREW, Hex Flange Head
16	4429 689	1				ETC	DG0		NUT, Hex Flange

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Camshaft and Valves, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes									
[DBB]= All Manual Transmissions									
[ETC]= 5.9L, 24 Valve Cummins Diesel									
[ETH]= 5.9L High Output Cummins Turbo Diesel									
1									VALVE, Crosshead
	5011 477AA	12				ETC			
		12				ETH	DBB		
2	5011 892AA	12				ETC			PUSH ROD, Valve
		12				ETH	DBB		
3	5011 893AA	12				ETC			SCREW, Hex Head
		12				ETH	DBB		
4	5011 896AA	12				ETC			SHAFT, Rocker Arm
	5016 647AA	12				ETH	DBB		
5	5011 898AA	6				ETC			SUPPORT, Rocker Arm
		6				ETH	DBB		
6									SOCKET, Serviced in Rocker Lever, (NOT SERVICED) (Not Serviced)
7									CLIP, Serviced in Rocker Lever, (NOT SERVICED) (Not Serviced)
8	4638 530	12				ETC			NUT
		12				ETH	DBB		
9	5011 899AA	12				ETC			SCREW, Rocker Lever Adjusting
		12				ETH	DBB		
10	5011 431AA	6				ETC			ROCKER ARM, Intake
		6				ETH	DBB		
11	5011 432AA	6				ETC			ROCKER ARM, Exhaust
		6				ETH	DBB		
12	5011 790AA	12				ETC			TAPPET, Valve
		12				ETH	DBB		
13	5019 345AA	1				ETC			CAMSHAFT KIT, Engine

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Camshaft and Valves, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ETH	DBB		
14	4429 332	1				ETC			KEY, Woodruff
		1				ETH	DBB		
15	4429 227	2				ETC			SCREW, Cap, .437-20x1.812
		2				ETH	DBB		
16	4798 890	1				ETC			SUPPORT, Camshaft Thrust
		1				ETH	DBB		
17	5011 878AA	48				ETC			LOCK, Valve Spring Retainer
		48				ETH			
18	5011 877AA	12				ETC			VALVE, Exhaust, Standard
		12				ETH	DBB		
19	5011 879AA	12				ETC			VALVE, Intake, Standard
		12				ETH	DBB		
20	5011 455AA	24				ETC			RETAINER, Valve Spring
		24				ETH	DBB		
21	5011 441AA	24				ETC			SPRING, Valve
		24				ETH	DBB		
22	5016 333AA	12				ETC			SEAL, Valve Guide
		12				ETH			
23	5011 881AA	12				ETC			SEAL, Valve Guide
		12				ETH	DBB		
24									INSERT, Intake Valve, Service in Cylinder Head Assy, (NOT SERVICED) (Not Serviced)
25									INSERT, Exhaust Valve, Service in Cylinder Head Assy, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Timing Gear and Cover, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[DBB]= All Manual Transmissions									
[ETC]= 5.9L, 24 Valve Cummins Diesel									
[ETH]= 5.9L High Output Cummins Turbo Diesel									
1									SCREW, Hex Head, M8x1.25x50
	4429 633	8				ETC			
		8				ETH	DBB		
2									SCREW, Hex Head
	4882 109	10				ETC			
		8				ETH	DBB		
3									COVER, Timing Belt
	5014 190AA	1				ETC			
		1				ETH	DBB		
4									SEAL, Front Main Crankshaft
	5012 290AA	1				ETC			
		1				ETH	DBB		
5									CASE, Front
	5017 752AA	1				ETC	DG0		
		1				ETH	DBB		
6									SCREW, Hex Head, M8x1.25x50
	4429 633	2				ETC			
		2				ETH	DBB		
7									SCREW, Cap
	5017 753AA	5				ETC	DBB		
		5				ETH	DBB		
8									GASKET, Gear Housing
	5011 433AA	1				ETC			
		1				ETH	DBB		
9									DAMPER, Crankshaft
	5011 800AA	1				ETC			
		1				ETH	DBB		
10									SCREW, Hex Head Push Rod Point, 24x.44
	4429 857	1				ETC			
		4				ETH	DBB		
11									GASKET, Oil Filler Connector
	4429 475	1				ETC			
		1				ETH	DBB		
12									SCREW, Hex Head
	5014 222AA	1				ETC			


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Timing Gear and Cover, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-610




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ETH	DBB		
13	4761 242	1				ETC			SCREW, Hex Head, M8x1.25x45
		1				ETH	DBB		
14	5014 194AA	1				ETC			P CLIP
		1				ETH	DBB		
15	4429 316	1				ETC			NUT
		1				ETH	DBB		
16	5014 195AA	1				ETC			CLAMP
		1				ETH	DBB		
17	5015 076AA	1				ETC			HOSE, Engine Vent Line
		1				ETH	DBB		
18	5014 196AA	1				ETC			BREATHER, Crankcase
		1				ETH	DBB		
19	5018 188AA	1				ETC			COVER, Engine
		1				ETH			
20	5018 185AA	1				ETC			CLAMP
		1				ETH			
21	5018 186AA	1				ETC			STRAP, Canister
		1				ETH			
22	5018 187AA	1				ETC			HOUSING, Oil Fill
		1				ETH			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Engine Oiling, 5.9L Diesel [ETC,ETH] Figure 5.9LD-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; SALES CODES [DBB]= All Manual Transmissions [DG0]= All Automatic Transmissions [ETC]= 5.9L, 24 Valve Cummins Diesel [ETH]= 5.9L High Output Turbo Diesel									
1	4429 630	4				ETC			BOLT, Hex Head
		4				ETH	DBB		
2	5003 694AA	1				ETC			GASKET, Oil Pan
		1				ETH	DBB		
3	5010 479AB	1				ETC			GASKET, Oil Suction Pipe
		1				ETH	DBB		
4	4761 331	33				ETC			SCREW, Hex Flange Head
		33				ETH	DBB		
5	4882 049	1				ETC			WASHER, Oil Pan Drain Plug
		1				ETH	DBB		
6	4746 685	3				ETC			BOLT, Hex Head, M8x1.25x49
		3				ETH	DBB		
7	4762 073	1				ETC			PAN, Engine Oil
		1				ETH	DBB		
8	4778 578	1				ETC			PLUG, Oil Drain
		1				ETH	DBB		
9	4883 926AA	1				ETC			PICKUP, Engine Oil
		1				ETH	DBB		
10	4429 677	4				ETC			SCREW, Hex Head Header Point, 24x.44
		4				ETH	DBB		
11	5010 965AA	1				ETC			PUMP, Engine Oil
		1				ETH	DBB		

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Engine Oiling, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-710


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12									INDICATOR, Engine Oil Level, Stamped 3947553
	5017 784AA	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DBB		
13	4882 110	1				ETC			SCREW, Hex Head, M8x1.25x16
		1				ETH	DBB		
14									NUT, Clip-On
	5017 782AA	1				ETC			
		1				ETH	DBB		
15	4429 638	1				ETC	DBB		BOLT, Hex Head
		1				ETC	DG0		
		1				ETH	DBB		
16	5017 777AB	1				ETC			TUBE, Engine Oil Indicator
		1				ETH			
17	5017 783AA	1				ETC			SEAL, O-Ring
		1				ETH			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Manifold, Intake and Exhaust, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[DBB]= All Manual Transmissions									
[ETC]= 5.9L, 24 Valve Cummins Diesel									
[ETH]= 5.9L High Output Cummins Turbo Diesel									
1									SPACER, Exhaust Manifold
	5015 717AA	12				ETC			
		12				ETH	DBB		
2	5012 557AA	11				ETC			SCREW, Cap
		11				ETH	DBB		
3	4638 695	3				ETC			SCREW, Fuel Tube Cap
		3				ETH	DBB		
4	5010 167AA	1				ETC			GASKET, Intake Manifold Cover
		1				ETH	DBB		
5	5011 908AA	1				ETC			COVER, Intake Manifold
		1				ETH	DBB		
6	5014 170AA	1				ETC			MANIFOLD, Exhaust
		1				ETH	DBB		
7	5015 719AA	6				ETC			GASKET, Exhaust Manifold
		6				ETH	DBB		
8	5014 169AA	1				ETC			SCREW
		1				ETH	DBB		
9	4638 761	2				ETC			BOLT, Hex Head, M8x1.25x80
		2				ETH	DBB		
10	5011 840AA	1				ETC			CONNECTOR, Air Intake
		1				ETH	DBB		
11									PLATE, (NOT SERVICED) (Not Serviced)
12									HEATER, Engine
	4762 012	1				ETC			
		1				ETH	DBB		
13									GASKET, Air Intake Connector

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Manifold, Intake and Exhaust, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5010 480AA	2				ETC			
		2				ETH	DBB		
14	5011 465AA	2				ETC			SCREW
		2				ETH	DBB		
-15	5072 387AA-	4				ETC			LOCK, Exhaust Manifold
		4				ETH	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Engine Oil Cooler, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-1110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[DBB]= All Manual Transmissions

[ETC]= 5.9L, 24 Valve Cummins Diesel

[ETH]= 5.9L High Output Cummins Turbo Diesel


1									SCREW, Hex Head Header Point, 24x.44
	4429 634	12				ETC			
		12				ETH	DBB		
2									PLUG, Pipe
	4429 619	1				ETC			
		1				ETH	DBB		
3									PLUG, Pipe
	4429 386	1				ETC			
		1				ETH	DBB		
4									PLUNGER, Oil Pressure Regulator
	4638 712	1				ETC			
		1				ETH	DBB		
5									HEAD, Oil Filter
	5014 193AA	1				ETC			
		1				ETH	DBB		
6									ADAPTER, Oil Filter
	4429 355	1				ETC			
		1				ETH	DBB		
7									SCREW, Hex Flange Head
	4883 965AA	2				ETC			
		2				ETH	DBB		
8									SPRING, Oil Pressure Relief Valve
	4761 985	1				ETC			
		1				ETH	DBB		
9									VALVE, Oil Pressure Relief
	4797 726	1				ETC			
		1				ETH	DBB		
10									O RING, Oil Cooler
	5003 647AA	1				ETC			
		1				ETH	DBB		
11									COOLER, Engine Oil
	4713 985	1				ETC			
		1				ETH	DBB		
12									GASKET, Oil Cooler
	5003 481AA	1				ETC			

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Engine Oil Cooler, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-1110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ETH	DBB		
13	5011 438AA	1				ETC			GASKET, Oil Cooler
		1				ETH	DBB		
14	5016 547AA	1				ETC			FILTER, Engine Oil
	5016 547AB	1				ETH			




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Oil Lines, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-1115



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[DBB]= All Manual Transmissions

[ETC]= 5.9L, 24 Valve Cummins Diesel

[ETH]= 5.9L High Output Cummins Turbo Diesel

1									CLAMP
	5011 920AA	2				ETC			
		2				ETH	DBB		BOLT, Hex Head
2	4429 630	2				ETC			
		2				ETH	DBB		
3	5003 605AA	1				ETC			PLUG, Expansion
		1				ETH	DBB		
4	5016 648AA	1				ETC			O RING, Turbo Oil Drain Tube
		1				ETH	DBB		
5	5011 922AA	1				ETC			FITTING, Oil Feed Line
		1				ETH	DBB		
6	5011 921AA	1				ETC			O RING, Turbo Oil Drain Tube
		1				ETH	DBB		
7	5015 575AA	1				ETC			HOSE, Turbocharger Feed
		1				ETH	DBB		
8	5011 924AA	1				ETC			O RING, Turbo Oil Drain Tube
		1				ETH	DBB		
9	4429 183	1				ETC			HOSE, Turbo Oil Drain
		1				ETH	DBB		
10	5011 412AA	1				ETC			TUBE, Turbo Oil Drain
		1				ETH	DBB		
11	5016 650AA	1				ETC			TUBE, Turbo Oil Drain
		1				ETH	DBB		
12	5011 430AA	1				ETC			GASKET, Turbo Oil Drain Pipe
		1				ETH	DBB		
13									TUBE, Turbo Oil Drain


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Oil Lines, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-1115



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5011 412AA	1				ETC			
		1				ETH	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 011

Exhaust

GROUP 11 - Exhaust

Illustration Title


Group-Fig. No.



Exhaust System

Exhaust System, 3.9L [EHC], 5.2L [ELF],5.9 L Light Duty [EML]	Fig. 011-110
Exhaust System, 5.9L Heavy Duty [EMM], 8.0L [EWA]	Fig. 011-115
Exhaust System, 5.9L Diesel [ETC,ETH]	Fig. 011-120


Heat Shields

Heat Shields, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA]	Fig. 011-210
--	--------------



011-100 Exhaust System	011-200 Heat Shields		
			

Exhaust System, 3.9L [EHC], 5.2L [ELF],5.9 L Light Duty [EML]
Figure 011-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[DD0]= All 5 Speed Manual Transmissions

[DG0]= All Automatic Transmissions

[EH0]= All 3.9L Gas Engines

[EL0]= All 5.2L Gas Engines

[EML]= Magnum 5.9L V-8

[EM0]= All 5.9L Gas Engines

[EW0]= All 8.0L Gas Engines

1	6035 375	4				EH0,			BOLT, Hex Head, .375-16x2.50
2	4004 001	4				EL0, EM0			RETAINER, Exhaust Pipe to Manifold
3	0154 732	4				EH0, EL0,			NUT, Hex, .375-16
4	52103 203AM	1				EM0, EW0			CONVERTER, Catalytic
	52103 345AC	1				EH0			Federal, Export
	52103 344AE	1				ELF, EML	DG0		California
	52103 345AC	1				ELF, EML	DD0		California
	52103 203AK	1				EML			Leaded Fuel
5	5202 0003	1			62, 65	EH0,			PIPE, Exhaust
						EL0, EML			
-6	52103 179AA-	1	3, 8		63	EML			PIPE, Exhaust Extension
	52103 180AB-	1	3, 8		64	EML			
7	5201 8855	1			62, 65	EH0, EL0, EML			HANGER, Exhaust
-8	5201 9513	2	3, 8		64	EML			BRACKET, Converter Hanger
		1	3, 8		63	EML			
9	3420 1888	2							SCREW, Hex Head

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Exhaust System, 3.9L [EHC], 5.2L [ELF],5.9 L Light Duty [EML]
Figure 011-110


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-10	3420 1888	6	3, 8		64	EML			SCREW, Hex Head
11	4004 445	1				EH0, ELO, EML			CLAMP, Exhaust
12	5201 7607	2							INSULATOR, Exhaust
13									MUFFLER, Exhaust
	5210 3153	1				EH0			
	5210 3158	1				ELO			
	5210 3159	1				EML			
14									TAILPIPE, Exhaust
	5210 3094	1				EH0, ELO EML			
15	52018 890AB	1							BRACKET, Muffler
16	3420 1888	3							SCREW, Hex Head
17	5210 3053	1				EH0, ELF, EML, EW0			HANGER, Tailpipe
18	6100 584	2							BOLT AND CONED WASHER, Hex Head, M8x30x20
19	4616 750	2							ISOLATOR, Exhaust Support

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, ELO = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Exhaust System, 5.9L Heavy Duty [EMM], 8.0L [EWA]
Figure 011-115



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EMM]= Magnum 5.9L V-8									
[EM0]= All 5.9L Gas Engines									
[EW0]= All 8.0L Gas Engines									
1	6035 375	4				EH0, EL0, EM0			BOLT, Hex Head, .375-16x2.50
-2									BOLT, Hex Flange Head, .375-16 x 2.75, 8.0L, (NOT SERVICED) (Not Serviced)
3	4004 001	4				EH0, EL0, EM0, EW0			RETAINER, Exhaust Pipe to Manifold
4	0154 732	4				EH0, EL0, EM0, EW0			NUT, Hex, .375-16
5									CONVERTER, Catalytic
	52103 078AH	2	2, 3, 7, 8		62, 63, 64, 65	EMM, EW0			Federal
	52103 201AC	1	2, 3, 7, 8		62, 63, 64, 65	EW0			California
-6 7	52103 000AB-	2				EMM			RESONATOR, Exhaust, Leaded Fuel CLAMP, Exhaust
	5201 9397	2	3, 8		63, 64	EMM, EW0			
		2	2, 3, 7, 8		62, 63, 64, 65	EW0			
8									PIPE, Exhaust
	5201 8550	2	3, 8		63	EMM			
		2	3, 8		63	EW0			Federal
	5201 9171	1	3, 8		63	EW0			California
	5201 9172	1	3, 8		64	EW0			California
-9									RESONATOR, Exhaust
	5201 8551	2	3, 8		64	EW0			Federal
		2	3, 8		64	EMM			
10									HANGER, Exhaust


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Exhaust System, 5.9L Heavy Duty [EMM], 8.0L [EWA] Figure 011-115



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5201 8498	1	2, 3, 7, 8		62, 63, 64, 65	EMM, EWO			
	52018 668AB	1	2, 3, 7, 8		62, 63, 64, 65	EWO			California
11	5201 7607	2							INSULATOR, Exhaust
12	5201 7629	1	2, 3, 7, 8		62, 64, 65	EWO			HANGER, Exhaust Federal
		1	2, 3, 7, 8		62, 64, 65	EMM			
-13	5201 8666	1	2, 3, 7, 8		62, 63, 64, 65	EWO			BRACKET, Catalytic Converter, California
14	6100 584	2							BOLT AND CONED WASHER, Hex Head, M8x30x20
15	5201 9323	1				EMM EWO			MUFFLER, Exhaust
	5201 9346	1	2, 3, 7, 8		62, 63, 64, 65	EWO			California
16	5201 8623	1	2, 3, 7, 8		62, 63, 64, 65	EMM, EWO			CLAMP, Exhaust
17	52018 890AB	1							BRACKET, Muffler
18	3420 1888	2							SCREW, Hex Head
19	52103 096AB	1	2, 3, 7, 8		62, 63, 64, 65	EMM, EWO			TAILPIPE, Exhaust
20	5210 3053	1				EMM, ETO, EHO, ELF, EML, EWO			HANGER, Tailpipe
		1							
21	3420 1888	3							SCREW, Hex Head
22	4616 750	2							ISOLATOR, Exhaust Support
23									SCREW, M10x1.50x30.00, (NOT SERVICED) (Not Serviced)
24	5201 8654	1	2, 3, 7, 8		62, 63, 64, 65	EMM			BRACKET, Engine Mount


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EHO = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, ELO = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ETO= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EWO = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Exhaust System, 5.9L Heavy Duty [EMM], 8.0L [EWA] Figure 011-115



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	2, 3, 7, 8		62, 63, 64, 65	EW0			
25	5201 8497	1	7, 8		62, 63, 64, 65	EMM			BRACKET, Exhaust Pipe to T/Case
		1	7, 8		62, 63, 64, 65	EW0			
26	6502 337	2							NUT, M10x1.5
27									PIPE, Exhaust
	52006 532AD	1				EMM			Right
	52006 488AC	1	2, 3, 7, 8		62, 63, 64, 65	EW0			Right
	52103 109AD	1				EMM			Left
	52103 085AC	1	2, 3, 7, 8		62, 63, 64, 65	EW0			Left
28									CLAMP, Exhaust
	4301 081	2	3, 8		62, 63, 64	EMM			
	5201 9397	2	2, 3, 7, 8		62, 63, 64, 65	EW0			
29	52019 170AB	1	2, 3, 7, 8		62, 63, 64, 65	EW0			PIPE, Exhaust, California


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Exhaust System, 5.9L Diesel [ETC,ETH] Figure 011-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EMM]= Magnum 5.9L V-8									
[ET0]= All 5.9L Turbo Diesels									
1	6100 940	2	2, 3, 7, 8		62, 63, 64, 65	ET0			BOLT, Hex Flange Head, M10x1.5x50
2									CONVERTER, Catalytic, (NOT REQUIRED)
-3	52103 042AB-	1	2, 3, 7, 8		62, 63, 64, 65	ET0			RESONATOR, Exhaust
4									PIPE, Exhaust
	5201 9171	1	3, 8		63	ET0			
	5201 9172	1	3, 8		64	ET0			
5	5201 8532	1	3, 8		63, 64	ET0			CLAMP, Exhaust
6	5201 8666	1	2, 3, 7, 8		62, 63, 64, 65	ET0			BRACKET, Catalytic Converter
7	52018 668AB	1	2, 3, 7, 8		62, 63, 64, 65	ET0			HANGER, Exhaust
8	5201 7607	2							INSULATOR, Exhaust
9	6100 584	2							BOLT AND CONED WASHER, Hex Head, M8x30x20
10	52019 324AD	1	2, 3, 7, 8		62, 63, 64, 65	ET0			MUFFLER, Exhaust
11	5201 8623	1	2, 3, 7, 8		62, 63, 64, 65	ET0			CLAMP, Exhaust
12	52018 890AB	1							BRACKET, Muffler
13	3420 1888	3							SCREW, Hex Head
14	52103 095AB	1	2, 3, 7, 8		62, 63, 64, 65	ET0			TAILPIPE, Exhaust
15	5210 3053	1				EMM, ET0			HANGER, Tailpipe
16	3420 1888	3							SCREW, Hex Head
17	52006 534AC	1	2, 3, 7, 8		62, 63, 64, 65	ET0			PIPE, Exhaust
18									PIPE, Exhaust
	5136 024AA	1				ETC	DBB		Turbo Elbow to Exhaust
		1				ETH	DBB		Turbo Elbow to Exhaust


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Heat Shields, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA]
Figure 011-210**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EMM]= Magnum 5.9L V-8									
[EM0]= All 5.9L Gas Engines									
[EW0]= All 8.0L Gas Engines									
1	5527 4650	1				EH0, EL0, EM0,			SHIELD, Heat, Right
2	5527 5738	1				EW0 EH0, EL0, EM0,			SHIELD, Heat, Left
3	5527 4656	1				EW0 EH0, EL0,			SHIELD, Heat Right
4	5527 4738	1			62, 63, 65	EM0 EW0 EH0, EL0, EM0, EW0			Right SHIELD, Floor Pan Right
		1	3, 8		64	EH0, EL0, EM0, EW0			Right
5									NUT, [.250-20], (NOT SERVICED) (Not Serviced)
6	55274 655AB	1				EMM, EW0			SHIELD, Heat, Left
7	5200 9136	4	3, 8		63, 64	EMM, EW0			CLIP, Heat Shield
		3	2, 3, 7, 8		62, 65	EMM, EW0			
8	5205 8190	1	2, 3, 7, 8		62, 63, 64, 65	EMM, EW0			BRACKET, Heat Shield

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl. ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 .	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDP, DDX, DDC = 5 Spd. Manual DEE = 6 Spd. Manual
			EAA = All engines EAG = All gas engines	DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 013

Frames and Bumpers

GROUP 13 - Frames and Bumpers

Illustration Title

Group-Fig. No.

Frames

Frame

Fig. 013-140

Front Bumper and Fascia

Bumper, Front

Fig. 013-230

Bumper, Front, Sport

Fig. 013-235

Rear Bumper and Fascia

Rear Bumper and Licence Plate Attaching

Fig. 013-310

Body Hold Down


Body Hold Down And Front End Mounting






Fig. 013-520

Trailer Tow


Rear Hitch

Fig. 013-610



<div>013-100</div> <div>Frames</div> <div></div>	<div>013-200</div> <div>Front Bumper and Fascia</div> <div></div>	<div>013-300</div> <div>Rear Bumper and Fascia</div> <div></div>	<div>013-500</div> <div>Body Hold Down</div> <div></div>
<div>013-600</div> <div>Trailer Tow</div> <div></div>			

Frame
Figure 013-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	FRAME ASSEMBLY, Chassis								
	52020 421AC	1	1		61				
	52020 423AC	1	1		62				
	52020 325AC	1	6		61				
	52020 426AC	1	6		62				
	52020 328AC	1	3, 8		63				
	52020 329AC	1	3, 8		64				
	52020 524AC	1	2, 3		62, 65				
	52020 427AC	1	7, 8		62, 65				
2	RIVET								
	0104 114	12	1		61				
		12	1		62				
		12	2, 3		62, 65				
		12	6		62				
		12	7, 8		62, 65				
		12	3, 8		63				
		12	3, 8		64				
3	NUT AND WASHER, Hex Nut-Coned Washer, .375-16								
	6025 011	8	1		61				
		8	1		62				
		8	6		62				
		8	2, 3		62, 65				
		8	7, 8		62, 65				
		8	3, 8		63				
		8	3, 8		64				
4	BRACKET, Parking Brake								
	52020 439AB	1	1		61				
		1	1		62				
		1	6		61				
		1	6		62				
		1	2, 3		62, 65				
		1	3, 8		63				
		1	3, 8		64				
		1	7, 8		62, 65				
5	CROSSMEMBER, Fuel Tank								
	52057 523AB	1	1		61				Front
		1	6		61				Front
		1	3, 8		64				Front
	52057 524AB	1	1		62				Rear

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Frame
Figure 013-140

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	1		61				Rear
		1	3, 8		63				Rear
		1	2, 3		62, 65				Rear
		1	6		62				Rear
		1	7, 8		62, 65				Rear
		2	3, 8		64				Rear
6	52057 525AB	1	1		61				CROSSMEMBER, Rear Spring Front
		1	1		62				
		1	2, 3		62, 65				
		1	6		61				
		1	6		62				
		1	7, 8		62, 65				
		1	3, 8		63				
		1	3, 8		64				
7	4882 390AB	1	6		61				CROSSMEMBER, Transmission
		1	6		62				
	5003 051AC	1	2, 3		62, 65				
		1	7, 8		62, 65				
		1	3, 8		63				
		1	3, 8		64				
	5205 8460	1	1		61				
		1	1		62				
8									BRACKET, Frame
	5205 7527	2	1		61				
		2	1		62				
		2	6		61				
		2	6		62				
		2	2, 3		62, 65				
		2	7, 8		62, 65				
		2	3, 8		63				
		2	3, 8		64				
9									BRACKET, Cab
	5205 7544	2	1		61				
		2	1		62				
		2	6		62				
		2	6		61				
		2	2, 3		62, 65				
		2	7, 8		62, 65				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Frame
Figure 013-140

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	5205 7866	2	3, 8		63				BRACKET, Shackle
		2	3, 8		64				
		2	1		61				
		2	1		62				
11	52057 922AC	2	6		61				RAIL, Rear Right
		2	6		62				
		1	1		61				
		1	2, 3		62, 65				
12	52057 860AC	1	7, 8		62, 65				RAIL, Rear Left
		1	1		61				
		1	6		61				
		1	2, 3		62, 65				
13	52057 861AC	1	7, 8		62, 65				BRACKET, Cab
		2	1		61				
		2	1		62				
		2	6		61				
-14	5205 8417	2	6		62				BRACKET, Jounce Bumper
		2	2, 3		62, 65				
		2	7, 8		62, 65				
		2	3, 8		63				
15	5205 8657	2	3, 8		64				BRACKET, Shackle
		2	1		61				
		2	1		61				
		2	1		61				
16	5205 7964	2	2, 3		62, 65				BRACKET, Spring
		2	7, 8		62, 65				
		2	3, 8		64				
		2	3, 8		63				
17	5205 8603	1	2, 3		62, 65				BRACKET, Idler Arm
18	52058 604AD	2	2, 3		62, 65				BRACKET, Upper Control Arm
19	5205 8224	2	6		62				CUP, Jounce Bumper
		2	7, 8		62, 65				
		2	3, 8		64				
		2	6		61				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Frame
Figure 013-140

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	3, 8		63				
20									BRACKET, Jounce Bumper
	5205 8417	2	1		61				
		2	1		62				
		2	6		62				
21									ADAPTER, Frame To Body
	5205 8418	2	2, 7		65				
	52019 897AB	4	3, 8		64				
		2	3, 8		63				
22	5205 8068	2	2, 7		65				BRACKET, Frame
23									CROSSMEMBER, Radiator
	5015 412AB	1	3, 8		63				
		1	3, 8		64				
		1	7, 8		62, 65				
		1	2, 3		62, 65				
		1	6		61				
		1	1		62				
		1	6		62				
		1	1		61				
24									CROSSMEMBER, K Type
	4773 168AB	1	1		61				
		1	1		62				
		1	6		62				
		1	6		61				
		1	3, 8		63				
		1	3, 8		64				
		1	7, 8		62, 65				
		1	2, 3		62, 65				


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Bumper, Front
Figure 013-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BRACKET, Front Bumper
	5523 4724	1							Right
	5523 4725	1							Left
2									BOLT, Bumper to Bracket, (NOT SERVICED) (Not Serviced)
3									SCREW, (NOT SERVICED) (Not Serviced)
4									NUT, (NOT SERVICED) (Not Serviced)
5									NUT, (NOT SERVICED) (Not Serviced)
6	5523 5115	1							SEAL, Radiator
7	6101 308	10							NUT, U, M6x1
8									BUMPER, Front
	55076 599AD	1							Chrome
	5011 476AD	1							Dark Silver
-9	55295 455AB-	1							BRACKET, License Plate
10									SHIELD, Bumper
	5507 6600	1							[-LNJ], Right
	5507 6601	1							[-LNJ], Left
	55076 786AB	1							[LNJ], Right
	55076 787AB	1							[LNJ], Left
11	6503 938	4							RIVET, Blind, .25xM4/M7
12	55076 610AB	1							FASCIA, Front, Upper
-13	6033 018	2							FASTENER, Hood Silencer, Valance to (For Square Holes) Bumper
-14	6503 698	8							SCREW AND WASHER, Truss Head, M6-1.00x30.00
15	55076 614AB	1							FASCIA, Front, Lower
16									AIR DAM
	5527 4811	1							Air
	55077 350AA	1							with Tow Hooks [XEA]
-17	3420 1631	18							RIVET, M6.25x28 Black
18	6503 698	5							SCREW AND WASHER, Truss Head, M6-1.00x30.00
19									BRACKET, Front Bumper
	55076 778AB	1							Right
	55076 779AB	1							Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Bumper, Front, Sport
Figure 013-235



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									FASCIA, Front, Primed
	5013 818AD	1							without Tow Hooks
	5016 301AA	1							with Tow Hooks
2	55077 011AB	1							BEAM, Front Bumper
3	55077 012AB	1							STRIP, Front Fascia, Black
4	6101 402	8							SCREW, Pan Head, M5x.80x125
5									NUT, Hex, .42-14, (NOT SERVICED) (Not Serviced)
-6	56021 863AB-	1							WIRING, Fog Lamp Jumper
7	6503 698	5							SCREW AND WASHER, Truss Head, M6-1.00x30.00
8	6503 221	4							PIN
9	6504 394	4							BOLT AND RETAINER, M12X1. 75X35.00
10	6504 118	5							U-NUT, M6 x 1.00, M6x1.00
11	6504 790	6							BOLT, Square Neck, M12x1.75x30.5
12									NUT, U, M6x1, (NOT SERVICED) (Not Serviced)
13									BRACKET, Front Bumper
	55077 014AB	1							Right
	55077 015AB	1							Left
14	6503 938	4							RIVET, Blind, .25xM4/M7
15									SCREW, Pan Head, M8x1.25x35, (NOT SERVICED) (Not Serviced)
16	55077 019AB	1							SUPPORT, Front Fascia
17	6502 697	8							NUT, Hex Flange Lock, M12x1.75
18									BRACKET, Front Bumper
	55077 022AB	1							Right
	55077 023AB	1							Left
19									BOLT AND RETAINER, M12X1. 75X32.50, (NOT SERVICED) (Not Serviced)
20	55076 970AC	1							PANEL, Front Facsia
21									BRACKET, Front Bumper
	55076 972AC	1							Right
	55076 973AC	1							Left
-22	55077 064AB-	1							BRACKET, License Plate

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Rear Bumper and Licence Plate Attaching
Figure 013-310


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BUMPER, Rear
	55076 634AD	1							Bright
	5FG80 DX8AE	1							Black
	5FG80 GW7AE	1							White
	5FG80 KSJAE	1							Dark Silver
	5FG80 PR4AE	1							Red
	5FG80 SG8AE	1							Green
	5FG80 VB3AE	1							Blue
	5FG80 VYHAE	1							Yellow
	5FG80 WS2AE	1							Bright Silver
	5FG80 WSBAE	1							Dark Charcoal
	5FG80 XV3AE	1							Amber Fire
2	5527 4863	2							BRACKET, Rear Bumper
3	6504 394	2							BOLT AND RETAINER, M12X1.75X35.00
4	6505 099AA	6							NUT, Hex Flange Lock, M12x1.75
5									BRACKET, Rear Bumper Side
	5527 4868	1							Right
	5527 4869	1							Left
6	6504 122	2							BOLT, m12x1.75x35.00
7	6100 055	4							NUT AND WASHER, Hex Nut-Coned
									Washer, M12 x 1.75
8	6504 395	2							BOLT AND RETAINER, M12X1.75X35.00
9									BRACKET, License Plate
	55077 064AB	1							Kit w/Bracket, Bag and Screws
	55295 455AB	1							Kit Plate Attaching Hardware
10	3738 921	1	2, 3, 7, 8		63, 64, 65				BRACKET, License Plate
11	6027 958	2							NUT, Snap In, .25
12									SCREW, (NOT SERVICED) (Not Serviced)
13									STEP PAD, Rear Bumper
	5503 4460	1							Right
	5503 4461	1							Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Body Hold Down And Front End Mounting
 Figure 013-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5527 4855	2							CUSHION, Body Hold Down, Load
2	5527 4857	2							CUSHION, Body Hold Down, Front Load
3	5527 4828	2							CUSHION, Body Hold Down Club Cab (Green)
	5527 4853	2							Rear Load
-4	5523 4693	6							INSULATOR, Body Hold Down
	5527 4831	6							Club Cab
5	6501 557	6							BOLT, Hex Flange Head, M12x1.75x95.50


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Rear Hitch Figure 013-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 7492	1		L					RECEIVER KIT, Trailer Tow
2	6503 252	8							BOLT, Hex Flange Head, M12x1.75x45
3	6031 635	8							NUT, Push
4	6100 055	6							NUT AND WASHER, Hex Nut-Coned Washer, M12 x 1.75




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005




Group – 014









Fuel



Group – 014


Fuel

014-900 Air Intake System	014-1000 Speed Control	014-1100 Accelerator Pedal	
			

014-100 Tank, Fuel	014-200 Fuel Tank Filler Tube	014-300 Fuel Lines	014-400 Fuel Rail
			
014-500 Fuel Pump and Sending Unit	014-600 Throttle Body	014-700 Throttle Controls	014-800 Air Cleaner
			

GROUP 14 - Fuel		GROUP 14 - Fuel	
Illustration Title	Group-Fig. No.	Illustration Title	Group-Fig. No.
Tank, Fuel		Speed Control	
Fuel Tank, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH] . . .	Fig. 014-110	Speed Control, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH]	Fig. 014-1010
Skid Plates	Fig. 014-115	Accelerator Pedal	
Fuel Tank Filler Tube		Accelerator Pedal, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH]	Fig. 014-1110
Fuel Filler Tube, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH]	Fig. 014-210		
Fuel Lines			
Fuel Lines, Front, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA]	Fig. 014-310		
Fuel Lines, Rear, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH]	Fig. 014-315		
Fuel Lines, 5.9L Diesel [ETC,ETH]	Fig. 014-320		
Fuel Injector, 5.9L Diesel [ETC,ETH]	Fig. 014-330		
Air Fuel Control and Fuel Filter, 5.9L Diesel [ETC,ETH]	Fig. 014-335		
Fuel Rail			
Fuel Rail, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA]	Fig. 014-410		
Fuel Pump and Sending Unit			
Fuel Module, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH] . .	Fig. 014-510		
Fuel Injection Pump, 5.9L Diesel [ETC,ETH]	Fig. 014-520		
Fuel Accessories, 5.9L Diesel [ETC,ETH]	Fig. 014-525		
Fuel Pump Transfer Conversion	Fig. 014-535		
Throttle Body			
Throttle Body, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA]	Fig. 014-610		
Turbocharger, 5.9L Diesel [ETC,ETH]	Fig. 014-620		
Throttle Controls			
Throttle Controls, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA]	Fig. 014-710		
Throttle Controls, 5.9L Diesel [ETC,ETH]	Fig. 014-720		
Air Cleaner			
Air Cleaner, 3.9L [EHC], 5.2L [ELF], 5.9L [EML]	Fig. 014-810		
Air Cleaner, 5.9L [EMM]	Fig. 014-815		
Air Cleaner, 8.0L [EWA]	Fig. 014-820		
Air Cleaner, 5.9L Diesel [ETC,ETH]	Fig. 014-825		
Air Intake System			
Air Intake System, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM]	Fig. 014-910		
Air Intake System, 8.0L [EWA]	Fig. 014-915		
Air Intake System, 5.9L Diesel [ETC,ETH]	Fig. 014-920		
Charge Air Cooler System, 5.9L Diesel [ETC,ETH]	Fig. 014-930		

Fuel Tank, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH]
Figure 014-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EML]= Magnum 5.9L V-8									
[EMM]= Magnum 5.9L V-8									
[EM0]= All 5.9L Gas Engines									
[ET0]= All 5.9L Turbo Diesels									
[EW0]= All 8.0L Gas Engines									
1									TANK, Fuel
	52102 072AD	1				EH0, EL0, EML			26 Gallon
	52102 076AE	1			61, 62	EH0, EL0, EM0, EW0			35 Gallon
		1	2, 3, 7, 8		63, 64, 65	EM0, EW0 ET0			35 Gallon
2	52102 080AD	1							35 Gallon
	52102 058AC	1							STRAP, Fuel Tank Front
3	5210 2059	1							Rear
4	6502 337	2							NUT, M10x1.5 NUT, Push, .375
	J400 0235	3				EL0, EML EMM, EW0			
		4							
5									SHIELD, Heat
	5210 2317	1			62, 63, 64, 65	EH0, EL0, EM0, EW0			35 Gallon
	5210 2318	1	1, 6		61	EH0, EL0, EML			26 Gallon
6	5210 2422	1	2, 3, 7, 8		62, 63, 65	EMM, EW0			SHIELD, Heat, 35 Gallon


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Skid Plates
Figure 014-115

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52102 441AA	1	6		61				SKID PLATE, Fuel Tank
2	3420 1888	6	6		61				SCREW, Hex Head



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Filler Tube, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH]
Figure 014-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EH0]= All 3.9L Gas Engines

[EL0]= All 5.2L Gas Engines

[EM0]= All 5.9L Gas Engines

[ET0]= All 5.9L Turbo Diesels

[EW0]= All 8.0L Gas Engines


1									SCREW, [.190-16x1.00], (NOT SERVICED) (Not Serviced)
2	5278 632AA	1							CAP, Fuel Filler
3	52102 142AB	1	1, 2, 6, 7		61, 62	EH0, EL0, EM0, EW0			HOUSING, Fuel Filler
		1	3, 8		62	EH0, EL0, EM0, EW0			
	52102 354AB	1	2, 3, 7, 8		63, 64, 65	EH0, EL0, EM0, EW0			
	52102 142AB	1	3, 8		62	ET0			
		1	2, 7		62	ET0			
	52102 354AB	1	2, 3, 7, 8		63, 64, 65	ET0			
4	52102 491AA	1	1, 2, 6, 7		61, 62	EH0, EL0, EM0, EW0			TUBE, Fuel Filler Federal, California, Withou Dual Wheels
	52102 494AA	1	2, 3, 7, 8		63, 64, 65	EH0, EL0, EM0, EW0			Federal, California
		1	3, 8		62	EH0, EL0, EM0, EW0			Federal, California, With Dual Wheels
	52102 492AA	1	2, 7		62	ET0			

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005




Fuel Filler Tube, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH]
Figure 014-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52102 493AA	1	2, 3, 7, 8		63, 64,	ET0			
		1	3, 8		65	ET0			
		1	2, 3, 7, 8		63, 64,	EH0,			Leaded Fuel
					65	EL0,			
						EM0,			
						EW0			
	52102 492AA	1	1, 2, 6, 7		61, 62	EH0,			Leaded Fuel, Without Dual Wheels
						EL0,			
						EM0,			
						EW0			
	52102 493AA	1	3, 8		62	EH0,			Leaded Fuel, With Dual Wheels
						EL0,			
						EM0,			
						EW0			
5	6505 321AA	2							CLAMP, Fuel Filler Pipe
6	52102 376AA	1			61, 62,				HOSE, Fuel Filler Vent
					65				
7	6504 998AA	2							CLAMP, Fuel Filler Pipe
8									HOSE, Fuel Filler
	52102 375AA	1			61, 62,				
					65				
	52102 357AA	1	2, 3, 7, 8		63, 64,	EH0,			
					65	EL0,			
						EM0,			
						EW0			
9	4428 652	1				ET0			LABEL, Fuel
10	4206 059	1				EH0,			LABEL, Unleaded Fuel Only
						ELF,			
						EM0,			
						EW0			
11									GASKET, Filler Tube Housing
	5210 2306	1	1, 2, 6, 7		61, 62	EH0,			
						EL0,			
						EM0,			
						EW0			
		1	3, 8		62	EH0,			
						EL0,			
						EM0,			
						EW0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005




Fuel Filler Tube, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH]
Figure 014-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	3, 8		62	ET0			
		1	2, 7		62	ET0			
	5201 8522	1	2, 3, 7, 8		63, 64, 65	EH0, EL0, EM0, EW0			Leaded Fuel
12	4682 676	1							TETHER, Fuel Filler Cap



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

Fuel Lines, Front, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA]
Figure 014-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes
[EH0]= All 3.9L Gas Engines
[ELF]= Magnum 5.2L V-8 Engines
[EM0]= All 5.9L Gas Engines
[EW0]= All 8.0L Gas Engines

1	52127 819AE	1				EH0, ELF, EM0			BUNDLE, Fuel Line
	52127 820AF	1				EW0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

Fuel Lines, Rear, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH]
Figure 014-315



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EH0]= All 3.9L Gas Engines

[ELF]= Magnum 5.2L V-8 Engines

[EL0]= All 5.2L Gas Engines

[EML]= Magnum 5.9L V-8 Engines

[EM0]= All 5.9L Gas Engines

[ET0]= All 5.9L Turbo Diesels

[EW0]= All 8.0L Gas Engines

1									TUBE, Fuel Supply
	5210 2308	1			62, 65	ET0			
	5210 2309	1	3, 8		63	ET0			
	5210 2312	1	3, 8		64	ET0			
-2									BUNDLE, Fuel Line
	52102 293AC-	1	1, 6		61	EH0, EL0, EML			Chassis Supply
	52102 291AC-	1	3, 8		63	EL0, EM0, EW0			Chassis Supply
	52102 292AC-	1	3, 8		64	EM0, EW0			Chassis Supply
	52102 295AC-	1			62, 65	EH0, EL0, EM0, EW0			
3									TUBE, Fuel Return
	52102 307AB	1			62, 65	ET0			Chassis Return
	52102 311AB	1	3, 8		63	ET0			Chassis Return
	52102 313AB	1	3, 8		64	ET0			Chassis Return
-4									TUBE, Fuel Vapor
	52102 287AB-	1	1, 6		61	EH0, EL0, EML			
	52102 288AB-	1			62, 65	EH0, EL0, EM0, EW0			
	52102 289AC-	1	3, 8		63	EL0, EM0, EW0			


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Lines, Rear, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH]
Figure 014-315




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
5	52102 290AC-	1	3, 8		64	EM0, EW0			CLIP, Fuel
	5210 2003	2			62, 65	ET0			
		2	3, 8		63	ET0			
6		3	3, 8		64	ET0			CLIP, Fuel Line
	52102 371AB	2	1, 6		61, 62	EH0, ELF, EM0, EW0			
		2	2, 3, 7, 8		62, 65	EH0, ELF, EM0, EW0			
		3	3, 8		63, 64	EH0, ELO, EM0, EW0			
	52102 373AC	2	2, 3, 7, 8		62, 65	ET0			
		3	3, 8		63, 64	ET0			
7									SCREW, (NOT SERVICED) (Not Serviced)
8	5202 1002	2	1, 6		61	EH0, ELF, EM0, EW0			SHIELD, Fuel Line Left
		1			62, 63, 64, 65	EH0, ELF, EM0, EW0			
		1			62, 63, 64, 65	ET0			
9	4364 374	1				EH0			TUBE, Convoluted
	4364 375	AR				EH0, ELO, EM0, EW0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, ELO = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Lines, Rear, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH]
Figure 014-315



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


			AR			EW0			
10									TUBE, Fuel, Serviced in Fuel Tank, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Lines, 5.9L Diesel [ETC,ETH]
Figure 014-320




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[DBB]= All Manual Transmissions									
[DG0]= All Automatic Transmissions									
[ETC]= 5.9L, 24 Valve Cummins Diesel									
[ETH]= 5.9L High Output Cummins Turbo Diesel									
1	5011 885AA	6				ETC			O RING, Fuel Injector
		6				ETH	DBB		
2	5011 824AA	1				ETC			CHECK VALVE, Fuel
		1				ETH	DBB		
3	4638 695	4				ETC			SCREW, Fuel Tube Cap
		4				ETH	DBB		
4	5011 826AA	1				ETC			TUBE, Fuel Return
		1				ETH	DBB		
5	5016 556AA	1				ETC			TUBE, Fuel Return
		1				ETH	DBB		
6	5013 856AA	6				ETC			CONNECTOR, Injector
		6				ETH	DBB		
7	5011 439AA	1				ETC			TUBE, Fuel Return
		1				ETH	DBB		
8	4429 519	3				ETC			BRACE, Fuel Tube
		3				ETH	DBB		
9	4762 019	4				ETC			BRACE, Fuel Tube
		4				ETH	DBB		
10	4740 354	1				ETC			BRACE, Fuel Tube
		1				ETH	DBB		
11	4762 021	3				ETC			BRACE, Fuel Tube
	4429 519	3				ETH	DBB		
12	4762 022	8				ETC			ISOLATOR, Fuel Filter Vibration

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Lines, 5.9L Diesel [ETC,ETH]
Figure 014-320




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		8					ETH	DBB	
13	4638 687	6					ETC		ISOLATOR, Tube
		6					ETH	DBB	
14	5014 204AA	1					ETC		BRACE, Fuel Tube
		1					ETH	DBB	
15	5011 887AA	1					ETC		BRACE, Fuel Tube
		1					ETH	DBB	
16	5011 888AA	2					ETC		ISOLATOR, Tube
		2					ETH	DBB	
17	4761 708	11					ETC		SCREW, Fuel Tube Bracket
		11					ETH	DBB	
18	5011 889AA	1					ETC		BRACE, Fuel Tube
		1					ETH	DBB	
19	5011 457AA	1					ETC		TUBE, Fuel Injector Supply CYLINDER #1
		1					ETH	DBB	CYLINDER #1
20	5011 458AA	1					ETC		TUBE, Fuel Injector Supply CYLINDER #2
		1					ETH	DBB	CYLINDER #2
21	5011 460AA	1					ETC		TUBE, Fuel Injector Supply CYLINDER #4
		1					ETH	DBB	CYLINDER #4
22	5011 890AA	1					ETC		BRACE, Fuel Tube
		1					ETH	DBB	
23	5017 788AA	1					ETC		BRACE, Fuel Tube
		1					ETH	DBB	
24	5011 459AA	1					ETC		TUBE, Fuel Injector Supply CYLINDER #3
		1					ETH	DBB	CYLINDER #3
25	5011 461AA	1					ETC		TUBE, Fuel Injector Supply CYLINDER #5
		1					ETH	DBB	CYLINDER #5
26									TUBE, Fuel Injector Supply

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Lines, 5.9L Diesel [ETC,ETH]
Figure 014-320




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
27	5011 462AA	1				ETC			CYLINDER #6
		1				ETH	DBB		CYLINDER #6
	5011 818AA	1				ETC			SCREW, Hex Head, M8x1.25x12
		1				ETH	DBB		
28									BOLT, Banjo
	4429 135	1				ETC			
		1				ETH	DBB		
29									TEE
30	5011 820AA	1				ETC			
		1				ETH	DBB		
	5015 576AA	2				ETC			WASHER, Fuel Pump
31		2				ETH	DBB		
	5016 555AA	2				ETC			WASHER, Fuel Line Banjo
		2				ETH			
32									GROMMET
	4429 451	3				ETC			
		3				ETH	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Injector, 5.9L Diesel [ETC,ETH]
Figure 014-330



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes
[DBB]= All Manual Transmissions
[DG0]= All Automatic Transmissions
[ETC]= 5.9L, 24 Valve Cummins Diesel
[ETH]= 5.9L High Output Cummins Turbo Diesel


1									INJECTOR, Fuel
	5013 847AA	6				ETC	DBB		
	5013 848AA	6				ETC	DG0		
	5018 177AA	6				ETH	DBB		
2									CLAMP, Injector
	5011 886AA	6				ETC			
		6				ETH	DBB		
3									SCREW, Hex Flange Head
	4761 269	6				ETC			
		6				ETH	DBB		
4									SCREW
	5011 417AA	6				ETC			
		6				ETH	DBB		
5									O RING, Fuel Injector
	5011 885AA	6				ETC			
		6				ETH	DBB		
6									SEAL, Fuel Injector
	4798 375	6				ETC			
		6				ETH	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Air Fuel Control and Fuel Filter, 5.9L Diesel [ETC,ETH]
Figure 014-335



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes
[DBB]= All Manual Transmissions
[DG0]= All Automatic Transmissions
[ETC]= 5.9L, 24 Valve Cummins Diesel
[ETH]= 5.9L High Output Cummins Turbo Diesel


1	5014 261AA	4				ETC	DG0		CLAMP, Hose
		4				ETC	DBB		
		4				ETH	DBB		
2	5016 554AA	2				ETC			CONNECTOR, Fuel Filter
		2				ETH	DBB		
3	5015 711AA	1				ETC			HOSE, Fuel
		1				ETH	DBB		
4	4429 135	1				ETC			BOLT, Banjo
		1				ETH	DBB		
5	5016 555AA	4				ETC			WASHER, Fuel Line Banjo
		4				ETH			
6	5015 712AA	1				ETC			BOLT, Banjo
		1				ETH	DBB		
7	5015 714AA	1				ETC			TUBE, Fuel Supply
		1				ETH	DBB		
8	5015 715AA	1				ETC			TUBE, Fuel Supply
		1				ETH	DBB		
9	5015 716AA	1				ETC			HOSE, Fuel
		1				ETH	DBB		
10	4429 634	2				ETC			SCREW, Hex Head Header Point, 24x.44
		2				ETH			
11	5015 707AA	1				ETC			HOSE, Fuel Drain
		1				ETH	DBB		
12									HEAD, Fuel Filter

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Air Fuel Control and Fuel Filter, 5.9L Diesel [ETC,ETH]
Figure 014-335



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5015 578AA	1				ETC			
13	5015 584AA	1				ETH	DBB		O RING
14	5015 581AA	1				ETC			FILTER, Fuel
15		1				ETH	DBB		HEATER
16	5015 585AA	1				ETC			HOUSING, Fuel Filler
17	5015 579AA	1				ETH	DBB		THERMOSTAT
18	5015 586AA	1				ETC			DRAIN, Fuel Filter Bowl
19	5015 580AB	1				ETH	DBB		SENSOR, Fuel/Water
20	5015 582AA	1				ETC			SEAL
	5015 583AA	1				ETH	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Rail, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA]
Figure 014-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EH0]= All 3.9L Gas Engines

[ELF]= Magnum 5.2L V-8 Engines

[EM0]= All 5.9L Gas Engines

[EW0]= All 8.0L Gas Engines

1	53030 598AB	1				EM0			RAIL, Fuel
	5304 1029	1				EW0			
	53030 593AB	1				EH0			
	53030 598AB	1				ELF			
2	5212 7788	2				EH0, ELF, EM0 EW0			CLIP, Fuel Line
		2							
3	53031 740AA	6				EH0			INJECTOR, Fuel
	4854 181	8				ELF			
	53031 740AA	8				EM0			
	5303 1571	10				EW0			
4									CLIP, Fuel Injector
	4418 257	6				EH0			
		8				ELF			
		8				EM0			
		10				EW0			
5	6034 380	4				EW0			STUD, .312-18/.250-20x4.00
6	6033 560	4				EW0			NUT AND WASHER, Hex Nut-Coned Washer, .25-20
7									SCREW, Hex Head, .312-18x.94
	6034 549	4				EH0			
		4				ELF, EM0			
		6				EW0			
8									CLIP, Fuel Line, (NOT REQUIRED)
-9	5018 781AA-	1				ELF, EM0			CAP, For Diagnostic Port
-10									O RING KIT, Fuel Injector
	5083 745AA-	6				EH0			
		8				EM0			
		10				EW0			

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Rail, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA]
Figure 014-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4897 125AA-	8				ELF			




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Module, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH]
Figure 014-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EML]= Magnum 5.9L V-8 Engines									
[EM0]= All 5.9L Gas Engines									
[ET0]= All 5.9L Turbo Diesels									
[EW0]= All 8.0L Gas Engines									
1	5014 318AA	1				EH0,			MODULE KIT, Fuel Pump/Level Unit 26 Gallon
	4897 667AC	1			61, 62	EL0, EML EH0, EL0,			35 Gallon
	4897 668AE	1				EM0, EW0			35 Gallon
	4897 667AD	1	2, 3, 7, 8		63, 64, 65	ET0 EM0, EW0			
2	5200 5389	1				EH0, EL0,			NUT, Fuel Pump Module
		1	2, 3, 7, 8		63, 64, 65	EML EM0, EW0			
		1				ET0			
3	4798 825	1				EH0, EL0, EML			FILTER, Fuel Pressure Regulator
		1	2, 3, 7, 8		63, 64, 65	EM0, EW0			
	4798 825AB	1				ET0			
4	5210 2172	1				EH0, EL0, EML			VALVE, Fuel Vapor
-5	5212 7666	1				ET0			VALVE, Fuel Tank Rollover Safety
6	4616 244	1				EH0, EL0, EML			GROMMET, Rollover Valve

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Fuel Module, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH]
Figure 014-510**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	2, 3, 7, 8		63, 64, 65	EM0, EW0			
7	5014 461AA	1				EH0, ELO, EML			LEVEL UNIT KIT, Fuel 26 Gallon
	4897 669AB	1			61, 62	EH0, ELO, EM0,			35 Gallon
		1	2, 3, 7, 8		63, 64, 65	EW0 EM0, EW0			35 Gallon
		1				ET0			35 Gallon
8									FILTER, Fuel, Serviced in Module, (NOT SERVICED) (Not Serviced)
9	5201 8808	1				EH0, ELO, EML			SEAL, Fuel Pump and Level Unit
		1	2, 3, 7, 8		63, 64, 65	EM0, EW0			
		1				ET0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Injection Pump, 5.9L Diesel [ETC,ETH]
Figure 014-520

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note; Sales Codes
[DBB]= All Manual Transmissions
[ETC]= 5.9L, 24 Valve Cummins Diesel
[ETH]= 5.9L High Output Cummins Turbo Diesel

1									BOLT, Hex Head
	5016 188AA	2				ETC			
		2				ETH	DBB		
2	4429 862	4				ETC			NUT, Hex Flange, M10x1.5
		4				ETH	DBB		
3	4761 250	4				ETC			STUD, Fuel Pump
		4				ETH	DBB		
4	5014 189AA	1				ETC			O RING, Fuel Injection Pump, Diesel
		1				ETH	DBB		
5	5015 179AA	1				ETC			GEAR, Injection Pump
		1				ETH	DBB		
6	5016 186AA	1				ETC			BRACE, Fuel Pump
		1				ETH			
7	5015 362AA	1				ETC			BRACE, Fuel Pump
		1				ETH	DBB		
8	5011 423AA	2				ETC			SCREW
		2				ETH	DBB		
9	5011 813AA	1				ETC			DOWEL
		1				ETH	DBB		
10	5019 658AA	1				ETC			PUMP, Fuel Injection
	5019 657AA	1				ETH	DBB		
11	5013 000AA	1				ETC			KEY, Fuel Injection Pump
		1				ETH	DBB		0.36
	5013 026AA	1				ETC			0.35
		1				ETH	DBB		0.35
	5013 052AA	1				ETC			0.34

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005




Fuel Injection Pump, 5.9L Diesel [ETC,ETH]
Figure 014-520

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ETH	DBB		0.34
	5013 078AA	1				ETC			0.33
		1				ETH	DBB		0.33
	5013 104AA	1				ETC			0.32
		1				ETH	DBB		0.32
	5013 130AA	1				ETC			0.31
		1				ETH	DBB		0.31
	5013 156AA	1				ETC			0.30
		1				ETH	DBB		0.30
	5013 182AA	1				ETC			0.29
		1				ETH	DBB		0.29
	5013 208AA	1				ETC			0.28
		1				ETH	DBB		0.28
	5013 234AA	1				ETH	DBB		0.27
		AR				ETC			0.27
	5013 260AA	1				ETC			0.26
		1				ETH	DBB		0.26
	5014 026AA	1				ETC			0.46
		1				ETH	DBB		0.46
	5014 052AA	1				ETC			0.45
		1				ETH	DBB		0.45
	5014 078AA	1				ETC			0.44
		1				ETH	DBB		0.44
	5014 104AA	1				ETC			0.43
		1				ETH	DBB		0.43
	5014 130AA	1				ETC			0.42
		1				ETH	DBB		0.42
	5014 156AA	1				ETC			0.41
		1				ETH	DBB		0.41
	5014 182AA	1				ETC			0.40
		1				ETH	DBB		0.40
	5014 208AA	1				ETC			0.39
		1				ETH	DBB		0.39
	5014 234AA	1				ETC			0.38
		1				ETH	DBB		0.38
	5014 260AA	1				ETC			0.37
		1				ETH	DBB		0.37

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Fuel Accessories, 5.9L Diesel [ETC,ETH]
Figure 014-525

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[DBB]= All Manual Transmissions									
[ETC]= 5.9L, 24 Valve Cummins Diesel									
[ETH]= 5.9L High Output Cummins Turbo Diesel									
1									NUT, Hex
	5011 815AA	3				ETC			
		3				ETH	DBB		
2	4429 630	4				ETC			BOLT, Hex Head
		4				ETH	DBB		
3	4429 135	1				ETC			BOLT, Banjo
		1				ETH	DBB		
4	5016 555AA	2				ETC			WASHER, Fuel Line Banjo
		2				ETH	DBB		
5									SCREW, Hex Head, M8x1.25x16
	4882 110	1				ETC			
		1				ETC	DBB		
6	5015 720AA	1				ETC			BRACKET, Pump
		1				ETH	DBB		
7	5011 437AA	1				ETC			GASKET, Engine Block Cover
		1				ETH	DBB		
8	5011 463AA	1				ETC			TUBE, Fuel Injector Supply
		1				ETH	DBB		
9	5080 885AA	1				ETC	DG0		PUMP, Fuel
		1				ETH	DBB		
10	5011 817AA	1				ETC			CLIP


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Pump Transfer Conversion

Figure 014-535

[illegible]


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Throttle Body, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA]
Figure 014-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EH0]= All 3.9L Gas Engines

[EL0]= All 5.2L Gas Engines

[EM0]= All 5.9L Gas Engines

[EW0]= All 8.0L Gas Engines

1									THROTTLE BODY
	53031 806AB	1				EH0			
	53031 733AA	1				EL0			
		1				EM0			
	5303 1808	1				EW0			
2									GASKET, Throttle Body To Intake
	5303 0541	1				EH0,			
						EL0			
		1				EM0			
	5304 1120	1				EW0			
3	6034 380	4				EW0			STUD, .312-18/.250-20x4.00
4	6033 560	4				EW0			NUT AND WASHER, Hex Nut-Coned
									Washer, .25-20
5									MOTOR, Air Idle Speed
	53030 657AC	1				EH0			
		1				EL0			
		1				EM0			
	53032 067AA	1				EW0			
6									SCREW, A.I.S. Motor
	5003 467AA	2				EL0			
		2				EH0			
		2				EM0			
		2				EW0			
7	5300 9672	1				EH0,			CONNECTOR, Emission Hose
						EL0,			
						EM0			
8									SENSOR, Throttle Position
	4882 219	1				EH0			
		1				EL0			
		1				EM0			
		1				EW0			
-9	6036 338AA-	4				EH0,			SCREW AND WASHER, Hex Head,
						EL0,			.312-18x2.38
						EM0			


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Turbocharger, 5.9L Diesel [ETC,ETH]
Figure 014-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[DBB]= All Manual Transmissions									
[DG0]= All Automatic Transmissions									
[ETC]= 5.9L, 24 Valve Cummins Diesel									
[ETH]= 5.9L High Output Cummins Turbo Diesels									
1	5017 787AA	1				ETC	DG0		TURBOCHARGER
	5017 509AA	1				ETC	DBB		
		1				ETH	DBB		
2	5018 525AA	1				ETC			GASKET, Turbocharger
		1				ETH	DBB		
3									STUD
	4429 823	4				ETC			NUT, Turbo Mounting
		4				ETH	DBB		
4	4429 825	4				ETC			
		4				ETH	DBB		O RING, Air Intake Line
5	4761 275	1				ETC			
		1				ETH	DBB		NUT, Lock
6	4882 114	1				ETC			
		1				ETH	DBB		CLAMP, Air Intake Connection, V Clamp
7	4882 048	1				ETC			
		1				ETH	DBB		ELBOW, Air Intake
8	4746 644	1				ETC			
		1				ETH	DBB		GASKET, Turbo Oil Drain Pipe
9	4886 033AA	1				ETC			
	5011 430AA	1				ETH	DBB		PIPE, Exhaust
-10	5136 024AA-	1				ETC	DBB		
-11	4874 541	1				ETC	DBB		GASKET, Turbocharger, Located between the turbo& elbow
-12	5161 580AA-	5				ETH	DBB		SCREW


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Throttle Controls, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA]
Figure 014-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[DBB]= All Manual Transmissions

[DGK]= 4 Speed Automatic Transmission 42RE

[DGT]= 4 Speed Automatic Transmission 46RE

[DG0]= All Automatic Transmissions

[EH0]= All 3.9L Gas Engines

[ELF]= Magnum 5.2L V-8 Engines

[EL0]= All 5.2L Gas Engines

[EM0]= All 5.9L Gas Engines

[EW0]= All 8.0L Gas Engines

1	5207 8102	1				EH0, ELF, EM0 EW0	DBB		SPRING, Throttle Return
2	5207 7860	1				EW0	DBB		LINK, Accelerator Linkage
3	52104 030AD	1				EH0, EL0, EM0, EW0	DG0		CABLE, Throttle Valve
4	53031 504AB 53031 602AB 5303 1501	1 1 1				EH0 EL0, EM0 EW0			CABLE, Accelerator
5									CLIP, Serviced in Cable, (NOT SERVICED) (Not Serviced)
6	5303 1525	1				EW0			BELLCRANK, Accelerator and Cruise
7	5207 8481	1				EH0, EL0, EM0			CLIP, Accelerator Cable
8	5207 9101	1					DG0		BRACKET, Cable
9	0181 112	1					DG0		SCREW AND WASHER, .375-16x1. 00
10	52107 805AC 52107 806AB	1 1				EL0, EM0	DGK DGT		BRACKET, Torque Shaft
11	52107 807AC 5207 8718	1 1					DGP DG0		BRACKET, Throttle Valve Spring


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl. ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 .	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDP, DDX, DDC = 5 Spd. Manual DEE = 6 Spd. Manual
			EAA = All engines EAG = All gas engines	DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Throttle Controls, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA]
Figure 014-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12	6028 114	1					DG0		NUT, Hex, .437-14
13	5207 9065	1					DG0		LEVER, Throttle Valve
14	5300 9055	1					DG0		SPRING, Throttle Valve Return

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Throttle Controls, 5.9L Diesel [ETC,ETH] Figure 014-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[DBB]= All Manual Transmissions									
[DG0]= All Automatic Transmissions									
[ETC]= 5.9L, 24 Valve Cummins Diesels									
[ETH]= 5.9L High Output Cummins Turbo Diesel									
[ET0]= All 5.9L Turbo Diesels									
1	4429 631	6				ETC			SCREW, Hex Head
		6				ETH	DBB		
2	4429 779	3				ETC			BOLT, Hex Head
		3				ETH	DBB		
3									BELLCRANK, Accelerator and
									Cruise, Also Includes Throttle
									Position Sensor
	53031 575AE	1				ETC	DG0		
	53031 576AB	1				ETC	DBB		
		1				ETH	DBB		
4	5011 838AA	1				ETC			SUPPORT, Bellcrank
		1				ETH	DBB		
5	5303 1577	1				ET0			SHROUD, Bellcrank
6	6502 871	2				ET0			RETAINER
7	5210 7742	1				ETC	DG0		CABLE, Throttle Valve
8	53031 626AC	1				ET0			CABLE, Accelerator


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Air Cleaner, 3.9L [EHC], 5.2L [ELF], 5.9L [EML]
Figure 014-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EML]= Magnum 5.9L V-8 Engines									
[EM0]= All 5.9L Gas Engines									
1	53030 817AE	1				EH0, EL0, EM0			HOSE, Crankcase Vent, Air Cleaner to Rt. Valve Cover
-2	53008 675AD-	1				EH0, EL0, EM0			TUBE, PCV Valve
3	4897 529AA	1				EH0, EL0, EML			BODY, Air Cleaner
4									SCREW, (NOT SERVICED) (Not Serviced)
5	5303 0406	1				EH0, EL0, EM0			FASTENER, Mounting Post
6	6034 985	1				EH0, EL0, EM0			STUD, .375-16x3.04
7	53031 645AA 53030 353AB	1 1				EH0 EL0, EM0			BRACKET, Air Cleaner
8	5277 576	3				EH0, EL0, EML			LATCH, Air Cleaner
9	4897 527AA	1				EH0, EL0, EML			COVER, Air Cleaner
10	4268 295	1				EH0, EL0, EML			GROMMET, Air Cleaner Bracket
11	5300 4383	1				EH0, EL0, EML			FILTER, Air

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Figure 014-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12	5303 0600	1				EH0, ELO, EM0			GASKET, Air Cleaner To T/Body
13	53032 106AA	1				EH0, ELO, EML			CLAMP, Air Cleaner to T/Body

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Air Cleaner, 5.9L [EMM]
Figure 014-815



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EMM]= Magnum 5.9L V-8 Engines									
[EM0]= All 5.9L Gas Engines									
1	53008 675AD	1				EH0, EL0, EM0			TUBE, PCV Valve
2									COVER, Air Cleaner
	5018 219AA	1				EMM			Leaded Fuel
	5018 218AA	1				EMM			Unleaded Fuel
3	53030 817AD	1				EH0, EL0, EM0			HOSE, Crankcase Vent
4	6034 985	1				EH0, EL0, EM0			STUD, .375-16x3.04
5	5303 0406	1				EH0, EL0, EM0			FASTENER, Mounting Post
6									SCREW, (NOT SERVICED) (Not Serviced)
7	53030 353AB	1				EL0, EM0			BRACKET, Air Cleaner
-8	4897 529AA-	1				EMM			BODY, Air Cleaner
9	5277 576	3				EMM			LATCH, Air Cleaner
10	53032 106AA	1				EMM			CLAMP, Air Cleaner to T/Body
11	5300 4383	1				EMM			FILTER, Air
12	6033 560	1				EL0, EM0			NUT AND WASHER, Hex Nut-Coned Washer, .25-20
13	4268 295	1				EMM			GROMMET, Air Cleaner Bracket

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

Air Cleaner, 8.0L [EWA]
Figure 014-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EW0]= All 8.0L Gas Engines

1	5303 0867	1				EW0			GASKET, Air Cleaner To T/Body
2	53040 044AB	1				EW0			AIR CLEANER
3	53032 068AA	1				EW0			FILTER, Air
4	6033 560	4				EW0			NUT AND WASHER, Hex Nut-Coned Washer, .25-20


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Air Cleaner, 5.9L Diesel [ETC,ETH]
Figure 014-825



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[ET0]= All 5.9L Turbo Diesels									
1	4864 443AA	1				ET0			GAUGE, Air Restriction Indicator
2	4897 530AA	1				ET0			COVER, Air Cleaner
3	5303 0294	1				ET0			DUCT, Ambient Air
4	4864 442	1				ET0			ELEMENT, Air Cleaner
5	4728 407	1				ET0			HOUSING, Air Cleaner
6	5303 0406	3				ET0			FASTENER, Mounting Post
7	5277 576	4				ET0			LATCH, Air Cleaner
8									CLAMP, Air Cleaner Duct
	53032 105AA	1				ET0			Turbo End
	53032 134AA	1				ET0			Air Cleaner End
9	4428 963	1				ET0			LABEL, Diesel Starting
10	4268 295	4				ET0			GROMMET, Air Cleaner Bracket, Air Cleaner Mounting
11	4728 405	1				ET0			FITTING, Indicator Gauge
12	6503 955	3				ET0			STUD, M6x1.00x18

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Air Intake System, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM]
Figure 014-910

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note; Sales Codes

[EH0]= All 3.9L Gas Engines

[EL0]= All 5.2L Gas Engines

[EM0]= All 5.9L Gas Engines

1	5303 0304	1				EH0, EL0, EM0			DUCT, Ambient Air
---	-----------	---	--	--	--	---------------------	--	--	-------------------



DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions


Air Intake System, 8.0L [EWA]
Figure 014-915

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EW0]= All 8.0L Gas Engines

1	5303 0165	1				EW0			HOSE, Air Cleaner to T/Body
2	5300 6584	2				EW0			CLAMP, Hose to Air Cleaner
3	5304 1043	1				EW0			DUCT, Ambient Air
4	0154 555	1				EW0			SCREW
5	5304 1042	1				EW0			DUCT, Ambient Air
6	6502 064	2				EW0			SCREW, Tapping, M6x1x20




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Air Intake System, 5.9L Diesel [ETC,ETH]
Figure 014-920



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[ET0]= All 5.9L Turbo Diesels

1	5303 1610	1				ET0			DUCT, Ambient Air
---	-----------	---	--	--	--	-----	--	--	-------------------


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Charge Air Cooler System, 5.9L Diesel [ETC,ETH]
Figure 014-930



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[ET0]= All 5.9L Turbo Diesels

1	52028 724AD	1				ET0			COOLER, Charge Air
2	5202 7827	2				ET0			ISOLATOR, Radiator
3	5202 7502	2				ET0			ISOLATOR, Radiator
4									BRACKET, Intercooler
	5202 7724	1				ET0			Right
	5202 7725	1				ET0			Left
5									SCREW, M8x1.25x20.00, (NOT SERVICED) (Not Serviced)
6									SCREW, M6x1.00x55.00, (NOT SERVICED) (Not Serviced)
7	6503 245	2				ET0			NUT/RIVET, Cooler To Closure Panel
8	5202 8489	1				ET0			DUCT, Charge Air Cooler
9	52027 815AB	1				ET0			HOSE, Charge Air Cooler
10	52027 990AB	1				ET0			HOSE, Intercooler Intake
11	5202 7813	2				ET0			CLAMP, Hose
12	52028 492AB	1				ET0			DUCT, Charge Air Cooler
13	5202 7516	1				ET0			HOSE, Outlet Duct To Cooler
14									CLAMP, Hose
	52028 980AA	2				ET0			Duct to engine
	52028 979AA	1				ET0			Charge air cooler to duct


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Speed Control, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH]
Figure 014-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EM0]= All 5.9L Gas Engines									
[ET0]= All 5.9L Turbo Diesels									
[EW0]= All 8.0L Gas Engines									
1	4669 977	1				EH0, EL0, EM0 EW0 ET0			SERVO, Speed Control
2	5300 7958	1				EH0, EL0, EM0 EW0 ET0			BRACKET, Speed Control Servo
3	5207 8598	1				EH0, EL0, EM0 EW0 ET0			CABLE, Speed Control
4	6100 775	2				EH0, EL0, EM0, EW0			NUT, Hex Flange, M5x.8
5	5503 5614	1				EH0, EL0, EM0, EW0			RESERVOIR, Vacuum
6	6032 988	3							SCREW
7	6502 493	2				EH0, EL0, EM0 EW0 ET0			NUT, Hex Flange Serration, M6x1
8		2							CLIP, Cable to Servo Attach
DODGE RAM STANDARD CAB (BR)									
SERIES		LINE	BODY		ENGINE		TRANSMISSION		
E = WS RAM 1500		1, 6 = 1500	61= Reg. Cab (118 WB)		EHC, EH0 = 3.9L 6 Cyl.		DGK = 42RE 4 Spd. Auto.		
L = RAM 1500, 2500, 3500		2, 7 = 2500	62 = Reg. Cab (134 WB)		ELF, EL0 = 5.2L 8 Cyl.		DGP = 47RE 4 Spd. Auto.		
		3, 8 = 3500	63 = Reg. Cab (138 WB)		ETC, ETH, ET0= 5.9L 6 Cyl.		DGT = 46RE 4 Spd. Auto.		
			64 = Reg. Cab (162 WB)		EML,EMM, EM0 = 5.9L 8 Cyl.		DDP, DDX, DDC = 5 Spd. Manual		
			65 = Reg. Cab (134 WB)		EWA, EW0 = 8.0L V10 .		DEE = 6 Spd. Manual		
					EAA = All engines		DBB = All Manual Transmissions		
					EAG = All gas engines		DG0 = All Automatic Transmissions		

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Speed Control, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH]
Figure 014-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6025 867	1				EH0,			
						EL0,			
		1				EM0			
		1				EW0			
						ET0			
9	5207 8320	1				EH0,			HARNESS, Vacuum Speed Control
						EL0,			
						EM0			
	5207 8323	1				EW0			
		1				ET0			
10	5207 8479	1				EH0,			CLIP, Vacuum Harness
						EL0,			
						EM0			
11	6503 441	1				EH0,			CLIP, Cruise Control
						EL0,			
						EM0			
12	55055 705AB	1				EH0,			HARNESS ASSEMBLY, vacuum
						EL0,			
						EM0,			
						EW0			


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Accelerator Pedal, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH]
Figure 014-1110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5303 1526	1							LEVER, Accelerator Linkage, With Pedal, Accelerator
2	5207 8653	2							BUSHING, Accelerator Pedal, Lever



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 016

Propeller Shafts and U-Joints


GROUP 16 - Propeller Shafts and U-Joints

Illustration Title

Group-Fig. No.


Propeller Shaft

Shaft,Propeller,Front,BR 6,7,8	Fig. 016-110
Shaft,Propeller,Rear,1 Piece,Body 61,62,65,BR 1,2,3,6,7,8	Fig. 016-120
Shaft,Propeller,Rear,1 Piece,Body 63-BR 8	Fig. 016-130
Shaft,Propeller,Rear,2 Piece,Body 62,65,BR 1,2,3	Fig. 016-140
Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8	Fig. 016-150



<div>016-100</div> <div>Propeller Shaft</div> <div></div>			
---	--	--	--

Shaft,Propeller,Front,BR 6,7,8
 Figure 016-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DBB = All Manual Transmissions
 DDP = 5 Speed Manual Transmission
 DDX = 5 Speed Heavy Duty Manual Transmission
 DEE = 6 Speed Heavy Duty Manual Transmission
 DGP & DGT = 4 Speed Automatic Transmission
 DG0 = All Automatic Transmissions
 DHH & DHG = Shift-On-The-Fly Transfer Case
 DJC = Dana 44 Front Axle
 DJF = Dana 60 Front Axle


1									SHAFT, Drive, Front
	52105 871AB	1	6, 7, 8				DBB		
	52105 840AB	1	6, 7, 8				DDP		
	52105 871AB	1	6, 7, 8				DDX, DGT		
	52105 866AB	1	6, 7, 8				DEE		
	52105 860AB	1	6, 7, 8				DG0		
	52105 862AA	1	6, 7, 8				DGP	[DHG]	
	52105 860AB	1	6, 7, 8				DGP	[DHH]	
2									U JOINT
	5014 733AA	3	6, 7, 8				DBB		
		3	6, 7, 8				DDP		
		3	6, 7, 8				DDX, DGT		
		3	6, 7, 8				DEE		
		3	6, 7, 8				DG0		
		3	6, 7, 8				DGP	[DHG]	
		3	6, 7, 8				DGP	[DHH]	
3	6033 358	4	6, 7, 8						SCREW AND WASHER, Hex Head Locking, .437-14x1.25, Drive Shaft to Transfer Case Flange
4	J324 0553	2	6, 7, 8						STRAP, Prop Shaft
5	J400 6928	4	6, 7, 8						BOLT
6									BOOT, Driveshaft
	5012 793AA	1	6, 7, 8				DBB		
		1	6, 7, 8				DDP		
		1	6, 7, 8				DDX, DGT		
		1	6, 7, 8				DEE		
		1	6, 7, 8				DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft,Propeller,Front,BR 6,7,8
 Figure 016-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7	5014 056AA	1	6, 7, 8				DGP	[DHG]	
		1	6, 7, 8				DGP	[DHH]	
									YOKE, Drive Shaft
		1	6, 7, 8				DBB		
		1	6, 7, 8				DDP		
		1	6, 7, 8				DDX, DGT		
		1	6, 7, 8				DEE		
		1	6, 7, 8				DG0		
		1	6, 7, 8				DGP	[DHG]	
		1	6, 7, 8				DGP	[DHH]	

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft,Propeller,Rear,1 Piece,Body 61,62,65,BR 1,2,3,6,7,8
Figure 016-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE

Sales Code:

DDC , DDP , DDX = Transmission - 5 Spd. Manual

DEE = Transmission - 6 Spd. Manual

DGK = Trasnmission - 42RE 4 Spd. Auto

DGP = Transmission - 47RE 4 Spd. Auto

DGT = Transmission - 46RE 4 Spd. Auto

DHG = Transfer Case - 'Shift-on-the-Fly' 241HD

DHH = Transfer Case - 'Shift-on-the-Fly' 241

DRB = Rear Axle - Corporate 9.25 LD

DRD = Rear Axle - Dana M60 HD/248MM RBI

DRE = Rear Axle - Dana M70/267MM RBI

DRL = Rear Axle - Dana 80 (Hybrid)

EHO = Engines - All 3.9L V6 Gas

ELO = Engines - All 5.2L 8 Cyl Gas

EMO = Engines - All 5.9L 8 Cyl Gas

ETO = Engines - All 5.9L Turbo Diesel

EWO = Engines - All 8.0L Gas

1									SHAFT, Drive
	52105 738AA	1	1		61		DDC		
	52105 615AA	1	1		61		DGK,		
							DGT		
	52105 740AA	1	6		61		DDC		
	52105 765AA	1	6		61		DGT		
2									YOKE, Drive Shaft
	5014 040AA	1	1		61		DGK,		with Shaft 52105615AA
							DGT		
	5014 044AA	1	1		61		DDC		with Shaft 52105738AA
	5014 043AA	1	6		61		DGT		with Shaft 52105765AA
			6		61		DDC		with Shaft 52105740AA
3									FLANGE, Drive Shaft
	5015 556AA	1	1		61		DGK,		
							DGT		
		1	6		61		DGT		
4									SHAFT, Drive
	52105 619AA	1	1		62	ELO	DGT		[DRB]
		1	1, 2		62, 65	EH0,	DGK,		[DRB]
						EM0	DGT		
	5210 5320	1	2		62, 65	ET0,	DGP		[DRE]
						EWO			


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft,Propeller,Rear,1 Piece,Body 61,62,65,BR 1,2,3,6,7,8
Figure 016-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5210 5322	1	2		62, 65	EM0	DGT		[DRD]
	5210 5321	1	3		62	ET0, EW0	DGP		[DRL]
	5210 5320	1	3		62	EM0	DGT		[DRL]
	52105 763AA	1	6		62		DDC		Upto and Including 07-04-00
	52105 741AA	1	6		62		DDC		07-05-00 and After
	52105 764AA	1	6		62		DGT		[DRB]
	5208 8055	1	7		62, 65		DDP		[DHH]
	5209 8243	1	7		62, 65	ET0	DDX		[DHH]
		1	7		62, 65	EW0	DDX		[DHH]
	52105 281AB	1	7		62, 65		DEE		[DHH]
	5209 9190	1	7		62, 65		DGP		[DHH,DRE]
	5209 9113	1	7		62, 65		DGT		[DHH,DRD]
	5210 5104	1	7		62, 65		DDP		[DHG]
	5210 5233	1	7		62, 65	ET0, EW0	DGP		[DHG,DRE]
	5210 5103	1	7		62, 65		DGT		[DHG]
	5210 5233	1	7, 8		62, 65	EW0	DDX		[DHG]
		1	7, 8		62, 65	ET0	DDX		[DHG]
	52105 282AB	1	7, 8		62, 65		DEE		[DHG]
	5210 5105	1	8		62		DDP		
	5210 5232	1	8		62	ET0, EW0	DGP		[DHG]
	5210 5233	1	8		62	EM0	DGT		[DHG]
5									YOKE, Drive Shaft
	5003 633AA	1	1		62	EL0	DGT		with Shaft 52105619AA
		1	1, 2		62, 65	EH0, EM0	DGK, DGT		with Shaft 52105619AA
	5003 625AA	1	2		62, 65	ET0, EW0	DGP		with Shaft 52105320
		1	2		62, 65	EM0	DGT		with Shaft 52105322
		1	3		62	ET0, EW0	DGP		with Shaft 52105321
	5014 042AA	1	3		62	EM0	DGT		with Shaft 52105320
		1	6		62		DDC		with Shaft 52105763AA-Upto and Including 07-04-00
	5014 043AA	1	6		62		DDC		with Shaft 52105741AA-07-05-00
		1	6		62		DGT		with Shaft 52105764AA
	4773 017	1	7		62, 65		DDP		with Shaft 52088055
		1	7		62, 65	EW0	DDX		with Shaft 52098243


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft,Propeller,Rear,1 Piece,Body 61,62,65,BR 1,2,3,6,7,8
 Figure 016-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7		62, 65	ET0	DDX		with Shaft 52098243
		1	7		62, 65		DEE		with Shaft 52105281AB
	4773 021	1	7		62, 65		DGP		with Shaft 52109190
		1	7		62, 65		DGT		with Shaft 52099113
	4882 185	1	7		62, 65		DDP		with Shaft 52105104
		1	7		62, 65	ET0, EW0	DGP		with Shaft 52105233
		1	7		62, 65		DGT		with Shaft 52105103
		1	7, 8		62, 65	EW0	DDX		with Shaft 52105233
		1	7, 8		62, 65	ET0	DDX		with Shaft 52105233
		1	7, 8		62, 65		DEE		with Shaft 52105282AB
		1	8		62		DDP		with Shaft 52105105
		1	8		62	ET0,	DGP		with Shaft 52105232
						EW0			
		1	8		62	EM0	DGT		with Shaft 52105233
6									FLANGE, Drive Shaft
	5015 556AA	1	1		62		DDC		
		1	1		62	EL0	DGT		
		1	1, 2		62, 65	EH0, EM0	DGK, DGT		
		1	6		62		DDC		
		1	6		62		DGT		
7									BOLT, Hex Head
	6034 965	4	2, 3, 7, 8		62, 63, 64, 65				.312-24X.88-U-Joint to Rear Axle Yoke
	6505 288AA	4	1, 6		61, 62				M12X1.75X30.00-Drive Shaft Yoke Flange to Rear Axle Yoke Flange
8									CLAMP, U-Joint
	4428 723	2	2, 3, 7, 8		62, 63, 64, 65				
9									U JOINT
	5014 733AA	2	1		61		DDC		with Shaft 52105738AA
		2	1		61		DDC		with Shaft 52105616AA
		2	1		61		DGK,		with Shaft 52105615AA
							DGT		
		2	1		62	EL0	DGT		with Shaft 52105619AA
		2	1, 2		62, 65	EH0, EM0	DGK, DGT		with Shaft 52105619AA
	5003 146AA	2	2		62, 65	ET0, EW0	DGP		with Shaft 52105320
		1	2		62, 65	EM0	DGT		with Shaft 52105322

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft,Propeller,Rear,1 Piece,Body 61,62,65,BR 1,2,3,6,7,8
 Figure 016-120





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	3		62	ET0, EW0	DGP		with Shaft 52105321
5014 733AA		2	3		62	EM0	DGT		with Shaft 52105320
		2	6		61		DDC		with Shaft 52105740AA
		2	6		61		DDC		with Shaft 52105762AA
		2	6		61		DGT		with Shaft 52105765AA
5003 146AA		2	6		62				with Shaft 52105741AA
		2	6		62		DDC		with Shaft 52105763AA
		2	6		62		DGT		with Shaft 52105764AA
		2	7		62, 65		DDP		with Shaft 52105104
		2	7		62, 65		DDP		with Shaft 52108055
		2	7		62, 65	ET0	DDX		with Shaft 52098243
		2	7		62, 65	EW0	DDX		with Shaft 52098243
		2	7		62, 65		DEE		with Shaft 52105281AB
		2	7		62, 65		DGP		with Shaft 52099190
		2	7		62, 65	ET0, EW0	DGP		with Shaft 52105233
		2	7		62, 65		DGT		with Shaft 52099113
		2	7		62, 65		DGT		with Shaft 52105103
		2	7, 8		62, 65	ET0	DDX		with Shaft 52105233
		2	7, 8		62, 65	EW0	DDX		with Shaft 52105233
		2	7, 8		62, 65		DEE		with Shaft 52105282AB
		2	8		62		DDP		with Shaft 52105105
		2	8		62	ET0, EW0	DGP		with Shaft 52105232
		2	8		62	EM0	DGT		with Shaft 52105233

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft,Propeller,Rear,1 Piece,Body 63-BR 8
 Figure 016-130






ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DDP = 5 Speed Manual Transmission DDX = 5 Speed Heavy Duty Manual Transmission DGP = 4 Speed Automatic Transmission 47RE DGT = 4 Speed Automatic Transmission 46RE DEE = 6 Speed Heavy Duty Manual Transmission ET0 = All Turbo Diesel Engines EW0 = All 8.0L V-10 Engines EM0 = All 5.9L V-8 Engines									
1	5210 5120	1	8		63	ET0, EW0	DGP		SHAFT, Drive
	5210 5122	1	8		63	ET0, EW0	DDX		
		1	8		63	EM0	DDP, DGT DEE		
	52105 283AB	1	8		63				
2	4882 185	1	8		63	ET0, EW0	DGP		YOKE, Drive Shaft with Shaft 52105120
		1	8		63	ET0, EW0	DDX		with Shaft 52105122
		1	8		63	EM0	DDP, DGT DEE		with Shaft 52105122
		1	8		63				with Shaft 52105283AB
3	6034 965	4	2, 3, 7, 8		62, 63, 64, 65				BOLT, Hex Head
4	4428 723	2	2, 3, 7, 8		62, 63, 64, 65				CLAMP, U-Joint
5	5003 146AA	2	8		63	ET0, EW0	DGP		U JOINT with Shaft 52105120
		2	8		63	ET0, EW0	DDX		with Shaft 52105122
		2	8		63	EM0	DDP, DGT		with Shaft 52105122
		2	8		63		DEE		with Shaft 52105283AB

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft,Propeller,Rear,2 Piece,Body 62,65,BR 1,2,3
Figure 016-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DDC = 5 Speed Heavy Duty Manual Transmission

DDP = 5 Speed Manual Transmission

DDX = 5 Speed Heavy Duty Manual Transmission

DEE = 6 Speed Heavy Duty Manual Transmission

EL0 = All 5.2L V-8 Engine

EM0 = All 5.9L V-8 Engines

ET0 = All Turbo Diesel Engines

EW0 = All 8.0L V-10 Engines

1									SHAFT, Drive, 2 Piece
	52105 618AA	1	1		62		DDC		
	5210 5490	1	2		62, 65	EL0, EM0	DDP		Upto and Including 07-04-00
	52105 490AB	1	2		62, 65	EL0, EM0	DDP		07-05-00 and After
	5210 5492	1	3		62	EL0, EM0	DDP		Upto and Including 07-04-00
	52105 494AE	1	2, 3		62, 65	ET0, EW0	DDX, DEE		07-05-00 and After
	52105 494AD	1	2, 3		62, 65	ET0, EW0	DDX, DEE		
2									YOKE, Drive Shaft
	5014 041AA	1	1		62		DDC		with Shaft 52105618AA
	4773 015	1	2		62, 65	EL0, EM0	DDP		with Shaft 52105490
	4882 170	1	2		62, 65	EL0, EM0	DDP		with Shaft 52105490AB
	4773 015	1	3		62	EL0, EM0	DDP		with Shaft 52105492
	4428 804	1	2, 3		62, 65	ET0, EW0	DDX, DEE		with Shaft 52105494AE
	4882 170	1	2, 3		62, 65	ET0, EW0	DDX, DEE		with Shaft 52105494AD
3	5014 097AA	1	1		62		DDC		CENTER BEARING, Drive Shaft,
									with Shaft 52105618AA
4									BEARING, Drive Shaft
	4773 014	1	2		62, 65	EL0, EM0	DDP		with Shaft 52105490
		1	2		62, 65	EL0, EM0	DDP		with Shaft 52105490AB


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft,Propeller,Rear,2 Piece,Body 62,65,BR 1,2,3
Figure 016-140






ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	3		62	EL0, EM0	DDP		with Shaft 52105492
		1	2, 3		62, 65	ET0, EW0	DDX, DEE		with Shaft 52105494AE
		1	2, 3		62, 65	ET0, EW0	DDX, DEE		with Shaft 52105494AD
5	5212 720	1	2		62, 65	EL0, EM0	DDP		CLAMP, Boot with Shaft 52105490
		1	2		62, 65	EL0, EM0	DDP		with Shaft 52105490AB
		1	3		62	EL0, EM0	DDP		with Shaft 52105492
		1	2, 3		62, 65	ET0, EW0	DDX, DEE		with Shaft 52105494AE
		1	2, 3		62, 65	ET0, EW0	DDX, DEE		with Shaft 52105494AD
6	5012 793AA	1	1		62		DDC		BOOT, Driveshaft with Shaft 52105618AA,with Clamps
	4428 807	1	2		62, 65	EL0, EM0	DDP		with Shaft 52105490
		1	2		62, 65	EL0, EM0	DDP		with Shaft 52105490AB
		1	3		62	EL0, EM0	DDP		with Shaft 52105492
		1	2, 3		62, 65	ET0, EW0	DDX, DEE		with Shaft 52105494AE
		1	2, 3		62, 65	ET0, EW0	DDX, DEE		with Shaft 52105494AD
7	4428 808	1	2		62, 65	EL0, EM0	DDP		CLAMP, Boot with Shaft 52105490
	5212 720	1	2		62, 65	EL0, EM0	DDP		with Shaft 52105490AB
	4428 808	1	3		62	EL0, EM0	DDP		with Shaft 52105492
		1	2, 3		62, 65	ET0, EW0	DDX, DEE		with Shaft 52105494AE

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft,Propeller,Rear,2 Piece,Body 62,65,BR 1,2,3
Figure 016-140




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8		1	2, 3		62, 65	ET0, EW0	DDX, DEE		with Shaft 52105494AD
	5014 056AA	1	1		62		DDC		YOKE, Drive Shaft with Shaft 52105618AA
	4428 804	1	2		62, 65	EL0, EM0	DDP		with Shaft 52105490
		1	2		62, 65	EL0, EM0	DDP		with Shaft 52105490AB
		1	3		62	EL0, EM0	DDP		with Shaft 52105492
		1	2, 3		62, 65	ET0, EW0	DDX, DEE		with Shaft 52105494AE
		1	2, 3		62, 65	ET0, EW0	DDX, DEE		with Shaft 52105494AD
	9	5015 556AA	1	1		62		DDC	FLANGE, Driveshaft Yoke, with Shaft 52105618AA
10								SCREW AND WASHER, Hex Head, M10x1.5x30	
11	6101 060	6	1, 2		62, 65		DBB		
		4	2, 3		62, 63		DG0		BRACKET, Drive Shaft Bearing
12	5210 5267	1	1		62		DBB		
	5210 5279	1	2, 3		62, 65		DBB		SCREW AND WASHER, Hex Head, M10x1.5x30
13	6101 060	4	1, 2		62, 65		DBB		
		6	2, 3		62, 63		DG0		NUT
	6101 696	6	1		62		DBB		Center Bearing and Center Bearing Bracket Mounting
		6	2		62, 65				Center Bearing and Center Bearing Bracket Mounting
		4	3		62, 63	EM0	DGT		Center Bearing and Center Bearing Bracket Mounting
		4	3		62, 63	ET0, EW0	DGP		Center Bearing and Center Bearing Bracket Mounting
14	5209 7944	1	2, 3		62, 63, 64, 65	EMM, EW0	DBB		SHIELD, Center Bearing
15									SCREW, Hex Head
	3420 1888	3							Heat Shield Mounting
		2							Heat Shield Mounting

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year


September 16, 2005

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16									BOLT, Hex Head
	6505 288AA	4	1, 6		61, 62				M12X1.75X30-Drive Shaft Yoke Flange to Rear Axle Flange
	6034 965	4	2, 3, 7, 8		62, 63, 64, 65				.312X-24X.88-Drive Shaft U-Joint to Rear Axle Yoke Flange
17	4428 723	2	2, 3, 7, 8		62, 63, 64, 65				CLAMP, U-Joint
18									U JOINT
	5014 733AA	3	1		62		DDC		with Shaft 52105618AA
	5003 146AA	1	2		62, 65	EL0, EM0	DDP		with Shaft 52105490
		3	2		62, 65	EL0, EM0	DDP		with Shaft 52105490AB
		1	3		62	EL0, EM0	DDP		with Shaft 52105492
		3	2, 3		62, 65	ET0, EW0	DDX, DEE		with Shaft 52105494AE
		2	2, 3		62, 65	ET0, EW0	DDX, DEE		with Shaft 52105494AD



AR = Use as required - = Non illustrated part # = New this model year

Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8
Figure 016-150



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DDP = 5 Speed Manual Transmission									
DDX = 5 Speed Heavy Duty Manual Transmission									
DEE = 6 Speed Heavy Duty Manual Transmission									
DGP = 4 Speed Automatic Transmission 47RE									
DGT = 4 Speed Automatic Transmission 46RE									
EM0 = All 5.9L V-8 Engines									
ET0 = All Turbo Diesel Engines									
EW0 = All 8.0L V-10 Engines									
1	5210 5498	1	3		63	EM0	DDP		SHAFT, Drive, 2 Piece with Shaft 52105498-Upto and Including 07-04-00
	52105 502AE	1	3		63	EM0	DDP		with Shaft 52105502AE-07-05-00 and After
	52105 502AD	1	3		63	ET0, EW0	DDX, DEE		with Shaft 52105502AD
	5210 5504	1	3		63	ET0, EW0	DGP		with Shaft 52105504
2	5210 5500	1	3		63	EM0	DGT		with Shaft 52105500 YOKE, Drive Shaft
	4773 015	1	3		63	EM0	DDP		with Shaft 52105498
	4882 170	1	3		63	EM0	DDP		with Shaft 52105502AE
		1	3		63	ET0, EW0	DDX, DEE		with Shaft 52105502AD
	4773 015	1	3		63	ET0, EW0	DGP		with Shaft 52105504
3		1	3		63	EM0	DGT		with Shaft 52105500 BEARING, Drive Shaft
	4773 014	1	3		63	EM0	DDP		with Shaft 52105498
		1	3		63	EM0	DDP		with Shaft 52105502AE
		1	3		63	ET0, EW0	DDX, DEE		with Shaft 52105502AD
		1	3		63	ET0, EW0	DGP		with Shaft 52105504
4		1	3		63	EM0	DGT		with Shaft 52105500 CLAMP, Boot
	5212 720	1	3		63	EM0	DDP		with Shaft 52105498
		1	3		63	EM0	DDP		with Shaft 52105502AE
		1	3		63	ET0, EW0	DDX, DEE		with Shaft 52105502AD


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8
Figure 016-150



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
5	4428 807	1	3		63	ET0, EWO	DGP		with Shaft 52105504
		1	3		63	EM0	DGT		with Shaft 52105500
		1	3		63	EM0	DDP		BOOT, Driveshaft with Shaft 52105498
		1	3		63	ET0, EWO	DDX, DEE		with Shaft 52105502AE with Shaft 52105502AD
		1	3		63	ET0, EWO	DGP		with Shaft 52105504
6	4428 808	1	3		63	EM0	DGT		with Shaft 52105500
		1	3		63	EM0	DDP		CLAMP, Boot with Shaft 52105498
		1	3		63	EM0	DDP		with Shaft 52105502AE
		1	3		63	ET0, EWO	DDX, DEE		with Shaft 52105502AD
		1	3		63	ET0, EWO	DGP		with Shaft 52105504
7	4428 804	1	3		63	EM0	DGT		with Shaft 52105500
		1	3		63	EM0	DDP		YOKE, Drive Shaft with Shaft 52105498
		1	3		63	EM0	DDP		with Shaft 52105502AE
		1	3		63	ET0, EWO	DDX, DEE		with Shaft 52105502AD
		1	3		63	ET0, EWO	DGP		with Shaft 52105504
8	5210 5499	1	3		63	EM0	DGT		with Shaft 52105500
		1	3		64	EM0	DDP		SHAFT, Drive, 2 Piece with Shaft 52105499-Upto and Including 07-04-00
		1	3		64	EM0	DDP		with Shaft 52105503AE-07-05-00 and After
		1	3		64	ET0	DDX, DEE		with Shaft 52105503AD
		1	3		64	ET0, EWO	DGP		with Shaft 52105505
	5210 5501	1	3		64	EM0	DGT		with Shaft 52105501
	5210 5508	1	8		64	EM0	DDP		with Shaft 52105508-Upto and Including 07-04-00

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500, 3500

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

61= Reg. Cab (118 WB)
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)


ENGINE

EHC, EH0 = 3.9L 6 Cyl.
ELF, EL0 = 5.2L 8 Cyl.
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP, DDX, DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8
 Figure 016-150




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52105 511AD	1	8		64	EM0	DDP		with Shaft 52105511AD-07-05-00 and After
	52105 511AC	1	8		64	ET0	DDX		with Shaft 52105511AC
		1	8		64	EW0	DDX		with Shaft 52105511AC
	52105 271AB	1	8		64		DEE		with Shaft 52105271AB
	5210 5510	1	8		64	ET0, EW0	DGP		with Shaft 52105510
9	5210 5509	1	8		64	EM0	DGT		with Shaft 52105509 YOE, Drive Shaft
	4773 015	1	3		64	EM0	DDP		with Shaft 52105499
	4882 170	1	3		64	EM0	DDP		with Shaft 52105503AE
		1	3		64	ET0	DDX, DEE		with Shaft 52105503AD
		1	3		64	EW0	DDX, DEE		with Shaft 52105503AD
	4773 015	1	3		64	ET0, EW0	DGP		with Shaft 52105505
		1	3		64	EM0	DGT		with Shaft 52105501
	4882 170	1	8		64	EM0	DDP		with Shaft 52105508
		1	8		64	EM0	DDP		with Shaft 52105511AD
		1	8		64	EW0	DDX		with Shaft 52105511AC
		1	8		64	ET0	DDX		with Shaft 52105511AC
		1	8		64		DEE		with Shaft 52105271AB
		1	8		64	ET0, EW0	DGP		with Shaft 52105510
10		1	8		64	EM0	DGT		with Shaft 52105509 BEARING, Drive Shaft
	4773 014	1	3		64	EM0	DDP		with Shaft 52105499
		1	3		64	EM0	DDP		with Shaft 52105503AE
		1	3		64	ET0	DDX, DEE		with Shaft 52105503AD
		1	3		64	EW0	DDX, DEE		with Shaft 52105503AD
		1	3		64	ET0, EW0	DGP		with Shaft 52105505
		1	3		64	EM0	DGT		with Shaft 52105501
		1	8		64	EM0	DDP		with Shaft 52105508
		1	8		64	EM0	DDP		with Shaft 52105511AD
		1	8		64	EW0	DDX		with Shaft 52105511AC
		1	8		64	ET0	DDX		with Shaft 52105511AC

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8
 Figure 016-150




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11	5212 720	1	8		64		DEE		with Shaft 52105271AB
		1	8		64	ET0, EW0	DGP		with Shaft 52105510
		1	8		64	EM0	DGT		with Shaft 52105509
		1	3		64	EM0	DDP		with Shaft 52105499
		1	3		64	EM0	DDP		with Shaft 52105503AE
		1	3		64	ET0	DDX, DEE		with Shaft 52105503AD
		1	3		64	EW0	DDX, DEE		with Shaft 52105503AD
		1	3		64	ET0, EW0	DGP		with Shaft 52105505
		1	3		64	EM0	DGT		with Shaft 52105501
		1	8		64	EM0	DDP		with Shaft 52105508
		1	8		64	EM0	DDP		with Shaft 52105511AD
12	4428 807	1	8		64	ET0	DDX		with Shaft 52105511AC
		1	8		64	EW0	DDX		with Shaft 52105511AC
		1	8		64	DEE			with Shaft 52105271AB
		1	8		64	ET0, EW0	DGP		with Shaft 52105510
		1	8		64	EM0	DGT		with Shaft 52105509
		1	3		64	EM0	DDP		BOOT, Driveshaft with Shaft 52105499
		1	3		64	EM0	DDP		with Shaft 52105503AE
		1	3		64	ET0	DDX, DEE		with Shaft 52105503AD
		1	3		64	EW0	DDX, DEE		with Shaft 52105503AD
		1	3		64	ET0, EW0	DGP		with Shaft 52105505
		1	3		64	EM0	DGT		with Shaft 52105501
13		1	8		64	EM0	DDP		with Shaft 52105508
		1	8		64	EM0	DDP		with Shaft 52105511AD
		1	8		64	ET0	DDX		with Shaft 52105511AC
		1	8		64	EW0	DDX		with Shaft 52105511AC
		1	8		64	DEE			with Shaft 52105511AC
		1	8		64	ET0, EW0	DGP		with Shaft 52105271AB
		1	8		64	ET0, EW0	DGP		with Shaft 52105510
		1	8		64	EM0	DGT		with Shaft 52105509
		1	8		64	EM0	DGT		CLAMP, Boot

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8
Figure 016-150



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4428 808	1	3		64	EM0	DDP		with Shaft 52105499
		1	3		64	EM0	DDP		with Shaft 52105503AE
		1	3		64	ET0	DDX, DEE		with Shaft 52105503AD
		1	3		64	EW0	DDX, DEE		with Shaft 52105503AD
		1	3		64	ET0, EW0	DGP		with Shaft 52105505
		1	3		64	EM0	DGT		with Shaft 52105501
		1	8		64		DEE		with Shaft 52105271AB
		1	8		64	EM0	DDP		with Shaft 52105508
		1	8		64	EM0	DGT		with Shaft 52105509
		1	8		64	ET0,	DGP		with Shaft 52105510
		1	8		64	EW0	DDX		with Shaft 52105511AC
		1	8		64	EW0	DDX		with Shaft 52105511AC
		1	8		64	EM0	DDP		with Shaft 52105511AD
14	4428 804	1	3		64	EM0	DDP		YOKE, Drive Shaft with Shaft 52105499
		1	3		64	EM0	DDP		with Shaft 52105503AE
		1	3		64	EW0	DDX,		with Shaft 52105503AD
		1	3		64	ET0	DDX, DEE		with Shaft 52105503AD
		1	3		64	ET0,	DGP		with Shaft 52105505
		1	3		64	EW0	DGT		with Shaft 52105501
		1	8		64	EM0	DDP		with Shaft 52105508
		1	8		64	EM0	DDP		with Shaft 52105511AD
		1	8		64	EW0	DDX		with Shaft 52105511AC
		1	8		64	ET0	DDX		with Shaft 52105511AC
		1	8		64		DEE		with Shaft 52105271AD
		1	8		64	ET0,	DGP		with Shaft 52105510
15		1	8		64	EW0	DGT		with Shaft 52105509
						EM0			SCREW AND WASHER, Hex Head, M10x1.5x30
	6101 060	6	2, 3		62, 63		DG0		Center Bearing Bracket to Frame Mounting
		6	3, 8		64				Center Bearing Bracket to Frame Mounting


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8
 Figure 016-150




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16									BRACKET, Drive Shaft Bearing
	5210 5293	1	3		63				
	5210 5268	1	3, 8		64				
17									SCREW AND WASHER, Hex Head, M10x1.5x30
	6101 060	6	2, 3		62, 63		DG0		Center Bearing Mounting
		6	3, 8		64				Center Bearing Mounting
18	6101 696	4	2, 3, 8		62, 64, 65				NUT, Center Bearing and Center Bearing Bracket Mounting
19									SHIELD, Center Bearing
	5209 7944	1	2, 3		62, 63, 64, 65	EMM, EW0	DBB		
		1	8		64	EMM, EW0			
20	3420 1888	2							SCREW, Hex Head, Heat Shield Mounting
21	6034 965	4	2, 3, 7, 8		62, 63, 64, 65				BOLT, Hex Head, U-Joint Clamp Attaching
22	4428 723	2	2, 3, 7, 8		62, 63, 64, 65				CLAMP, U-Joint
23									U JOINT
	5003 146AA	1	3		63	EM0	DDP		with Shaft 52105498, Front and Rear
		3	3		63	EM0	DDP		with Shaft 52105502AE
		2	3		63	ET0, EW0	DDX, DEE		with Shaft 52105502AD, Front and Rear
		1	3		63	ET0, EW0	DGP		with Shaft 52105504, Front and Rear
		1	3		63	EM0	DGT		with Shaft 52105500, Front and Rear
		1	3		64	EM0	DDP		with Shaft 52105499, Front and Rear
		3	3		64	EM0	DDP		with Shaft 52105503AE
		2	3		64	ET0	DDX, DEE		with Shaft 52105503AD, Front and Rear
		2	3		64	EW0	DDX, DEE		with Shaft 52105503AD, Front and Rear
		1	3		64	ET0, EW0	DGP		with Shaft 52105505, Front and Rear
		2	3		64	EM0	DGT		with Shaft 52105501

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8
 Figure 016-150



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	8		64	EM0	DDP		with Shaft 52105508, Front and Rear
		3	8		64	EM0	DDP		with Shaft 52105511AD
		2	8		64	ET0	DDX		with Shaft 52105511AC, Front and Rear
		2	8		64	EW0	DDX		with Shaft 52105511AC, Front and Rear
		2	8		64		DEE		with Shaft 52105271AB
		1	8		64	ET0,	DGP		with Shaft 52105510, Front and Rear
		1	8		64	EW0			
						EM0	DGT		with Shaft 52105509, Front and Rear

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year


September 16, 2005



Group – 017

Rear Suspension


GROUP 17 - Rear Suspension

Illustration Title	Group-Fig. No.
Rear Suspension	
Suspension, Rear,Leaf With Shock Absorber	Fig. 017-110
Rear Stabilizer	
Stabilizer, Rear	Fig. 017-210



017-100 Rear Suspension	017-200 Rear Stabilizer		
			

Suspension, Rear, Leaf With Shock Absorber Figure 017-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DRB=9.25 Light Duty Axle---DRG=9.25 Heavy Duty Axle---DRD=Dana 60 Heavy Duty Axle---DRE=Dana 70 Axle--- DRL=Dana 80 Axle--- AHJ = Camper Special Group---Check the Vin Number for the 'Z' Code GVW Rating.									
1									SEAT, Spring
	5203 8217	2	1, 6		61, 62				[Z1A,Z6A,DRB,DRD
	52038 310AB	2	2, 7		62, 65				[Z2B,Z7B,DRD,DRE
	52038 311AB	2	2, 7		62, 65				[Z2B,Z7B,DRL]
		2	3, 8		62				[Z3A,Z8A,Z8B,DRL]
		2	3, 8		63, 64				[Z3B,Z8B,DRL]
2									CLIP, Spring
	5203 8482	4	1		61, 62				[Z1B]
	52106 313AA	4	2		62, 65				[Z2B,DRD,DRE,AHJ]
	52106 414AA	4	2, 3		62, 63, 64, 65				[Z2B,Z3A,DRL,AHJ]
	52106 412AA	4	2, 3		62, 63, 64, 65				[Z2B,Z3A,DRL]
	5203 7933	4	2, 3		62, 63, 64, 65				[Z2B,Z3A,DRD,DRE]
	52850 673AA	4	3, 8		63, 64				[Z3B,Z8B]
	5203 8485	4	6		61, 62				[Z6A]
	5203 8645	4	6		61, 62				[Z6A,AWL]
	5203 8486	4	7		62, 65				[Z7B,DRD,DRE]
	5203 8966	4	7		62, 65				[Z7B,DRD,DRE,AHJ]
	52113 025AA	4	7, 8		62, 65				[Z7B,Z8A,Z8B,DRL,AHJ]
	5203 8650	4	7, 8		62, 65				[Z7B,Z8A,Z8B,DRL]
3	5203 8718	2							BUMPER, Jounce
4	6503 642	1			61, 62, 65				NUT AND RETAINER, Hex Flange Locking, M14 x 2.00, Right Shock Upper, Mounting
5	6502 817	2							LOCK NUT, M14-2.00, Left Shock Upper, Mounting
6									SCREW, Hex Head
	6101 223	12	2, 3, 7, 8		62, 65				[AHJ] Bumper Bracket, Mounting
		12	3, 8		63, 64				[Z3B,Z8B], Mounting
7									BRACKET, Bumper
	52106 435AA	4	2, 3, 7, 8		62, 65				with Pad [AHJ]
		4	3, 8		63, 64				with Pad [Z3B,Z8B]
8									NUT, Hex Flange Lock
	6502 698	6	1, 6		61, 62				[Z1B,Z6A] Spring/Shackle, Mounting

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Suspension, Rear,Leaf With Shock Absorber
Figure 017-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	6502 396	6	2, 3, 7, 8		62, 63, 64, 65				[Z2B,Z3A,Z3B,Z7B,Z8A,Z8B] Spring/Shackle, Mounting
									SCREW, Pilot Point
	6505 599AA	6	1, 6		61, 62				[Z1B,Z6A] Spring and Shackle, Mounting
10	6504 782	6	2, 3, 7, 8		62, 63, 64, 65				[Z2B,Z3A,Z3B,Z7B,Z8A,Z8B] Spring/Shackle, Mounting
									NUT, Hex Flange Lock, M10x1.5
	5203 8359	4	2, 3, 7, 8		62, 65				[AHJ] Auxillary Spring Bracket, Mounting
11		4	3, 8		63, 64				[Z3B,Z8B] Auxillary Spring Bracket, Mounting
	6502 818	4							BOLT, Hex Flange Head, M14x2.
									00x80, Upper and Lower Shock, Mounting
12									SHACKLE, Spring
	52039 479AA	2	1, 6		61, 62				[Z1B,Z6A]
	52038 664AB	2	2, 3, 7, 8		62, 63, 64, 65				[Z2B,Z3A,Z3B,Z7B,Z8A,Z8B]
13									SHOCK ABSORBER, Suspension, Rear
	52039 481AD	2	1		61, 62	EL0, EM0			[Z1B]
	52106 080AC	2	1		61, 62	EH0			[Z1B]
	52106 385AE	2	2		62				[Z2B]
	52106 381AE	2	2, 3		62, 65				[Z2B,Z3A]
	52106 496AE	2	3, 8		64				[Z3B,Z8B]
	52106 495AE	2	3, 8		63				[Z3B,Z8B]
	52039 486AC	2	6		61, 62	EL0, EM0			[Z6A]
						EL0, EM0			[Z6A,+AWL]
	52113 001AB	2	6		61, 62	EL0, EM0			[Z6A,+AWL]
	52039 488AE	2	7		62	EL0, EM0, EW0			[Z7B]
						ET0			[Z7B]
	52039 490AE	2	7		62				[Z7B]
	52039 491AE	2	7		65				[Z7B]
		2	8		62				[Z8A]
14	6502 818	2							BOLT, Hex Flange Head, M14x2. 00x80, Shock Lower, Mounting


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Suspension, Rear,Leaf With Shock Absorber Figure 017-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	6502 698	2							NUT, Hex Flange Lock, Shock Lower, Mounting
16									PLATE, Rear Spring Clip
	5203 8457	2	1, 6		61, 62				[Z1B,Z6A,DRB,DRD], Mounting
	5203 8458	2	2, 7		62, 65				[Z2B,Z7B,DRD,DRE], Mounting
	5203 8459	2	2, 7		62, 65				[Z2B,Z7B,DRL], Mounting
		2	3, 8		62				[Z3A,Z8A,Z8B,DRL], Mounting
	52113 294AA	2	3, 8		63, 64				[Z3B,Z8B,DRL], Mounting
17									NUT, Hex Flange Lock
	6502 698	8	1, 2, 3						[Z1B,Z2B,Z3A]-Spring Clip, Mounting
		8	3, 8		63, 64				[Z3B,Z8B]-Spring Clip, Mounting
		8	6, 7		61, 62,				[Z6A,Z7B]-Spring Clip, Mounting
					65				
		8	8		62				[Z8A,Z8B]-Spring Clip, Mounting
18									SPACER, Spring
	52106 299AB	2	2, 3		62, 65				[Z2B,Z3A], Right or Left
	52106 926AA	2	3, 8		63, 64				[Z3B,Z8B], Right
	5203 8329	1	6		61, 62				[Z6A], Left
	5203 8328	1	6		61, 62				[Z6A], Right
	52106 925AA	2	7, 8		62, 65				[Z7B,Z8A,Z8B], Right
19									SPRING, Rear Leaf
	52106 015AG	1							[ZDR,ZSR]
	52106 016AG	1							[ZGR,ZVR]
	52106 017AG	1							[ZHR,ZWR]
	52106 018AG	1							[ZCR,ZRR]
	52106 020AG	1							[ZJR,ZXR]
	52106 032AF	1							[ZAR,ZNR]
	52106 033AF	1							[ZER,ZTR]
	52106 292AH	1							[ZFR,ZUR]
20									SPACER, Spring
	52038 327AB	2	2, 3, 7, 8		62, 65				[AHJ], Right or Left
		2	3, 8		63, 64				[Z3B,Z8B], Right or Left
21									SPRING, Rear Auxilliary
	52039 181AF	2	2, 3		62, 65				[Z2B,Z3A,AHJ], Right or Left
	52106 402AF	2	3, 8		63, 64				[Z3B,Z8B], Right or Left
		2	7, 8		62, 65				[Z7B,Z8A,Z8B,AHJ], Right or Left
22	6503 183	4							SCREW, Hex Head, M10x1.5x30, Jounce Bumper, Mounting

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

61= Reg. Cab (118 WB)
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)

ENGINE

EHC, EH0 = 3.9L 6 Cyl.
ELF, EL0 = 5.2L 8 Cyl.
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP, DDX, DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Stabilizer, Rear Figure 017-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
Check the VIN Number the the 'Z' Code GVW Rating									
AHJ = Camper Special Group									
1	5203 8907	1	2, 3		62, 65				BAR, Rear Sway [Z2B,Z3A,+AHJ]
	5203 9120	1	3, 8		63, 64				[Z3B,Z8B]
		1	7, 8		62, 65				[Z7B,Z8A,Z8B,+AHJ]
2	5203 8713	2							PLATE, Sway Bar, Stud Plate to Frame or Axle
3	J400 0235	1							NUT, Push, .375, Stabilizer Bar Stud Plate Retaining
4	1150 5098	2							BOLT, Hex Flange Head, M12x1. 75x60, Stabilizer Bar Link
5	5203 8700	2			61, 62, 65				BRACKET, Stabilizer Bar
6	6502 697	2							NUT, Hex Flange Lock, M12x1.75, Stabilizer Bar Link to Frame
7	6101 223	12	2, 3, 7, 8		62, 65				SCREW, Hex Head Stabilizer Bar Bracket to Frame Mounting
		4	3, 8		63, 64				Stabilizer Bar Bracket to Frame Mounting
8	5203 8713	2							PLATE, Sway Bar, Stud Plate to Frame or Axle
9	1150 5098	2							BOLT, Hex Flange Head, M12x1. 75x60, Stabilizer Bar Link
10	5203 8700	2			61, 62, 65				BRACKET, Stabilizer Bar
11	6502 697	2							NUT, Hex Flange Lock, M12x1.75, Stabilizer Bar Link to Frame
12	6502 696	4							NUT, Hex Flange Lock, M10x1.5, Stabilizer Bar Retainer
13	52106 057AA	2	2, 3		62, 65				LINK, Sway Eliminator [Z2B,Z3A,+AHJ]
	52106 058AA	2	3, 8		63, 64				[Z3B,Z8B]
		2	7, 8		62, 65				[Z7B,Z8A,Z8B,+AHJ]
14	6502 748	2							NUT, Hex, M12x1.75, Stabilizer to Link Mounting
15	6100 017	2							PIN, Cotter, M2.5x28.00, Stabilizer Bar Link
16	5208 7865	2							RETAINER, Sway Bar, Bushing


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Stabilizer, Rear
Figure 017-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17									BUSHING, Sway Bar
	5203 8843	2	2, 3		62, 63, 64, 65				[Z2B,Z3A,+AHJ]
	5203 7548	2	3, 8		63, 64				[Z3B,Z8B]
		2	7, 8		62, 63, 64, 65				[Z7B,Z8A,Z8B,+AHJ]
18	6502 696	4							NUT, Hex Flange Lock, M10x1.5, Stabilizer Bar Retainer


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions







AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 019

Steering




<div>019-100</div> <div>Steering Wheel</div> <div></div>	<div>019-200</div> <div>Steering Column</div> <div></div>	<div>019-300</div> <div>Steering Gear</div> <div></div>	<div>019-400</div> <div>Steering Linkage</div> <div></div>
<div>019-500</div> <div>Power Steering Pump</div> <div></div>	<div>019-700</div> <div>Power Steering Hoses</div> <div></div>		

GROUP 19 - Steering

Illustration Title	Group-Fig. No.
Steering Wheel	
Wheel, Steering	Fig. 019-110
Steering Column	
Column, Steering,Upper And Lower	Fig. 019-210
Steering Gear	
Power Steering Gear	Fig. 019-310
Steering Linkage	
Linkage, Steering,BR 1,2,3	Fig. 019-410
Linkage, Steering,BR 3 with Z3B Suspension,BR 6,7,8	Fig. 019-420
Power Steering Pump	
Pump,Power Steering and Mounting,EH0,EL0,EM0 Gas	Fig. 019-510
Pump,Power Steering and Mounting,EW0 Gas	Fig. 019-520
Pump,Power Steering and Mounting,ET0 Diesel	Fig. 019-530
Power Steering Hoses	
Hoses,Power Steering with EH0,EL0,EM0 Gas	Fig. 019-710
Hoses,Power Steering with EW0 Gas	Fig. 019-720
Hoses,Power Steering,with Hydroboost System with EM0,ET0,EW0 Engines	Fig. 019-730

Wheel, Steering
Figure 019-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:If Horn Switch is defective, you must replace the AIR BAG COVER WITH SWITCH and not the AIR BAG MODULE ASSEMBLY itself.

Note:CGW=Air Bags-Next Generation--- NHM=Speed Control---RDZ=Audio Controls-Steering Wheel Mounted---SCB=Steering Wheel-2 Spoke---SCV=Steering Wheel-Leather Wrapped

1									WHEEL, Steering
	5EH10 DX9AC	1							Black [SCB,-NHM]
	5FM14 DX9AC	1							Black [SCB,+NHM]
	5FL42 1X9AD	1							Black [SCV,+NHM,-RDZ]
	5GC42 1X9AF	1							Black [SCV,+NHM,+RDZ]
2	6505 248AA	1					DG0		NUT, Hex Flange Lock, Steering Wheel Mounting
3									SWITCH, Speed Control Right
	56021 332AB	1							Left
	56021 333AB	1							Left
4	6035 142	1							SCREW, .164-32x1.00, Speed Control Switch Mounting
5									AIR BAG, Driver
	5HH12 DX9AA	1							Upto and Including 09-09-00 at St. Louis Plant,09-10-00 at Dodge City Plant, and 09-21-00 at Mexico Plant
	5GK53 DX9AD	1							09-10-00 and After at St. Louis Plant,09-11-00 and After at Dodge City Plant and 09-22-00 and After at Mexico City
6									COVER, Air Bag Module
	TK64 DX9AA	1							Includes Horn Switch-Upto and Including 09-09-00 at St. Louis Plant,09-10-00 at Dodge City Plant, and 09-21-00 at Mexico Plant
	UP99 DX9AA	1							Includes Horn Switch-09-10-00 and After at St. Louis Plant,09-11-00 and After at Dodge City Plant and 09-22-00 and After at Mexico City
-7	5066 184AA-	1							SWITCH, Horn, Fits 5GK53DX9AA Air Bag and UP99DX9AA Air Bag
8									Cover Only
	6503 771	2							SCREW, Hex Flange Head, M6x1x23, Air Bag Module to Steering Wheel Mounting


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wheel, Steering Figure 019-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9									CLOCKSPRING
	56045 454AC	1							[-NHM,-RDZ]
	56045 455AC	1							[+NHM,-RDZ]
	56045 456AC	1							[+NHM,+RDZ]
-10									SWITCH, Radio Control
	4685 619AB-	1							Right
	4685 632AB-	1							Left




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Column, Steering,Upper And Lower
Figure 019-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Check the VIN Number for the 'Z' Code GVW Rating DBB = All Manual Transmissions DG0 = All Automatic Transmissions SUA = Tilt Steering Column									
1	5CN6 7PX8	1					DBB		SHROUD, Steering Column Front Fixed with Floor Shift [DBB], Upper
	5CE58 JX8AB	1					DG0		Front Fixed with Column Shift [DG0], Upper
2	55351 014AE	1							BRACKET, Steering Column, Clutch and Brake Pedal
3	6503 761	2							STUD, M6x1.00mmx48.80mm, Steering Column Upper
4	4897 478AC	1					DG0		COLUMN, Steering, Tilt [DG0]
	4897 479AC	1					DBB		[DBB]
5	4897 480AC	1					DG0		COLUMN, steering, non tilt [DG0]
	4897 481AC	1					DBB		[DBB]
6									NUT AND WASHER, Hex Lock Nut- Coned Lock Washer, M8 x 1.25, (NOT SERVICED) (Not Serviced)
7									PIN, Pivot, Part of Column Assembly, (NOT SERVICED) (Not Serviced)
8	4690 522AB	1					DG0		LEVER, Gearshift, Includes Gap Hider and Overdrive Switch
9	5602 1048	1					DG0		SWITCH, Overdrive Lockout, [DG0]
10	4470 108AB	1					DG0		GAP HIDER, Steering Column Shroud, [DG0]
11	6503 014	2							NUT AND WASHER, Hex, M6x1
12	6504 926AA	2							SCREW, Hex Flange Head, M10x1. 5x40, Intermediate Shaft to Gear and Column Mounting
13	55351 114AB	1	1, 2, 3						SHAFT, Intermediate
	55351 113AB	1	3, 6, 7, 8						[R3] with [Z3B]
14	6035 142	1							SCREW, .164-32x1.00 Lower Fixed Shroud to Steering Column Attaching

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Column, Steering,Upper And Lower
Figure 019-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1							Lower Lock Housing to Steering Column
15	KJ95 JX8AB	1							SHROUD, Steering Column, Rear Lock Housing with Key Pad, Lower
16	4470 105	1							SCREW, Filister Head, #8-16x.25, Upper to Lower Lock Housing
17	5CT42 JX8AC	1					DG0		SHROUD, Steering Column Front Fixed, Lower
	5CU51 JX8AB	1					DBB		Front Fixed, Lower
18	4470 103	1							LEVER, Tilt Column Release
19	DH72 JX8AB	1							SHROUD, Lock Housing Rear [-SUA], Upper
	DH69 JX8AC	1							Rear [+SUA], Upper
-20	56045 879AA-	1					DBB		SWITCH, Ignition
		1					DG0		
-21	6503 845	5					DBB		SCREW, Ignition Switch
		5					DG0		
-22	6506 514AA-	5					DBB		SCREW, 6 Lobed
		5					DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Power Steering Gear
Figure 019-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note:Sales Codes;									
[Z1B] Through [Z8B]=Suspension Sales Codes are found on Vehicle Identification Number [VIN] Sales Code Listing									
1									GEAR, Power Steering
	52113 556AE	1	1, 6						[Z1B,Z6A] Body 61
	5083 894AA	1	1, 6						[Z1B,Z6A] Body 62
	52113 611AG	1	2, 3						[Z2B,Z3A]
	52113 500AE	1	3, 7, 8						[Z3B,Z7B,Z8A,Z8B]
2									NUT, Steering Gear Shaft
	3491 338	1	1, 6						Adjusting
		1	2, 3						Adjusting
3									COVER, Steering Gear Housing
	3893 554	1	1, 6						[Z1B,Z6A] Body 61
		1	1, 6						[Z1B,Z6A] Body 62
		1	2, 3						[Z2B,Z3A]
		1	3, 7, 8						[Z3B,Z7B,Z8A,Z8B]
4									SEAL, Steering Gear Cover
	3893 558	1	1, 6						[Z1B,Z6A] Body 61
		1	1, 6						[Z1B,Z6A] Body 62
		1	2, 3						[Z2B,Z3A]
		1	3, 7, 8						[Z3B,Z7B,Z8A,Z8B]
5									VALVE, Power Steering Gear
	4210 545	1	1, 6						Check [Z1B,Z6A] Body 61
		1	1, 6						Check [Z1B,Z6A] Body 62
		1	2, 3						Check [Z2B,Z3A]
		1	3, 7, 8						Check [Z3B,Z7B,Z8A,Z8B]
6									O RING, Power Steering Pump
	J325 1183	1	1, 6						[Z1B,Z6A] Body 61
		1	1, 6						[Z1B,Z6A] Body 62
		1	2, 3						[Z2B,Z3A]
		1	3, 7, 8						[Z3B,Z7B,Z8A,Z8B]
7									REPAIR KIT, Thrust Bearing,
									Steering Gear
	4897 000AA	1	1, 6						[Z1B,Z6A] Body 62
		1	2, 3						[Z2B,Z3A]
		1	3, 7, 8						[Z3B,Z7B,Z8A,Z8B]
8									SEAL, Steering Gear Valve
	3491 350	1	1, 6						[Z1B,Z6A] Body 61
		1	1, 6						[Z1B,Z6A] Body 62
		1	2, 3						[Z2B,Z3A]
		1	3, 7, 8						[Z3B,Z7B,Z8A,Z8B]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Power Steering Gear
Figure 019-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9									SEAL KIT, Steering gear adjuster plug
	4886 349AA	1	1, 6						[Z1B,Z6A] Body 61
		1	1, 6						[Z1B,Z6A] Body 62
		1	2, 3						[Z2B,Z3A]
		1	3, 7, 8						[Z3B,Z7B,Z8A,Z8B]
10	J320 0501	1	1, 6						NUT, Steering Gear Arm
		1	1, 6						[Z1B,Z6A] Body 61
		1	2, 3						[Z1B,Z6A] Body 62
		1	3, 7, 8						[Z2B,Z3A]
11									SEAL KIT, Steering gear pitman shaft
	4470 365	1	1, 6						[Z1B,Z6A] Body 61
		1	1, 6						[Z1B,Z6A] Body 62
		1	2, 3						[Z2B,Z3A]
		1	3, 7, 8						[Z3B,Z7B,Z8A,Z8B]
12	J448 7154	1	1, 6						BEARING, Steering Gear
		1	2, 3						Needle [Z1B,Z6A] Body 61
									Needle [Z2B,Z3A]
13									SEAL, Steering Gear
	3893 559	1	1, 6						[Z1B,Z6A] Body 61
		1	1, 6						[Z1B,Z6A] Body 62
		1	2, 3						[Z2B,Z3A]
		1	3, 7, 8						[Z3B,Z7B,Z8A,Z8B]
14									SEAL KIT, Steering gear end plug
	3893 557	1	1, 6						[Z1B,Z6A] Body 61
		1	1, 6						[Z1B,Z6A] Body 62
		1	2, 3						[Z2B,Z3A]
		1	3, 7, 8						[Z3B,Z7B,Z8A,Z8B]
15	J812 7965	1	1, 6						PLUG, Steering Gear Housing
		1	2, 3						Rack/Piston
									Rack/Piston
16									BALL, Steering Gear
	3822 799	1	1, 6						[Z1B,Z6A] Body 62
		1	3, 7, 8						[Z3B,Z7B,Z8A,Z8B]
17									SCREW AND WASHER, Steering
	3491 331	1	1, 6						Gear
		1	2, 3						[Z3B,Z7B,Z8A,Z8B]
									[Z2B,Z3A]
18									SHAFT, Pitman

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Power Steering Gear
Figure 019-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3491 343	1	1, 6						[Z3B,Z7B,Z8A,Z8B]
		1	1, 6						[Z1B,Z6A] Body 62
		1	3, 7, 8						[Z3B,Z7B,Z8A,Z8B]
19	6504 742	3							SCREW AND WASHER, Hex Head, M14 x 2 x 115.0
-20									BOLT, Hex Head
	3822 792	1	1, 6						[Z3B,Z7B,Z8A,Z8B]
		1	2, 3						[Z2B,Z3A]
-21									SEAL, Steering gear thrust bearing
	4886 352AA-	1	1, 6						[Z3B,Z7B,Z8A,Z8B]
		1	2, 3						[Z2B,Z3A]
-22									WASHER, Lock, .875x1.469
	S010 3336	1	1, 6						[Z3B,Z7B,Z8A,Z8B]
		1	2, 3						[Z2B,Z3A]
-23									NUT, Hex Lock
	J812 8427	1	1, 6						[Z3B,Z7B,Z8A,Z8B]
		1	2, 3						[Z2B,Z3A]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Linkage, Steering, BR 1,2,3
Figure 019-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Check the VIN Number for the 'Z' Code Identification.

1	52106 054AB	1	1, 2, 3						ARM, Pitman
2	6505 623AA	1							NUT, Hex Locking, M14x1.5, Outer Tie Rod to Knuckle Mounting
3									SOCKET PACKAGE, Tie Rod End, Outer
	5017 670AA	1	1						
		1	2, 3						
4									SLEEVE, Steering Linkage
	5200 4472	1	1						Adjusting
		1	2, 3						Adjusting
5									SOCKET PACKAGE, Tie Rod End, Inner
	5017 671AA	1	1						
		1	2, 3						
6	6505 623AA	1							NUT, Hex Locking, M14x1.5, Inner Tie Rod to Center Link
7	6505 623AA	1							NUT, Hex Locking, M14x1.5, Steering Gear Arm to Center Link
8									LINK, Steering Center
	52106 259AA	1	1						
	52039 496AA	1	2, 3						
9	6505 623AA	1							NUT, Hex Locking, M14x1.5, Center Link to Idler Arm
10	6505 623AA	1							NUT, Hex Locking, M14x1.5, Inner Tie Rod to Center Link
11									SOCKET PACKAGE, Tie Rod End, Inner
	5017 671AA	1	1						
		1	2, 3						
12									SLEEVE, Steering Linkage
	5200 4472	1	1						Adjusting
		1	2, 3						Adjusting
13									SOCKET PACKAGE, Tie Rod End, Outer
	5017 670AA	1	1						
		1	2, 3						
14	6505 623AA	1							NUT, Hex Locking, M14x1.5, Outer Tie Rod to Knuckle Mounting
15	6503 814	2	1, 2, 3						SCREW AND WASHER, M16x2x50, Idler Arm to Frame Mounting

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML, EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Linkage, Steering, BR 1,2,3
Figure 019-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

16	ARM, Idler								
	52106 049AB	1	1						
		1	2, 3						



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Linkage, Steering, BR 3 with Z3B Suspension, BR 6,7,8
Figure 019-420


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: R3 With Z3B Suspension Code, Uses 4WD Style Front Suspension.									
1	6505 623AA	1							NUT, Hex Locking, M14x1.5, Drag Link to Knuckle Mounting
2	6505 623AA	1							NUT, Hex Locking, M14x1.5, Tie Rod to Drag Link Mounting
3	52106 954AA	1	3, 6, 7, 8						SOCKET, Drag Link, Outer
4	5203 7600	1	3, 6, 7, 8						TUBE, Tie Rod
5	52106 463AA	1	3, 6, 7, 8						SOCKET, Drag Link, Inner
6	52106 473AA	1	3, 6, 7, 8						ARM, Pitman
7	52106 984AA	1	3, 6, 7, 8						SOCKET, Tie Rod, Inner
8	5203 7600	1	3, 6, 7, 8						TUBE, Tie Rod
9	6505 623AA	1							NUT, Hex Locking, M14x1.5, Tie Rod to Knuckle Mounting
10	52106 975AA	1	3, 6, 7, 8						SOCKET, Tie Rod, Outer
11	6506 276AA	1	3, 6, 7, 8						NUT, Hex Flange Lock, M12x1.75, Damper to Inner Tie Rod Mounting
12	52106 909AB	1	3, 6, 7, 8						DAMPER, Steering
13	6502 473	1	3, 6, 7, 8						BOLT, Hex Flange Head, M12x1.75x65, Damper to Axle Bracket Mounting
14	6502 697	2							NUT, Hex Flange Lock, M12x1.75, Damper to Axle Bracket Mounting

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Pump,Power Steering and Mounting,EH0,EL0,EM0 Gas
Figure 019-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
Sales Codes:									
EH0=All 3.9L V-6 Engines									
EL0=All 5.2L V-8 Engines									
EM0=All 5.9L V-8 Engines									
1	4694 766	1	1, 2, 6, 7			EM0			CAP, Power Steering Pump
		1	3, 8			EM0			Reservior
		1				EH0,			Reservior
						EL0			Reservior
2	52039 145AB	1	1, 2, 6, 7			EM0			PUMP, Power Steering
	52039 042AB	1	3, 8			EM0			
	52039 145AB	1				EH0,			
						EL0			
3	5300 5613	1	1, 2, 6, 7			EM0			BRACKET, Power Steering Pump
		1	3, 8			EM0			Mounting, Front
		1				EH0,			Mounting
						EL0			Mounting
4									SCREW AND WASHER, Hex Head,
									M10-1.50x30, (NOT SERVICED)
									(Not Serviced)
5	6502 501	3	1, 2, 6, 7			EM0			BOLT, Hex Head, M10x1.50x28
		3	3, 8			EM0			Power Steering Bracket to Pump
		3				EH0,			Power Steering Bracket to Pump
						EL0			Power Steering Bracket to Pump
6	5300 5614	1	1, 2, 6, 7			EM0			PULLEY, Power Steering Pump
		1	3, 8			EM0			
		1				EH0,			
						EL0			
7	6034 247	1				EH0,			BOLT, Hex Head, .375-16x.25,
						EL0,			Power Steering Bracket to Cylinder
						EM0			Head
8	6034 249	1				EH0,			SCREW AND WASHER, Power
						EL0,			Steering Bracket to Cylinder Head
						EM0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Pump,Power Steering and Mounting,EH0,EL0,EM0 Gas
Figure 019-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


9	6034 985	1				EH0, EL0, EM0			STUD, .375-16x3.04, Power Steering Bracket to Cylinder Head
---	----------	---	--	--	--	---------------------	--	--	--

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Pump,Power Steering and Mounting,EW0 Gas
Figure 019-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:

Sales Codes:

EW0=8.0L V-10 Gas Engine


1	4694 766	1	1, 2, 6, 7			EW0			CAP, Power Steering Pump
		1	3, 8			EW0			
2	6034 549	2	1, 2, 6, 7			EW0			SCREW, Hex Head, .312-18x.94
		2	3, 8			EW0			Rear Bracket to Front Bracket
3	6502 135	2	1, 2, 6, 7			EW0			NUT, Hex Flange, M10x1.5
		2	3, 8			EW0			Pump Stud to Rear Bracket
4									BRACKET, Power Steering Pump
	5301 0011	1	1, 2, 6, 7			EW0			Rear
		1	3, 8			EW0			Rear
5	52039 145AB	1	1, 2, 6, 7			EW0			PUMP, Power Steering
	52039 042AB	1	3, 8			EW0			
6	6502 501	1	1, 2, 6, 7			EW0			BOLT, Hex Head, M10x1.50x28
		1	3, 8			EW0			Front Bracket to Pump
7	6101 864	2	1, 2, 6, 7			EW0			SCREW, M10x1.5x35
		2	3, 8			EW0			Front Bracket to Pump
8	5300 5614	1	1, 2, 6, 7			EW0			PULLEY, Power Steering Pump
		1	3, 8			EW0			
9	5301 0002	1	1, 2, 6, 7			EW0			BRACKET, Power Steering Pump
		1	3, 8			EW0			Front

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Pump,Power Steering and Mounting,ET0 Diesel
Figure 019-530




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
Sales Codes:									
ETC = 5.9L Cummins 24V Diesel Engine									
ET0 = All Diesel Engines									
1	4883 960AA	1				ETC			PUMP, Power Steering
2	5018 358AA	1				ETC			CAP, Power Steering Pump
3	5003 637AA	1				ETC			NIPPLE, Pump
4	5011 428AA	1				ETC			HOSE, Vacuum Pump
5	5011 799AA	1				ETC			BRACKET, Vacuum Pump
6	4429 862	4				ETC			NUT, Hex Flange, M10x1.5
7	4429 862	4				ETC			NUT, Hex Flange, M10x1.5
8	4429 637	1				ETC			SCREW, Hex Head, m12X1.75X.35
9	5011 617AA	1				ETC			CHECK VALVE, Vacuum Pump
10	4638 531	1				ETC			GASKET, Hydraulic Pump
11	5011 797AA	1				ETC			GEAR, Accessory Drive
12	5011 796AA	1				ETC			PUMP, Vacuum
13	5011 421AA	1				ETC			SCREW
14	4728 162	1				ETC			HUB, Hydraulic Brake Pump
15	4761 972	4				ETC			STUD
16	5140 342AA	1				ETC			SEAL KIT, Vacuum Pump
									THIS KIT CONTAINS LIP SEAL ,
									SMALL O-RING~~ & LARGE O-
									RING AND I SHEET.
		1				ETH	DBB		THIS KIT CONTAINS LIP SEAL ,
									SMALL O-RING~~ & LARGE O-
									RING AND I SHEET.

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Hoses,Power Steering with EH0,EL0,EM0 Gas
Figure 019-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

EH0=All 3.9L V-6 Engines

EL0=All 5.2L V-8 Engines

EM0=All 5.9L V8 Engines

AHC=Trailer Tow Prep Group

1	5200 6724	1				EH0			HOSE, Power Steering Return
2	2448 761	1				EH0, EL0, EM0, ET0			CLAMP, Hose
3	5203 8430	1	1, 2, 3			EH0, EL0, EM0			HOSE, Power Steering Pressure
4	5205 254	1				EM0 EL0, EM0			O RING, Power Steering Hose, [As Required On All Engines]
5	5203 8430	1	1, 2, 3			EH0, EL0, EM0			HOSE, Power Steering Pressure Body 61,62,65
	5203 9356	1	3			EL0, EM0			Body 63,64
		1	6, 7, 8			EM0 EL0, EM0			
6	2448 761	1				EH0, EL0, EM0, ET0			CLAMP, Hose
7	52106 395AA	1				EL0, EM0			HOSE AND COOLER, Power Steering
8	2448 761	1				EH0, EL0, EM0,			CLAMP, Hose
9	6502 064	1				ET0 EL0, EM0			SCREW, Tapping, M6x1x20, Cooler Mounting
10	5203 8432	1				EL0, EM0			HOSE, Power Steering Return Without [AHC]


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Hoses,Power Steering with EH0,EL0,EM0 Gas Figure 019-710


[illegible]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Hoses,Power Steering with EW0 Gas
Figure 019-720




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Codes:									
EW0=All 8.0L V-10 Engines									
1	5205 254	1				EW0			O RING, Power Steering Hose, Use as required
2	5203 8434	1	1, 2, 3			EW0			HOSE, Power Steering Pressure
		1	6, 7, 8			EW0			
3	2448 761	1				EW0			CLAMP, Hose
4	52106 395AA	1				EW0			HOSE AND COOLER, Power Steering
5	2448 761	1				EW0			CLAMP, Hose
6	6502 064	1				EW0			SCREW, Tapping, M6x1x20, Cooler Mounting
7	5203 8567	1				EW0			HOSE, Power Steering Return
8	2448 761	1				EW0			CLAMP, Hose
9	2448 761	1				EW0			CLAMP, Hose

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Hoses,Power Steering,with Hydroboost System with EM0,ET0,EW0 Engines
Figure 019-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes: AHC = Trailer Tow Prep Group DBB = All Manual Transmissions EM0 = All 5.9L V8 Engines ET0 = All Turbo Diesel Engines EW0 = All 8.0L V-10 Engines									
1	5003 330AB	1	2, 7			ET0			HYDRO-BOOSTER, Power Brake
		1	3, 8						
2	4695 734	2				ET0			CLIP, Power Steering Hose
		2	3, 8			EM0, EW0			
3	52039 358AC	1	2, 3, 7, 8			ET0			HOSE, Power Steering Pressure Gear to Hydroboost
		1	3, 8			EM0, EW0			Gear to Hydroboost
4	52106 085AA	1	2, 3, 7, 8			ET0			HOSE, Power Steering Return Hydroboost
	52106 996AA	1	3, 8			EM0, EW0			Pump to Hydroboost
5	5205 254	2	2, 3, 7, 8			ET0			O RING, Power Steering Hose as Required
		2	3, 8			EM0, EW0			as Required
6	5200 6724	1	2, 3, 7, 8			ET0			HOSE, Power Steering Return Gear to Pump
	5203 8567	1				EL0, EM0 EW0			Gear to Pump
7	2448 761	2					DBB		Gear to Pump CLAMP, Hose
8	52106 302AA	1	2, 3, 7, 8			ET0			HOSE, Power Steering Pressure Pump to Hydroboost
		1	3, 8			EM0, EW0			Pump to Hydroboost


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005









Group – 42RE

Automatic Transmission 4 Speed




GROUP 42RE - Automatic Transmission 4 Speed

Illustration Title	Group-Fig. No.
Transmission Assembly	
Transmission Assembly - 42RE (DGK)	Fig. 42RE-110
Case and Extension	
Case, & Related Parts - 42RE (DGK)	Fig. 42RE-210
Extension - 42RE [DGK]	Fig. 42RE-220
Oil Pump	
Pump, Oil With Reaction Shaft - 42RE (DGK)	Fig. 42RE-310
Gear Train	
Clutch, Front & Rear With Gear Train - 42RE (DGK)	Fig. 42RE-410
Gear Train & Intermediate Shaft - 42RE (DGK)	Fig. 42RE-420
Output Shaft - 42RE (DGK)	Fig. 42RE-430
Bands, Reverse and Kickdown	
Bands, Reverse And Kickdown With Linkage - 42RE (DGK)	Fig. 42RE-510
Valve Body	
Valve Body - 42RE (DGK)	Fig. 42RE-710
Servos, Accumulator Piston & Spring - 42RE (DGK)	Fig. 42RE-720
Parking Sprag - 42RE (DGK)	Fig. 42RE-730
Overdrive Gear Train	
Clutch, Overdrive With Gear Train - 42RE (DGK)	Fig. 42RE-1010
Gearshift Controls	
Controls, Gearshift, Lower - 42RE (DGK)	Fig. 42RE-1210

42RE-100 Transmission Assembly	42RE-200 Case and Extension	42RE-300 Oil Pump	42RE-400 Gear Train
			
42RE-500 Bands, Reverse and Kickdown	42RE-700 Valve Body	42RE-1000 Overdrive Gear Train	42RE-1200 Gearshift Controls
			

Transmission Assembly - 42RE (DGK)
Figure 42RE-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DGK] = 42RE Automatic Transmission

1	5014 768AA	1	1, 2, 3				DGK		TRANSMISSION PACKAGE, 52119834AA(Package Contains 52119834AA Transmission, K4736593 Converter, K1949765 Bolts)
-2	5211 8782	1	1, 2, 3				DGK		OVERDRIVE

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

Case, & Related Parts - 42RE (DGK)
Figure 42RE-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes									
[EH0] = All 3.9L Gas Engines									
[EL0] = All 5.2L 8Cylinder Gas Engines									
[EM0] = All 5.9L Gas Engines									
[EW0] = All 8.0L Gas Engines									
[DGK] = 42RE Automatic Transmission									
[DG0] = All Automatic Transmissions									
-1	4863 907AD-	1	1, 2, 3				DGK		SEAL AND GASKET PACKAGE, Transmission
2	4412 879	1	1, 2, 3				DGK		SENSOR, Transmission Output Speed
3	52107 769AB	1					DG0		INDICATOR, Transmission Fluid Level
4	6025 021	1					DGK		NUT, Hex, .437-14, .437-14
5	52118 637AB	1					DGK		TUBE, Transmission Oil Filler
6	6022 266	4				EH0, EL0, EM0, EW0	DG0		SCREW, Hex Head, .375-16x1.5
7	52118 629AB	1					DG0		SEAL, Oil Filler Tube
8	5211 8175	1	1, 2, 3				DGK		CASE, Transmission
9	6024 473	2					DG0		SCREW AND WASHER, Hex Head, .437-14x2.00, Case Mtg., .437- 14x2.00
10	6501 701	1	1, 2, 3				DGK		O RING, Trans Speed Sensor
11	6033 879	2	1, 2, 3				DGK		NUT, Inverted Flare, .62-18
12	2408 143	1	1, 2, 3				DGK		WASHER, Switch
13	56028 181AB	1	1, 2, 3				DGK		SWITCH, Neutral, Safety, Back Up
14	3681 601	1	1, 2, 3				DGK		MAGNET, Transmission
15	4295 875	1	1, 2, 3				DGK		GASKET, Oil Pan
16	52118 779AB	1	1, 2, 3				DGK		PAN, Transmission Oil
17	4723 548	12	1, 2, 3				DGK		SCREW AND WASHER, Hex Head, .312-18x.625
18	6028 095	1	1, 2, 3				DGK		PLUG, Pressure Check
19	5211 7755	1	1, 2, 3				DGK		COVER, Converter


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Extension - 42RE [DGK]
Figure 42RE-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


NOTES: Sales Codes

[DGK] = 42RE Automatic Transmission

1	4531 216	1	1, 2, 3				DGK		SEAL, Extension Yoke
2									SCREW, (NOT SERVICED) (Not Serviced)
3	2466 957	1	1, 2, 3				DGK		COVER, Transmission Converter
4	2801 398	1	1, 2, 3				DGK		GASKET, Transmission
5	4471 564	1	1, 2, 3				DGK		GASKET, Overdrive Piston Retainer
6	6036 046AA	7	1, 2, 3				DGK		SCREW, Hex Flange Head, .375-16x1.38
7	5003 231AA	1	1, 2, 3				DGK		CASE, Transmission Rear

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions


Pump, Oil With Reaction Shaft - 42RE (DGK)
Figure 42RE-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGK] = 42RE 4 Speed Automatic Transmission									
-1	4713 108AB-	1	1, 2, 3				DGK		GASKET AND SEAL PACKAGE, Transmission Oil Pump
2	4412 475	1	1, 2, 3				DGK		SEAL, Impeller Hub, 57.25mm OD
3	2466 796	1	1, 2, 3				DGK		BUSHING, Front Pump
4	2204 709	1	1, 2, 3				DGK		SEAL, Front Pump Housing
5	0104 918	1	1, 2, 3				DGK		BALL, Valve Body Check, Reaction Shaft
6	52118 267AB	1	1, 2, 3				DGK		PUMP, Transmission Oil
7									HOUSING, Pump, (NOT SERVICED) (Not Serviced)
8									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
9									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
10									SHAFT, Oil Pump, (NOT SERVICED) (Not Serviced)
11									LOCK WASHER, (NOT SERVICED) (Not Serviced)
12	0179 815	6	1, 2, 3				DGK		SCREW, Hex Head, .312-18x.687
13	5211 8266	1	1, 2, 3				DGK		GASKET, Transmission Oil Pump
14	4058 635	1	1, 2, 3				DGK		BUSHING, Reaction Shaft
15	4471 874	2	1, 2, 3				DGK		SEAL, Ring Reaction Support, 2 1/16 O.D.
16	4617 786	1	1, 2, 3				DGK		THRUST WASHER, Front Clutch
17	6023 943	6	1, 2, 3				DGK		SCREW AND WASHER, Hex Flange Head, .312-18x1.375

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

Clutch, Front & Rear With Gear Train - 42RE (DGK)
Figure 42RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGK] = 42RE Automatic Transmission									
-1	5252 926AB-	1	1, 2, 3				DGK		SEAL PACKAGE, Transmission Clutch
2	4531 285AB	1	1, 2, 3				DGK		RETAINER AND BUSHING, Transmission Front Clutch
3	4617 157	1	1, 2, 3				DGK		BUSHING, Front Clutch
4	3515 176	1	1, 2, 3				DGK		SEAL, Front Clutch Piston
5	4058 487AB	1	1, 2, 3				DGK		SEAL, Front Piston Clutch
6	4617 154AB	1	1, 2, 3				DGK		PISTON, Clutch
-7	0147 483	1	1, 2, 3				DGK		CHECK BALL, Dia-.187
8	3515 054	1	1, 2, 3				DGK		SPRING, Front Clutch
9	4617 516AC	1	1, 2, 3				DGK		RETAINER, Transmission Front Clutch Piston Spring
-10	0147 483	1	1, 2, 3				DGK		CHECK BALL, Dia-.187
11	1942 400	1	1, 2, 3				DGK		SNAP RING
12	4617 362	4	1, 2, 3				DGK		DISC, Direct Clutch
13	3410 571	1	1, 2, 3				DGK		SNAP RING
14	4617 176	1	1, 2, 3				DGK		PLATE, Transmission Clutch Reaction
15	1942 403AC	4	1, 2, 3				DGK		PLATE, Clutch Separator
16	4505 199	1	1, 2, 3				DGK		RETAINER, Transmission Rear Clutch
-17	0147 483	1	1, 2, 3				DGK		CHECK BALL, Dia-.187
18	6022 859	1	1, 2, 3				DGK		SNAP RING, .890625
19	4505 185	1	1, 2, 3				DGK		THRUST WASHER, Output Shaft, Gray .052
20	4028 333	1	1, 2, 3				DGK		SEAL, Rear Clutch, 1.50 ODx.009 Thk
21	4617 786	1	1, 2, 3				DGK		THRUST WASHER, Front Clutch, .060" Thick
22	1401 221AB	1	1, 2, 3				DGK		SEAL, Input Shaft
23	4505 189	1	1, 2, 3				DGK		INPUT SHAFT, Transmission
24	4713 880	4	1, 2, 3				DGK		DISC, Clutch
25	4130 761	1	1, 2, 3				DGK		SNAP RING, .060" Thick
-26	4539 121	1	1, 2, 3				DGK		SNAP RING, Rear Clutch, .076
-27	4539 122	1	1, 2, 3				DGK		SNAP RING, Rear Clutch, .098
-28	4539 123	1	1, 2, 3				DGK		SNAP RING, Rear Clutch, .095
-29	4539 124	1	1, 2, 3				DGK		SNAP RING, Rear Clutch, .107
30	4617 176	1	1, 2, 3				DGK		PLATE, Transmission Clutch Reaction


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Front & Rear With Gear Train - 42RE (DGK)
Figure 42RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
31	1942 403AB	3	1, 2, 3				DGK		PLATE, Clutch Separator
32	2466 281	1	1, 2, 3				DGK		PLATE, Clutch Pressure
33	2466 283	1	1, 2, 3				DGK		SPRING, Rear Clutch
34	4728 487	1	1, 2, 3				DGK		SPRING, Rear Clutch Piston
35	2538 695	1	1, 2, 3				DGK		SEAL, Rear Clutch Piston
36	3515 716	1	1, 2, 3				DGK		PISTON, Clutch
37	2538 510	1	1, 2, 3				DGK		SEAL, Rear Clutch Piston

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

Gear Train & Intermediate Shaft - 42RE (DGK)
Figure 42RE-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DGK] = 42RE Automatic Transmission

1	6026 289	1	1, 2, 3				DGK		SNAP RING, .946 ID
-2	6030 404	1	1, 2, 3				DGK		SNAP RING, Output Shaft, 1.029 OD
-3	6030 938	1	1, 2, 3				DGK		SNAP RING
4	6030 576	1	1, 2, 3				DGK		SNAP RING, Annulus Gear, 1.375 ID
5	3681 969	1	1, 2, 3				DGK		THRUST WASHER, Annulus Gear
6	6035 238	1	1, 2, 3				DGK		SNAP RING
7	4617 774	1	1, 2, 3				DGK		SUPPORT, Annulus Gear
8	4130 512	1	1, 2, 3				DGK		GEAR, Front Annulus
9	4130 518	2	1, 2, 3				DGK		THRUST WASHER, Planetary Carrier
10	4130 514	1	1, 2, 3				DGK		CARRIER, Planetary Pinion
11	4130 685	1	1, 2, 3				DGK		GEAR, Sun
12	4130 736	1	1, 2, 3				DGK		SPACER, Sun Gear
13	4471 566	2	1, 2, 3				DGK		PLATE, Transmission Module
14	4531 288	1	1, 2, 3				DGK		SHELL, Sun Gear
15	1942 439	1	1, 2, 3				DGK		SNAP RING, Sun Gear Shell
16	4431 438	1	1, 2, 3				DGK		CARRIER, Planetary Pinion
17	3681 935	1	1, 2, 3				DGK		THRUST WASHER, Planetary Carrier
18	3743 184	1	1, 2, 3				DGK		GEAR, Rear Annulus
19	3515 501	1	1, 2, 3				DGK		SUPPORT, Annulus Gear
20	1942 444	1	1, 2, 3				DGK		SNAP RING
21	6033 480	1	1, 2, 3				DGK		SNAP RING, Reverse Drum
22	4471 564	1	1, 2, 3				DGK		GASKET, Overdrive Piston Retainer
23	4637 956	1	1, 2, 3				DGK		DRUM PACKAGE, Transmission
24	4431 690	1	1, 2, 3				DGK		CAM, Overrunning Clutch
25	4431 432	1	1, 2, 3				DGK		CLUTCH, Overrunning
26	6033 616	5	1, 2, 3				DGK		SCREW, Hex Flange Head, .25-28x.875
27	4617 246	1	1, 2, 3				DGK		RETAINER, Transmission Overdrive Clutch Piston
28	4505 188	1	1, 2, 3				DGK		PLATE, Transmission Module
29	4617 604	1	1, 2, 3				DGK		INTERMEDIATE SHAFT, Transmission
30	4617 775	1	1, 2, 3				DGK		PLATE, Annulus Gear Thrust


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Output Shaft - 42RE (DGK)
Figure 42RE-430




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES:Sales Codes									
[DGK] = 42RE Automatic Transmission									
1	5003 232AA	1	1, 2, 3				DGK		SHAFT, Output
2									BUSHING, (NOT SERVICED) (Not Serviced)
3									BUSHING, (NOT SERVICED) (Not Serviced)
4	4461 008	1	1, 2, 3				DGK		BEARING, Output Shaft
5	2466 224	1	1, 2, 3				DGK		BEARING, Output Shaft
6	4461 068	1	1, 2, 3				DGK		SNAP RING
7	4461 057	1	1, 2, 3				DGK		SNAP RING
8	4461 069	1	1, 2, 3				DGK		SNAP RING

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Bands, Reverse And Kickdown With Linkage - 42RE (DGK)
Figure 42RE-510



KICKDOWN BAND



DOUBLE WRAP REVERSE BAND

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGK] = 42RE Automatic Transmission									
1	5211 8264	1	1, 2, 3				DGK		LEVER, Kickdown, Kickdown Band
2	4531 181	1	1, 2, 3				DGK		SHAFT, Band Lever
3	3515 084	1	1, 2, 3				DGK		STRUT, Kickdown Band
4									PLUG, (NOT SERVICED) (Not Serviced)
5	6036 141AA	1	1, 2, 3				DGK		SCREW
6	0124 934	1	1, 2, 3				DGK		NUT, Hex Jam, .50-20, Kickdown Band Adj. Screw, 1/2-20
7	4617 849	1	1, 2, 3				DGK		BAND, Kickdown
8	4202 764AB	1	1, 2, 3				DGK		LEVER, Reverse Band
9	2538 472	1	1, 2, 3				DGK		SCREW, Trans Reverse Band Adjusting, .375-24-1.88
10	0114 942	1	1, 2, 3				DGK		NUT, Hex, .375-24
11	3410 102	1	1, 2, 3				DGK		SHAFT, Reverse Band
12	4431 406	1	1, 2, 3				DGK		BAND, Reverse
13	6030 657	1	1, 2, 3				DGK		O RING, Steering Gear
14	3410 102	1	1, 2, 3				DGK		SHAFT, Reverse Band

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Valve Body - 42RE (DGK) Figure 42RE-710

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DGK] = 42RE Automatic Transmission

-1	4863 933AB-	1	1, 2, 3				DGK		SEAL AND GASKET PACKAGE, Valve Body and Servo
2	52119 633AB	1	1, 2, 3				DGK		BODY, Transfer Plate
3	5211 8510	1	1, 2, 3				DGK		GASKET, Transmission Solenoid
4	52118 500AB	1	1, 2, 3				DGK		SOLENOID, Transmission Overdrive
5	0181 071	3	1, 2, 3				DGK		BOLT, Valve Body, .25-20x1.75
6	5211 8789	1	1, 2, 3				DGK		FILTER, Valve Body
7	6033 826	3	1, 2, 3				DGK		SCREW AND WASHER, Oil Filter Mounting, Fillester Head .190-24x2. 500
8	6034 748	2	1, 2, 3				DGK		O RING, Solenoid Wiring, Transmission
9	6033 985	1	1, 2, 3				DGK		SCREW, Tapping, .19-24x.75
10	3681 227	1	1, 2, 3				DGK		LEVER, Throttle Valve
11	4617 437	1	1, 2, 3				DGK		LEVER, Manual Valve
12	0147 488	1	1, 2, 3				DGK		BALL, Manual Lever Detent, .343 Diameter
13	2466 548	1	1, 2, 3				DGK		SEAL, Valve Lever Shift
14	2538 062	1	1, 2, 3				DGK		WASHER, Manual Valve Lever
15	6035 208	2	1, 2, 3				DGK		SNAP RING
16	4505 098	1	1, 2, 3				DGK		SEAL, Manual Shift Valve, 1.25 OD
17	6030 609	1	1, 2, 3				DGK		SCREW, Cap Head Lock, .312-24x1. 25
18	4617 010	1	1, 2, 3				DGK		BRACKET, Valve Body Switch
19	4130 492	1	1, 2, 3				DGK		SPRING, Switch Valve
20	4505 036	1	1, 2, 3				DGK		VALVE, Trans Lockup Switch
21	4617 008	1	1, 2, 3				DGK		TUBE, Boost Valve
22	5211 7958	1	1, 2, 3				DGK		RETAINER, Boost Valve Oil Supply Tube
23	4617 219	1	1, 2, 3				DGK		CLIP, Transmission Governor Transducer
24	56028 196AA	1	1, 2, 3				DGK		TRANSDUCER, Pressure Sensor
25	6034 493	1	1, 2, 3				DGK		O RING, Pressure Switch
26	4617 216	1	1, 2, 3				DGK		GASKET, Transmission Solenoid
27	4617 211AB	1	1, 2, 3				DGK		RETAINER, Transmission Governor Solenoid
28	4723 549	1	1, 2, 3				DGK		O RING PACKAGE, Valve Body, Transmission


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Valve Body - 42RE (DGK)
Figure 42RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
29	4617 210	1	1, 2, 3				DGK		SOLENOID, Transmission Governor
-30	3878 313	1	1, 2, 3				DGK		SCREEN, Transmission Regulator Valve
-31	4348 907	1	1, 2, 3				DGK		SPRING, Limit Valve

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Servos, Accumulator Piston & Spring - 42RE (DGK)
Figure 42RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO



ACCUMULATOR PISTON AND SPRING


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGK] = 42RE Automatic Transmission									
1	6028 863	1	1, 2, 3				DGK		SNAP RING, Kickdown, 2.377
2	4295 966	1	1, 2, 3				DGK		SEAL, Servo Guide
3	3410 332	1	1, 2, 3				DGK		GUIDE, Kickdown Servo
4	4058 885	1	1, 2, 3				DGK		SPRING, Kickdown Servo Piston
5	6031 392	1	1, 2, 3				DGK		SNAP RING, Brake Master Cylinder
6	4058 780	1	1, 2, 3				DGK		ROD, Kickdown Servo Piston
7	6028 864	1	1, 2, 3				DGK		O RING, Kick Down Servo
8	4295 966	1	1, 2, 3				DGK		SEAL, Servo Guide
9	4058 777	1	1, 2, 3				DGK		PISTON, Kickdown Servo
-10	6028 864	1	1, 2, 3				DGK		O RING, Kick Down Servo
11	3743 033	1	1, 2, 3				DGK		SEAL, Kickdown Servo
12	6027 153	1	1, 2, 3				DGK		SNAP RING, .435 ID
13	5211 8744	1	1, 2, 3				DGK		PISTON, Reverse Servo
14	4202 864	1	1, 2, 3				DGK		SEAL, Reverse Servo Piston
15	4130 824	1	1, 2, 3				DGK		SPRING, Reverse Servo Piston
16	52118 740AB	1	1, 2, 3				DGK		PLUG, Reverse Servo Piston
17	2801 274	1	1, 2, 3				DGK		SPRING, Reverse Servo Piston
18	2464 463	1	1, 2, 3				DGK		RETAINER, Transmission Rear Clutch
19	2464 464	1	1, 2, 3				DGK		SNAP RING
20	4531 259	1	1, 2, 3				DGK		SPRING, Transmission Accumulator
21	3743 013	1	1, 2, 3				DGK		SEAL, Piston Accumulator
22	3743 650	1	1, 2, 3				DGK		PISTON, Accumulator
23	3743 010	1	1, 2, 3				DGK		SEAL, Piston Accumulator
24	4617 529	1	1, 2, 3				DGK		SPRING, Accumulator Piston

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Parking Sprag - 42RE (DGK)
Figure 42RE-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DGK] = 42RE Automatic Transmission

1	2466 909	1	1, 2, 3				DGK		SPRING, Parking Sprag
2	4471 415	1	1, 2, 3				DGK		SPRAG, Transmission Parking
3	2466 892	1	1, 2, 3				DGK		SHAFT, Parking Sprag
4	2538 042	1	1, 2, 3				DGK		PLUG, Parking Sprag
5	2538 034	1	1, 2, 3				DGK		SNAP RING, Transmission
6	4431 748	1	1, 2, 3				DGK		ROD, Parking Sprag
7	6035 256	1	1, 2, 3				DGK		SNAP RING, Rod


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Overdrive With Gear Train - 42RE (DGK)
Figure 42RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGK] = 42RE Automatic Transmission									
1	4740 774	1	1, 2, 3				DGK		PLATE PACKAGE, Transmission Module
2									BEARING, Overdrive, (NOT SERVICED) (Not Serviced)
3	5015 107AA	1	1, 2, 3				DGK		GEAR, Overdrive Sun
4									BUSHING, (NOT SERVICED) (Not Serviced)
5	4798 520	1	1, 2, 3				DGK		CARRIER, O/Drive Planet Pinion
6	4461 124	1	1, 2, 3				DGK		RACE, Overrunning Clutch
7	4461 014	1	1, 2, 3				DGK		THRUST BEARING, Overdrive Third Position
8	4461 015	1	1, 2, 3				DGK		CLUTCH, Overdrive Overrunning
9	4761 010	1	1, 2, 3				DGK		GEAR, Overdrive Annulus
10	4461 059	1	1, 2, 3				DGK		SNAP RING, 5.25 OD
11	4461 060	2	1, 2, 3				DGK		SNAP RING, 6.00 OD
12	4461 040	1	1, 2, 3				DGK		DRUM, Automatic Transmission
13	4461 063	AR	1, 2, 3				DGK		SNAP RING, 2.1875 OD
14	4461 027	AR	1, 2, 3				DGK		SPRING, Direct Clutch
15	4461 072	AR	1, 2, 3				DGK		HUB, Direct Clutch
16	4446 724	1	1, 2, 3				DGK		THRUST BEARING, Overdrive
17	4461 030	1	1, 2, 3				DGK		PLATE, Transmission Clutch Reaction
18	4461 042	6	1, 2, 3				DGK		DISC, Direct Clutch
19	4461 054	5	1, 2, 3				DGK		PLATE, Transmission Clutch Reaction
20	4461 031	1	1, 2, 3				DGK		PLATE, Transmission Clutch Reaction
21	4461 032	1	1, 2, 3				DGK		SPRING, Direct Clutch
22	4461 064	1	1, 2, 3				DGK		SNAP RING, 1.875" OD
23	4412 583	1	1, 2, 3				DGK		FILTER, Overdrive Clutch
24	4617 246	1	1, 2, 3				DGK		RETAINER, Transmission Overdrive Clutch Piston
25	5211 8599	1	1, 2, 3				DGK		PISTON, Overdrive Clutch
26	6033 479	6	1, 2, 3				DGK		BOLT, Hex Head, .25-28x1-5/8
27	4431 697	1	1, 2, 3				DGK		SEAL, Overdrive Clutch Piston
28	4431 696	1	1, 2, 3				DGK		SEAL, Overdrive Clutch Piston
29	4431 585	1	1, 2, 3				DGK		PLATE, Transmission O/Drive Clutch .123"-.125" Thick

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Clutch, Overdrive With Gear Train - 42RE (DGK)
Figure 42RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4431 586	1	1, 2, 3				DGK		.153"-.155" Thick
	4431 587	1	1, 2, 3				DGK		.183"-.186" Thick
	4431 588	1	1, 2, 3				DGK		.213"-.215" Thick
	4431 590	1	1, 2, 3				DGK		.243"-.245" Thick
	4431 731	1	1, 2, 3				DGK		.138"-.140" Thick
	4431 732	1	1, 2, 3				DGK		.168"-.170" Thick
	4431 733	1	1, 2, 3				DGK		.198"-.200" Thick
	4431 734	1	1, 2, 3				DGK		.228"-.230" Thick
30	4431 916	1	1, 2, 3				DGK		SPACER, Intermediate Shaft, 1. 58mm
-31	4431 917	1	1, 2, 3				DGK		SPACER, Intermediate Shaft, .175
-32	4431 918	1	1, 2, 3				DGK		SPACER, Intermediate Shaft, .193
-33	4431 919	1	1, 2, 3				DGK		SPACER, Intermediate Shaft, .211
34	4461 082	1	1, 2, 3				DGK		SNAP RING, Overdrive Clutch
35	4461 048	1	1, 2, 3				DGK		PLATE, Transmission Clutch Reaction
36	4461 047	2	1, 2, 3				DGK		PLATE, Transmission Clutch Reaction
37	4461 181	3	1, 2, 3				DGK		DISC, Direct Clutch
38	4461 033	1	1, 2, 3				DGK		PLATE, Transmission Clutch Reaction
39	4461 066	1	1, 2, 3				DGK		SPRING, Overdrive Clutch
40	4461 065	1	1, 2, 3				DGK		SNAP RING, 6.50 OD

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

Controls, Gearshift, Lower - 42RE (DGK) Figure 42RE-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGK] = 42RE Automatic Transmission									
[DG0] = All Automatic Transmissions									
1	3575 333	2					DG0		GROMMET, Control Rod Front
2	J012 0393	1					DG0		WASHER, Flat, Flat
3	3575 354	1					DG0		SPRING, Gearshift Control Rod, Control Rod Adjusting
4	3467 800	2					DG0		BUSHING, Gearshift Torque Shaft, Torque Shaft
5	6504 763	2					DGK		WASHER, Flat, M13.5
6	6034 943	1					DGK		WASHER
7	J400 4295	1					DG0		PIN, Rod To Trans Shaft Lever, Rod or Swivel To T/Shaft Lever
8	6028 114	1					DG0		NUT, Hex, .437-14, Bracket Mtg. Lock 7/16-14
9	J012 0393	1					DGK		WASHER, Flat
10	0181 082	1					DG0		BOLT, Hex Head, 5/16-18x1/2
11	52077 802AC	1					DGK		BRACKET, Gearshift
12									SCREW, (NOT SERVICED) (Not Serviced)
13	6032 475	1					DG0		RING, Transmission Torque Shaft
14	5210 7734	1					DG0		CLAMP
15	3575 334	1					DG0		SWIVEL, Gearshift Control Rod, Control Rod Clamp
16	52107 805AA	1					DGK		BRACKET, Torque Shaft
17	52107 699AB	1					DG0		ROD, Gear Shift Control
18	52079 228AC	1					DGK		TORQUE SHAFT, Gearshift
19	52078 237AB	1					DGK		ROD, Gear Shift Control, Transmission
20	52107 770AA	1					DGK		LEVER, Manual Control
21	0180 034	1					DGK		SCREW AND WASHER, Hex Head, .25-20x1.50
22	0115 984	1					DGK		NUT, Brake Line
23	5207 9065	1					DG0		LEVER, Throttle Valve
24	0181 065	1					DG0		BOLT, Hex Head, .25-20x1.00
25	0138 165	1					DG0		WASHER, Lock
26	0115 984	1					DGK		NUT, Brake Line
27	5300 9055	1					DG0		SPRING, Throttle Valve Return
28	5207 8718	1					DG0		BRACKET, Throttle Valve Spring

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005









Group – 46RE

Automatic Transmission 4 Speed




GROUP 46RE - Automatic Transmission 4 Speed

Illustration Title	Group-Fig. No.
Transmission Assembly	
Transmission Assembly - 46RE (DGT)	Fig. 46RE-110
Case and Extension	
Case And Related Parts - 46RE (DGT)	Fig. 46RE-210
Extension - 46RE (DGT)	Fig. 46RE-220
Oil Pump	
Pump, Oil With Reaction Shaft - 46RE (DGT)	Fig. 46RE-310
Gear Train	
Clutch, Front And Rear With Gear Train - 46RE (DGT)	Fig. 46RE-410
Gear Train And Intermediate Shaft - 46RE (DGT)	Fig. 46RE-420
Output Shaft - 46RE (DGT)	Fig. 46RE-430
Bands, Reverse and Kickdown	
Bands, Reverse and Kickdown- 46 RE (DGT)	Fig. 46RE-510
Valve Body	
Valve Body - 46RE (DGT)	Fig. 46RE-710
Servos, Accumulator Piston And Spring - 46RE (DGT)	Fig. 46RE-720
Parking Sprag - 46RE (DGT)	Fig. 46RE-730
Overdrive Gear Train	
Clutch, Overdrive With Gear Train - 46RE (DGT)	Fig. 46RE-1010
Gearshift Controls	
Controls, Gearshift, Lower - 46RE (DGT)	Fig. 46RE-1210

46RE-100 Transmission Assembly	46RE-200 Case and Extension	46RE-300 Oil Pump	46RE-400 Gear Train
			
46RE-500 Bands, Reverse and Kickdown	46RE-700 Valve Body	46RE-1000 Overdrive Gear Train	46RE-1200 Gearshift Controls
			

Transmission Assembly - 46RE (DGT)
Figure 46RE-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[EL0] = All 5.2L 8Cylinder Gas Engines
[EM0] = All 5.9L Gas Engines
[DGT] = 46RE Automatic Transmission

1									TRANSMISSION PACKAGE
	5014 769AA	1	1, 2, 3			EL0	DGT		52119843AA(Package Contains 52119843AA Transmission, K4736595 Converter, K1976765 Bolts)
	5014 771AA	1	1, 2, 3			EM0	DGT		52119845AA(Package Contains 52119845AA Transmission, K4736591 Converter, K1976765 Bolts)
	5014 772AA	1	6, 7, 8			EM0	DGT		52119846AA(Package Contains, 52119846AA Transmission, K4736591 Converter, K1949765 Bolts)
	5014 770AA	1	6, 7, 8			EL0	DGT		52119844AA[Package Contains, 52119844AA ,Transmission, K4736595 Torque Converter, K1949765 Bolts]
-2	5014 769AB	1	1, 2, 3			EL0	DGT		OVERDRIVE
	5211 8156	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
	5211 8784	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

Case And Related Parts - 46RE (DGT)
Figure 46RE-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[EL0] = All 5.2L 8Cylinder Gas Engines									
[EM0] = All 5.9L Gas Engines									
[DGK] = 42RE Automatic Transmission									
[DGT] = 46RE Automatic Transmission									
[DG0] = All Automatic Transmissions									
-1									SEAL AND GASKET PACKAGE, Transmission
	4863 884AF-	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
2	52118 629AB	1					DG0		SEAL, Oil Filler Tube
3	0181 112	1					DG0		SCREW AND WASHER, .375-16x1.00, .375-16x1.00
4	52118 620AC	1					DGT		TUBE, Transmission Oil Filler
5	52107 769AB	1					DG0		INDICATOR, Transmission Fluid
									Level
6	6024 473	2					DG0		SCREW AND WASHER, Hex Head, .437-14x2.00, Block to Case, .437-14 x 2.00
7	6023 092	3					DGK, DGT		SCREW AND WASHER, Hex Head, .25-20x.50
8	6022 266	1				EH0, EL0, EM0, EW0	DG0		SCREW, Hex Head, .375-16x1.5
									SCREW AND WASHER, Hex Head, .437-14x.25, (NOT SERVICED)
									(Not Serviced)
10	5211 7772	1					DGK, DGT		STRUT, Transmission to Block
11									COVER, Transmission Dust
	4130 503	1					DGT		
	52117 501AB	1	6, 7, 8			EM0	DGT		52119846AB
12	5211 7709	1				EH0, EL0, EM0			GROMMET, Timing Probe, Timing Probe

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case And Related Parts - 46RE (DGT) Figure 46RE-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	5601 9959	1				EH0, EL0, EM0, EW0	DG0		CLIP, Wiring
14	6022 266	4				EH0, EL0, EM0, EW0	DG0		SCREW, Hex Head, .375-16x1.5, Case to Cyl. Block,.375-16 x 1.500
15									CASE, Transmission
	5211 8756	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
16	6028 095	1	1, 2, 3			EL0	DGT		PLUG, Pressure Check
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
17	56028 181AB	1	1, 2, 3			EL0	DGT		SWITCH, Neutral, Safety, Back Up
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
18	2408 143	1	1, 2, 3			EL0	DGT		WASHER, Switch
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
19									SCREW AND WASHER, Hex Head, .312-18x.625
	4723 548	12	1, 2, 3			EL0	DGT		
		12	6, 7, 8			EL0	DGT		
		12	1, 2, 3			EM0	DGT		
		12	6, 7, 8			EM0	DGT		
20	5211 8780	1	1, 2, 3			EL0	DGT		PAN, Transmission Oil
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
21									MAGNET, Transmission


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case And Related Parts - 46RE (DGT) Figure 46RE-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3681 601	1	1, 2, 3			EL0	DGT		Case Chip Collector ***
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
22									GASKET, Oil Pan
	2464 324	1	1, 2, 3			EL0	DGT		Oil Pan
		1	6, 7, 8			EL0	DGT		
23									SCREW, Trans Kick Down Band Adjusting, .5-20x2.54, (NOT SERVICED) (Not Serviced)
24	5211 7771	1					DGK, DGT		STRUT, Transmission to Block
25									CAMS Unknown, SCREW, (Not Serviced), (NOT SERVICED) (Not Serviced)
26									NUT, Inverted Flare, .62-18
	6033 879	2	1, 2, 3			EL0	DGT		
		2	6, 7, 8			EL0	DGT		
		2	1, 2, 3			EM0	DGT		
		2	6, 7, 8			EM0	DGT		
27									O RING, Trans Speed Sensor
	6501 701	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
28									SENSOR, Transmission Output Speed
	4412 879	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Extension - 46RE (DGT)
Figure 46RE-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[EL0] = All 5.2L 8Cylinder Gas Engines									
[EM0] = All 5.9L Gas Engines									
[DGT] = 46RE Automatic Transmission									
1									CASE, Transmission Rear
	5003 231AA	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
2									SEAL, Extension Yoke
	4531 216	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
3									SCREW, (NOT SERVICED) (Not Serviced)
4									COVER, Transmission Converter
	2466 957	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
5									GASKET, Transmission
	2801 398	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
6									GASKET, Overdrive Piston Retainer
	4471 565	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
7									SCREW, Hex Flange Head, .375-16x1.38
	6036 046AA	7	1, 2, 3			EL0	DGT		
		7	6, 7, 8			EM0	DGT		
8									ADAPTER, Transfer Case
	4798 535	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
9									SEAL, Adapter
	4269 956	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Pump, Oil With Reaction Shaft - 46RE (DGT)
Figure 46RE-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes:									
[ELO] = All 5.2L 8Cylinder Gas Engines									
[EM0] = All 5.9L Gas Engines									
[DGT] = 46RE Automatic Transmission									
-1									GASKET AND SEAL PACKAGE, Transmission Oil Pump
	4746 109AB-	1	1, 2, 3			ELO	DGT		
		1	6, 7, 8			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
2	4531 225	1	1, 2, 3			ELO	DGT		SEAL, Impeller Hub, 57.25mm OD
		1	6, 7, 8			ELO	DGT		T/C Impeller Hub
		1	1, 2, 3			EM0	DGT		T/C Impeller Hub
		1	6, 7, 8			EM0	DGT		T/C Impeller Hub
3	1942 021	1	1, 2, 3			ELO	DGT		SEAL, Front Pump Housing
		1	6, 7, 8			ELO	DGT		Frnt. Pump Housing
		1	1, 2, 3			EM0	DGT		Frnt. Pump Housing
		1	6, 7, 8			EM0	DGT		Frnt. Pump Housing
4	4796 467AB	1	1, 2, 3			ELO	DGT		PUMP PACKAGE, Transmission
		1	6, 7, 8			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
5									HOUSING, Pump, (NOT SERVICED) (Not Serviced)
6									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
7									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
8									SHAFT, Oil Pump, (NOT SERVICED) (Not Serviced)
9									BUSHING, (NOT SERVICED) (Not Serviced)
10									BUSHING, (NOT SERVICED) (Not Serviced)
11	0179 815	6	1, 2, 3			ELO	DGT		SCREW, Hex Head, .312-18x.687
		6	6, 7, 8			ELO	DGT		Suppt, 5/16-18 x 11/16"

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Pump, Oil With Reaction Shaft - 46RE (DGT)
Figure 46RE-310


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12	3420 087	6	1, 2, 3			EM0	DGT		Suppt, 5/16-18 x 11/16"
		6	6, 7, 8			EM0	DGT		Suppt, 5/16-18 x 11/16"
		1	1, 2, 3			EL0	DGT		BAFFLE PACKAGE, Pump w/Nail, Front Pump Housing Vent ***
		1	6, 7, 8			EL0	DGT		w/Nail, Front Pump Housing Vent ***
		1	1, 2, 3			EM0	DGT		w/Nail, Front Pump Housing Vent ***
13	4028 377	1	6, 7, 8			EM0	DGT		w/Nail, Front Pump Housing Vent ***
		1	1, 2, 3			EL0	DGT		GASKET, Transmission Oil Pump Front Pump Housing
		1	6, 7, 8			EL0	DGT		Front Pump Housing
		1	1, 2, 3			EM0	DGT		Front Pump Housing
14	4617 161	1	6, 7, 8			EM0	DGT		Front Pump Housing
		1	1, 2, 3			EM0	DGT		THRUST WASHER, Front Clutch
		1	1, 2, 3			EL0	DGT		.062" Thick
		1	6, 7, 8			EL0	DGT		.062" Thick
		1	1, 2, 3			EM0	DGT		.062" Thick
-15	4617 162	1	6, 7, 8			EM0	DGT		.062" Thick
		1	1, 2, 3			EL0	DGT		THRUST WASHER, Front Clutch, Pink .085
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
-16	4617 163	1	1, 2, 3			EL0	DGT		THRUST WASHER, Front Clutch, Yellow .103
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
-17	4617 164	1	1, 2, 3			EL0	DGT		THRUST WASHER, Front Clutch, Orange .121
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
-18		1	1, 2, 3			EM0	DGT		THRUST WASHER, Front Clutch, Blue .139"
		1	6, 7, 8			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Pump, Oil With Reaction Shaft - 46RE (DGT)
Figure 46RE-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4617 165	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
-19									THRUST WASHER, Front Clutch, Black .157
	4617 166	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
20		1	6, 7, 8			EM0	DGT		SEAL, Reaction Shaft
	3743 689	2	1, 2, 3			EL0	DGT		Reaction Shaft Support ***
		2	6, 7, 8			EL0	DGT		Reaction Shaft Support ***
		2	1, 2, 3			EM0	DGT		Reaction Shaft Support ***
21		2	6, 7, 8			EM0	DGT		Reaction Shaft Support ***
									SCREW AND WASHER, Hex Flange Head, .312-18x1.375
	6023 943	7	1, 2, 3			EL0	DGT		w/Washer, Hsg. 5/16-18 x 1-3/8"
		7	6, 7, 8			EL0	DGT		w/Washer, Hsg. 5/16-18 x 1-3/8"
		7	1, 2, 3			EM0	DGT		w/Washer, Hsg. 5/16-18 x 1-3/8"
		7	6, 7, 8			EM0	DGT		w/Washer, Hsg. 5/16-18 x 1-3/8"

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Front And Rear With Gear Train - 46RE (DGT)
Figure 46RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[EL0] = All 5.2L 8Cylinder Gas Engines									
[EM0] = All 5.9L Gas Engines									
[DGT] = 46RE Automatic Transmission									
-1									SEAL PACKAGE, Transmission
	4637 078	1	1, 2, 3			EL0	DGT		Clutch
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
2		1	6, 7, 8			EM0	DGT		RETAINER, Clutch
	4058 437AB	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
3									BUSHING, Front Clutch
	4058 647	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
4									SEAL, Front Clutch Piston
	3410 226	1	1, 2, 3			EM0	DGT		Front Clutch Piston, Inner
		1	1, 2, 3			EL0	DGT		Front Clutch Piston, Inner
		1	6, 7, 8			EL0	DGT		Front Clutch Piston, Inner
		1	6, 7, 8			EM0	DGT		Front Clutch Piston, Inner
5									SEAL, Front Piston Clutch
	4058 484	1	1, 2, 3			EL0	DGT		Front Clutch Piston, Outer
		1	6, 7, 8			EL0	DGT		Front Clutch Piston, Outer
		1	1, 2, 3			EM0	DGT		Front Clutch Piston, Outer
		1	6, 7, 8			EM0	DGT		Front Clutch Piston, Outer
6									PISTON, Clutch
	2464 651AB	1	1, 2, 3			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
-7									CHECK BALL, Dia-.187
	0147 483	1	1, 2, 3			EL0	DGT		3/16" Diameter
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		3/16" Diameter


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML, EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Front And Rear With Gear Train - 46RE (DGT)
Figure 46RE-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	2801 243	1	1, 2, 3			EM0	DGT		3/16" Diameter
		1	6, 7, 8			EM0	DGT		
		9	1, 2, 3			EL0	DGT		SPRING, Front Clutch
		9	6, 7, 8			EL0	DGT		
9	4617 205	9	1, 2, 3			EM0	DGT		
		9	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		RETAINER, Transmission
		1	6, 7, 8			EL0	DGT		Front. Clutch Piston Spring
-10	0147 483	1	1, 2, 3			EL0	DGT		Front. Clutch Piston Spring
		1	6, 7, 8			EM0	DGT		Front. Clutch Piston Spring
		1	1, 2, 3			EM0	DGT		Front. Clutch Piston Spring
		1	6, 7, 8			EM0	DGT		Front. Clutch Piston Spring
11	2124 824	1	1, 2, 3			EL0	DGT		CHECK BALL, Dia-.187
		1	6, 7, 8			EL0	DGT		3/16" Diameter
		1	6, 7, 8			EL0	DGT		3/16" Diameter
		1	1, 2, 3			EM0	DGT		3/16" Diameter
12	2124 826AB	3	1, 2, 3			EM0	DGT		SNAP RING
		3	1, 2, 3			EL0	DGT		Frnt. Clutch, Inner, .060" Thk., 3" I.D.
		3	6, 7, 8			EL0	DGT		Frnt. Clutch, Inner, .060" Thk., 3" I.D.
		3	6, 7, 8			EM0	DGT		Frnt. Clutch, Inner, .060" Thk., 3" I.D.
13	3410 570	1	1, 2, 3			EM0	DGT		PLATE, Clutch Separator
		1	1, 2, 3			EL0	DGT		Frnt. Clutch, .050" Thk., 7-8/64" O.D.
		1	6, 7, 8			EL0	DGT		Frnt. Clutch, .050" Thk., 7-8/64" O.D.
		1	6, 7, 8			EM0	DGT		Frnt. Clutch, .050" Thk., 7-8/64" O.D.

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Front And Rear With Gear Train - 46RE (DGT)
Figure 46RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14									PLATE, Transmission Clutch
									Reaction
	4617 567	1	1, 2, 3			EL0	DGT		Front. Clutch Reaction
		1	6, 7, 8			EL0	DGT		Front. Clutch Reaction
		1	1, 2, 3			EM0	DGT		Front. Clutch Reaction
		1	6, 7, 8			EM0	DGT		Front. Clutch Reaction
15	4617 201AB	3	1, 2, 3			EM0	DGT		DISC, Direct Clutch
		3	1, 2, 3			EL0	DGT		
		3	6, 7, 8			EL0	DGT		
		3	6, 7, 8			EM0	DGT		
16	3743 624AB	1	1, 2, 3			EL0	DGT		PISTON, Clutch
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
-17									CHECK BALL, Dia-.187
	0147 483	1	1, 2, 3			EL0	DGT		3/16" Diameter
		1	6, 7, 8			EM0	DGT		3/16" Diameter
		1	6, 7, 8			EL0	DGT		3/16" Diameter
		1	1, 2, 3			EM0	DGT		3/16" Diameter
18	1942 054	1	1, 2, 3			EM0	DGT		SEAL, Rear Clutch Piston
		1	1, 2, 3			EL0	DGT		Rear Clutch Piston, Inner
		1	6, 7, 8			EL0	DGT		Rear Clutch Piston, Inner
		1	6, 7, 8			EL0	DGT		Rear Clutch Piston, Inner
		1	6, 7, 8			EM0	DGT		Rear Clutch Piston, Inner
19	2124 835	1	1, 2, 3			EL0	DGT		SEAL, Rear Clutch Piston
		1	6, 7, 8			EL0	DGT		Rear. Clutch Piston, Outer
		1	1, 2, 3			EM0	DGT		Rear. Clutch Piston, Outer
		1	6, 7, 8			EM0	DGT		Rear. Clutch Piston, Outer
20									THRUST WASHER, Output Shaft, Red .068
	4505 186	1	1, 2, 3			EL0	DGT		Intermediate Shaft, Thrust, w/ 3 Point Bronze Face, .068" Thk.
		1	6, 7, 8			EM0	DGT		Intermediate Shaft, Thrust, w/ 3 Point Bronze Face, .068" Thk.
		1	6, 7, 8			EL0	DGT		Intermediate Shaft, Thrust, w/ 3 Point Bronze Face, .068" Thk.
		1	1, 2, 3			EM0	DGT		Intermediate Shaft, Thrust, w/ 3 Point Bronze Face, .068" Thk.


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Front And Rear With Gear Train - 46RE (DGT)
Figure 46RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
21									RETAINER, Transmission
	4617 855	1	1, 2, 3			EM0	DGT		Rear Clutch Piston
		1	1, 2, 3			EL0	DGT		Rear Clutch Piston
		1	6, 7, 8			EL0	DGT		Rear Clutch Piston
		1	6, 7, 8			EM0	DGT		Rear Clutch Piston
-22									SEAL, Rear Clutch Retainer
	4058 443	1	1, 2, 3			EM0	DGT		Piston Ret. Oil Seal Lock, 1-7/8" O.D.
		1	1, 2, 3			EL0	DGT		Piston Ret. Oil Seal Lock, 1-7/8" O.D.
		1	6, 7, 8			EL0	DGT		Piston Ret. Oil Seal Lock, 1-7/8" O.D.
		1	6, 7, 8			EM0	DGT		Piston Ret. Oil Seal Lock, 1-7/8" O.D.
23									THRUST WASHER, Front Clutch
	4617 161	1	1, 2, 3			EM0	DGT		Front. Clutch Thrust, Rear
		1	1, 2, 3			EL0	DGT		Front. Clutch Thrust, Rear
		1	6, 7, 8			EL0	DGT		Front. Clutch Thrust, Rear
		1	6, 7, 8			EM0	DGT		Front. Clutch Thrust, Rear
24									INPUT SHAFT, Transmission
	4617 396	1	1, 2, 3			EM0	DGT		Input
		1	1, 2, 3			EL0	DGT		Input
		1	6, 7, 8			EL0	DGT		Input
		1	6, 7, 8			EM0	DGT		Input
25									SEAL, Input Shaft
	4617 418AB	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
26									SNAP RING
	2124 872	1	1, 2, 3			EM0	DGT		Rr. Clutch Piston Retainer, .060" Thk., 1-31/64" O.D.
		1	1, 2, 3			EL0	DGT		Rr. Clutch Piston Retainer, .060" Thk., 1-31/64" O.D.
		1	6, 7, 8			EL0	DGT		Rr. Clutch Piston Retainer, .060" Thk., 1-31/64" O.D.
		1	6, 7, 8			EM0	DGT		Rr. Clutch Piston Retainer, .060" Thk., 1-31/64" O.D.
27									RETAINER, Rear Clutch
	3743 622	1	6, 7, 8			EL0	DGT		

DODGE RAM STANDARD CAB (BR)

SERIES
E = WS RAM 1500
L = RAM 1500, 2500, 3500

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY
61= Reg. Cab (118 WB)
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)

ENGINE
EHC, EH0 = 3.9L 6 Cyl.
ELF, EL0 = 5.2L 8 Cyl.
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP, DDX, DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Clutch, Front And Rear With Gear Train - 46RE (DGT)
Figure 46RE-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
28	2801 992AB	1	1, 2, 3			EL0	DGT		DISC, Clutch
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EM0	DGT		
		4	1, 2, 3			EM0	DGT		
		4	6, 7, 8			EL0	DGT		
		4	6, 7, 8			EM0	DGT		
29	3743 621AB	1	1, 2, 3			EL0	DGT		SPRING, Rear Clutch Piston
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
30	3515 077	1	1, 2, 3			EM0	DGT		SPACER, Rear Clutch Piston
		1	1, 2, 3			EL0	DGT		Rr. Clutch Piston Spring, Plastic, 6-13/16" O.D
		1	1, 2, 3			EL0	DGT		Rr. Clutch Piston Spring, Plastic, 6-13/16" O.D
		1	6, 7, 8			EL0	DGT		Rr. Clutch Piston Spring, Plastic, 6-13/16" O.D
		1	6, 7, 8			EM0	DGT		Rr. Clutch Piston Spring, Plastic, 6-13/16" O.D
31	2466 806	1	1, 2, 3			EL0	DGT		SPRING, Rear Clutch
		1	6, 7, 8			EL0	DGT		Rear. Clutch Wave
		1	1, 2, 3			EM0	DGT		Rear. Clutch Wave
		1	6, 7, 8			EM0	DGT		Rear. Clutch Wave
		1	6, 7, 8			EM0	DGT		Rear. Clutch Wave
32	2466 803	1	1, 2, 3			EL0	DGT		PLATE, Clutch Pressure
		1	6, 7, 8			EL0	DGT		Rear. Clutch Pressure, Front
		1	1, 2, 3			EM0	DGT		Rear. Clutch Pressure, Front
		1	6, 7, 8			EM0	DGT		Rear. Clutch Pressure, Front
		1	6, 7, 8			EM0	DGT		Rear. Clutch Pressure, Front
33	52118 812AA	3	1, 2, 3			EM0	DGT		PLATE, Clutch Separator
		3	1, 2, 3			EL0	DGT		
		3	6, 7, 8			EL0	DGT		
		3	6, 7, 8			EM0	DGT		
		3	6, 7, 8			EM0	DGT		
34	4617 567	1	1, 2, 3			EM0	DGT		PLATE, Transmission Clutch Reaction
		1	1, 2, 3			EM0	DGT		Rear. Clutch Reaction

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005




Clutch, Front And Rear With Gear Train - 46RE (DGT)
Figure 46RE-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
35		1	1, 2, 3			EL0	DGT		Rear. Clutch Reaction
		1	6, 7, 8			EL0	DGT		Rear. Clutch Reaction
		1	6, 7, 8			EM0	DGT		Rear. Clutch Reaction
	1942 063								SNAP RING
		1	1, 2, 3			EL0	DGT		[.060]" Thick
		1	6, 7, 8			EL0	DGT		[.060]" Thick
	1942 064	1	1, 2, 3			EM0	DGT		[.060]" Thick
		1	6, 7, 8			EM0	DGT		[.060]" Thick
		1	1, 2, 3			EL0	DGT		[.074]" Thick
	1942 065	1	6, 7, 8			EL0	DGT		[.074]" Thick
		1	1, 2, 3			EM0	DGT		[.074]" Thick
		1	6, 7, 8			EM0	DGT		[.074]" Thick
	2466 811	1	1, 2, 3			EL0	DGT		[.088]" Thick
		1	6, 7, 8			EL0	DGT		[.088]" Thick
		1	1, 2, 3			EM0	DGT		[.088]" Thick
		1	1, 2, 3			EL0	DGT		[.106]" Thick
		1	6, 7, 8			EL0	DGT		[.106]" Thick
		1	1, 2, 3			EM0	DGT		[.106]" Thick
		1	6, 7, 8			EM0	DGT		[.106]" Thick
		1	1, 2, 3			EM0	DGT		[.106]" Thick
		1	6, 7, 8			EM0	DGT		[.106]" Thick

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Gear Train And Intermediate Shaft - 46RE (DGT)
Figure 46RE-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[EL0] = All 5.2L 8Cylinder Gas Engines

[EM0] = All 5.9L Gas Engines

[DGT] = 46RE Automatic Transmission

1									SNAP RING, 1.108 Free Diameter
	6024 312	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
2									CARRIER, Planetary Pinion
	4617 612	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
	5211 8693	1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
3									THRUST WASHER, Planetary Carrier
	2801 060	1	1, 2, 3			EL0	DGT		4 Tabs
		1	6, 7, 8			EL0	DGT		4 Tabs
		1	1, 2, 3			EM0	DGT		4 Tabs
		1	6, 7, 8			EM0	DGT		4 Tabs
	4539 129	1	1, 2, 3			EM0	DGT		5 Tabs
		1	6, 7, 8			EM0	DGT		5 Tabs
4									GEAR, Front Annulus
	2892 656	1	1, 2, 3			EL0	DGT		w/Support 2-1/2" I.D. Center Hole
		1	6, 7, 8			EL0	DGT		w/Support, 2-1/2" I.D. Center Hole
		1	1, 2, 3			EM0	DGT		w/Support, 2-1/2" I.D. Center Hole
		1	6, 7, 8			EM0	DGT		w/Support, 2-1/2" I.D. Center Hole
5									WASHER
	4618 000	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
6									SNAP RING, Sun Gear
	1736 521	1	1, 2, 3			EL0	DGT		Driving Shell Lock
		1	6, 7, 8			EL0	DGT		Driving Shell Lock
		1	1, 2, 3			EM0	DGT		Driving Shell Lock
		1	6, 7, 8			EM0	DGT		Driving Shell Lock
7									GEAR, Sun
	2801 311	1	1, 2, 3			EL0	DGT		w/Bushing
		1	6, 7, 8			EL0	DGT		w/Bushing

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train And Intermediate Shaft - 46RE (DGT)
Figure 46RE-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	4617 978	1	1, 2, 3			EM0	DGT		w/Bushing
		1	6, 7, 8			EM0	DGT		w/Bushing
		1	1, 2, 3			EL0	DGT		SHELL, Sun Gear
		1	6, 7, 8			EL0	DGT		Driving
9	4617 611	1	1, 2, 3			EM0	DGT		Driving
		1	6, 7, 8			EM0	DGT		Driving
									INTERMEDIATE SHAFT, Transmission
		1	1, 2, 3			EL0	DGT		w/Plug
10	4505 188	1	6, 7, 8			EL0	DGT		w/Plug
		1	1, 2, 3			EM0	DGT		w/Plug
		1	6, 7, 8			EM0	DGT		w/Plug
									PLATE, Transmission Module
11	1942 080	1	1, 2, 3			EL0	DGT		Intermediate Shaft, Thrust .060" Thick
		1	6, 7, 8			EL0	DGT		Intermediate Shaft, Thrust .060" Thick
		1	1, 2, 3			EM0	DGT		Intermediate Shaft, Thrust .060" Thick
		1	6, 7, 8			EM0	DGT		Intermediate Shaft, Thrust .060" Thick
12	1736 521	1	1, 2, 3			EL0	DGT		PLATE, Sun Gear Driving Shell Thrust, w/4 Inside Tongs
		1	6, 7, 8			EL0	DGT		Thrust, w/4 Inside Tongs
		1	1, 2, 3			EM0	DGT		Thrust, w/4 Inside Tongs
		1	6, 7, 8			EM0	DGT		Thrust, w/4 Inside Tongs
13	2801 060	1	1, 2, 3			EL0	DGT		SNAP RING, Sun Gear Driving Shell Lock
		1	6, 7, 8			EL0	DGT		Driving Shell Lock
		1	1, 2, 3			EM0	DGT		Driving Shell Lock
		1	6, 7, 8			EM0	DGT		Driving Shell Lock
14	2801 061	1	1, 2, 3			EL0	DGT		THRUST WASHER, Planetary Carrier
		1	6, 7, 8			EL0	DGT		Rear, w/4 Tabs, 3-13/32" O.D.
		1	1, 2, 3			EM0	DGT		Rear, w/4 Tabs, 3-13/32" O.D.
		1	6, 7, 8			EM0	DGT		Rear, w/4 Tabs, 3-13/32" O.D.

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Gear Train And Intermediate Shaft - 46RE (DGT)
Figure 46RE-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	2400 580	1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		PLATE, Annulus Gear Thrust
									Rear Annulus Gear Thrust, w/31
									Inside Teeth, 3-23/64" O.D.
		1	6, 7, 8			EL0	DGT		Rear Annulus Gear Thrust, w/31
									Inside Teeth, 3-23/64" O.D.
		1	1, 2, 3			EM0	DGT		Rear Annulus Gear Thrust, w/31
									Inside Teeth, 3-23/64" O.D.
16	4810 002AB	1	1, 2, 3			EL0	DGT		Rear Annulus Gear Thrust, w/31
									Inside Teeth, 3-23/64" O.D.
		1	6, 7, 8			EL0	DGT		GEAR, Rear Annulus
		1	1, 2, 3			EM0	DGT		
17	6033 591	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		SNAP RING
		1	6, 7, 8			EL0	DGT		Reverse Drum Retaining
		1	1, 2, 3			EM0	DGT		Reverse Drum Retaining
18	6024 666	1	6, 7, 8			EM0	DGT		Reverse Drum Retaining
		4	1, 2, 3			EL0	DGT		DOWEL, .108x1.00
									Front and Rear. Planet Pinion
									Shaft
		4	6, 7, 8			EL0	DGT		Front and Rear. Planet Pinion
									Shaft
		4	1, 2, 3			EM0	DGT		Rear
		5	1, 2, 3			EM0	DGT		Front
19	4428 223	4	6, 7, 8			EM0	DGT		Rear
		5	6, 7, 8			EM0	DGT		Front
									SHAFT, Planetary
		4	1, 2, 3			EL0	DGT		Front
		4	6, 7, 8			EL0	DGT		Front
		4	1, 2, 3			EL0	DGT		Rear
		4	1, 2, 3			EM0	DGT		Rear
		4	6, 7, 8			EL0	DGT		Rear
		4	6, 7, 8			EL0	DGT		Rear
		5	1, 2, 3			EM0	DGT		Front
		5	6, 7, 8			EM0	DGT		Front

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



FRONT & REAR PLANET PINION CARRIER GEARS


Gear Train And Intermediate Shaft - 46RE (DGT)
Figure 46RE-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20									THRUST WASHER, Planetary
									Carrier
	2801 315	8	1, 2, 3			EL0	DGT		Front and Rear Planet Pinion
		8	6, 7, 8			EL0	DGT		Front and Rear Planet Pinion
		10	1, 2, 3			EM0	DGT		Front
		8	1, 2, 3			EM0	DGT		Rear
		10	6, 7, 8			EM0	DGT		Front
		8	6, 7, 8			EM0	DGT		Rear
21									THRUST WASHER, Planet Pinion
	2204 649	8	1, 2, 3			EL0	DGT		Front and Rear Pinion Roller
		8	6, 7, 8			EL0	DGT		Thrust
		8	1, 2, 3			EM0	DGT		Front and Rear Pinion Roller
		10	1, 2, 3			EM0	DGT		Thrust
		10	6, 7, 8			EM0	DGT		Rear
		8	6, 7, 8			EM0	DGT		Front
22									PINION, Transmission Planetary
	2400 667	4	1, 2, 3			EL0	DGT		Front and Rear Planet
		4	6, 7, 8			EL0	DGT		Front and Rear Planet
		5	1, 2, 3			EM0	DGT		Front
		4	1, 2, 3			EM0	DGT		Rear
		5	6, 7, 8			EM0	DGT		Front
		4	6, 7, 8			EM0	DGT		Rear
23									ROLLER, Front and Rear Pinion
	3743 664	92	1, 2, 3			EL0	DGT		Front and Rear Pinion
		92	6, 7, 8			EL0	DGT		Front and Rear Pinion
		115	1, 2, 3			EM0	DGT		Front
		92	1, 2, 3			EM0	DGT		Rear
		115	6, 7, 8			EM0	DGT		Front
		92	6, 7, 8			EM0	DGT		Rear
24									DRUM, Automatic Transmission
	5211 8057	1	1, 2, 3			EL0	DGT		w/Race, Reverse
		1	6, 7, 8			EL0	DGT		w/Race, Reverse
		1	1, 2, 3			EM0	DGT		w/Race, Reverse
		1	6, 7, 8			EM0	DGT		w/Race, Reverse
25									CAM, Overrunning Clutch
	4471 473	1	1, 2, 3			EL0	DGT		"O" (14 Cam Lobes)
		1	6, 7, 8			EL0	DGT		"O" (14 Cam Lobes)
		1	1, 2, 3			EM0	DGT		"O" (14 Cam Lobes)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



FRONT & REAR PLANET PINION CARRIER GEARS


Gear Train And Intermediate Shaft - 46RE (DGT)
Figure 46RE-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
26	4617 199	1	6, 7, 8			EM0	DGT		"O" (14 Cam Lobes)
		1	1, 2, 3			EL0	DGT		CLUTCH, Overrunning
		1	6, 7, 8			EL0	DGT		14 Rollers Nylon Caged, "O"
		1	1, 2, 3			EM0	DGT		Running
		1	6, 7, 8			EM0	DGT		14 Rollers Nylon Caged, "O"
27	6023 092	2	6						Running
		2	1						SCREW AND WASHER, Hex Head, .25-20x.50
28	5211 8059	1	1, 2, 3			EL0	DGT		THRUST WASHER, Reverse Drum
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
29	2400 580	1	1, 2, 3			EL0	DGT		PLATE, Annulus Gear Thrust
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



FRONT & REAR PLANET PINION CARRIER GEARS

Output Shaft - 46RE (DGT)
Figure 46RE-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[EL0] = All 5.2L 8Cylinder Gas Engines
[EM0] = All 5.9L Gas Engines
[DGT] = 46RE Automatic Transmission


1									SHAFT, Output
	5003 232AA	1	1, 2, 3			EL0	DGT		
	4798 536	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
	5003 232AA	1	1, 2, 3			EM0	DGT		
2									BUSHING, (NOT SERVICED) (Not Serviced)
3									BUSHING, (NOT SERVICED) (Not Serviced)
4	4461 008	1	6, 7, 8			EM0	DGT		BEARING, Output Shaft
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
5	2466 224	1	1, 2, 3			EL0	DGT		BEARING, Output Shaft
		1	1, 2, 3			EM0	DGT		
6	4461 068	1	6, 7, 8			EM0	DGT		SNAP RING
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
7	4461 057	1	6, 7, 8			EM0	DGT		SNAP RING
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
8	4461 069	1	1, 2, 3			EL0	DGT		SNAP RING
		1	1, 2, 3			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Bands, Reverse and Kickdown- 46 RE (DGT)
Figure 46RE-510



REVERSE BAND



KICKDOWN BAND

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[EL0]= All 5.2L 8Cylinder Gas Engines									
[EM0] = All 5.9L Gas Engines									
[DGT] = 46RE Automatic Transmission									
1									LINK, Transmission Reverse Band
	4617 044	1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
2									SEAL, Reverse Band
	6030 910	2	6, 7, 8			EL0	DGT		
		2	1, 2, 3			EM0	DGT		
3									SHAFT, Band Lever
	2124 857	1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
4									NUT, Hex, .42-20
	0271 506	1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
5									SCREW, Trans Reverse Band Adjusting, .437-20x1.5
	1942 141	1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
6									LEVER, Reverse Band
	4617 028AB	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
7									LEVER, Reverse Band
	4617 014AB	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
8									STRUT, Reverse Band
	4471 497AB	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
9									BAND, Reverse
	4471 476AB	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
10									LEVER, Kickdown


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Bands, Reverse and Kickdown- 46 RE (DGT)
Figure 46RE-510



REVERSE BAND



KICKDOWN BAND


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5211 8264	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
11									SHAFT, Band Lever
	4531 181	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
12									STRUT, Kickdown Band
	2124 848	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
13									BAND, Kickdown
	4329 853	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
14									ANCHOR, Kickdown Band
	3743 338	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
15									SCREW
	6036 115AA	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
16									NUT, Hex Jam, .50-20
	0124 934	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Valve Body - 46RE (DGT)
Figure 46RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[EL0] = All 5.2L 8Cylinder Gas Engines									
[EM0] = All 5.9L Gas Engines									
[DGT] = 46RE Automatic Transmission									
-1									SEAL AND GASKET PACKAGE, Valve Body and Servo
	4863 892AC-	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
2	52118 793AB	1	1, 2, 3			EL0	DGT		VALVE BODY ASSEMBLY
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
3									GASKET PACKAGE, Transmission Solenoid
	4886 333AA	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
4	52118 500AB	1	1, 2, 3			EL0	DGT		SOLENOID, Transmission Overdrive
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
5	0181 071	3	1, 2, 3			EL0	DGT		BOLT, Valve Body, .25-20x1.75
		3	6, 7, 8			EL0	DGT		
		3	1, 2, 3			EM0	DGT		
		3	6, 7, 8			EM0	DGT		
6	6033 985	1	1, 2, 3			EL0	DGT		SCREW, Tapping, .19-24x.75
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
7									O RING, Solenoid Wiring, Transmission
	6034 748	2	1, 2, 3			EL0	DGT		
		2	6, 7, 8			EL0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Valve Body - 46RE (DGT) Figure 46RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	6033 985	2	1, 2, 3			EM0	DGT		SCREW, Tapping, .19-24x.75
		2	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
9	5211 8789	1	1, 2, 3			EM0	DGT		FILTER, Valve Body
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
10	4505 098	1	1, 2, 3			EL0	DGT		SEAL, Manual Shift Valve, 1.25 OD
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
11	3681 227	1	1, 2, 3			EL0	DGT		LEVER, Throttle Valve
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
12	4617 439	1	1, 2, 3			EL0	DGT		LEVER, Manual Valve
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
13	0147 488	1	1, 2, 3			EL0	DGT		BALL, Manual Lever Detent, .343 Diameter
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
14	2466 548	1	1, 2, 3			EL0	DGT		SEAL, Valve Lever Shift
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
15	2538 062	1	1, 2, 3			EL0	DGT		WASHER, Manual Valve Lever
		1	1, 2, 3			EL0	DGT		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Valve Body - 46RE (DGT) Figure 46RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
16	6035 208	1	1, 2, 3			EL0	DGT		SNAP RING
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
17									SCREW, Cap Head Lock, .312-24x1.25
	6030 609	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
18		1	6, 7, 8			EM0	DGT		BRACKET, Valve Body Switch
	4617 010	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
19	4130 492	1	1, 2, 3			EL0	DGT		SPRING, Switch Valve
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
20									VALVE, Trans Lockup Switch
	4505 036	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
21	4617 008	1	1, 2, 3			EL0	DGT		TUBE, Boost Valve
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
22		1	6, 7, 8			EM0	DGT		RETAINER, Boost Valve Oil Supply Tube
	5211 7958	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Valve Body - 46RE (DGT)
Figure 46RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
23	4617 219	1	1, 2, 3			EL0	DGT		CLIP, Transmission Governor Transducer
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
24	56028 196AA	1	1, 2, 3			EL0	DGT		TRANSDUCER, Pressure Sensor
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
25	6034 493	1	1, 2, 3			EL0	DGT		O RING, Pressure Switch
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
26	4617 216	1	1, 2, 3			EL0	DGT		GASKET, Transmission Solenoid
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
27	4617 211AB	1	1, 2, 3			EL0	DGT		RETAINER, Transmission Governor Solenoid
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
28	4723 549	1	1, 2, 3			EL0	DGT		O RING PACKAGE, Valve Body, Transmission
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
29	4617 210	1	1, 2, 3			EL0	DGT		SOLENOID, Transmission Governor
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
-30									SCREEN, Transmission Regulator Valve

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Valve Body - 46RE (DGT)
Figure 46RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3878 313	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
-31	4348 907	1	1, 2, 3				DGK		SPRING, Limit Valve

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Servos, Accumulator Piston And Spring - 46RE (DGT)
Figure 46RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO




ACCUMULATOR PISTON AND SPRING


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[EL0] = All 5.2L 8Cylinder Gas Engines									
[EM0] = All 5.9L Gas Engines									
[DGT] = 46RE Automatic Transmission									
1	SNAP RING								
	1942 130	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
2	SEAL								
	1942 123	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
3	GUIDE, Kickdown Servo								
	3410 441	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
4	SPRING, Kickdown Servo Piston								
	4617 528	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
	4617 573	1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
5	SPRING, Kickdown Servo Piston								
	3410 444	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
6	SNAP RING, Brake Master Cylinder								
	6031 392	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
7	RETAINER, Kick Down								
	3410 437	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
8	PISTON, Kickdown Servo								

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions


Servos, Accumulator Piston And Spring - 46RE (DGT)
Figure 46RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO



ACCUMULATOR PISTON AND SPRING


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3410 445	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
9									O RING, Kick Down Servo
	6028 864	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
10									SEAL
	1942 123	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
11									PISTON, Kickdown Servo
	3410 440	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
12									SEAL
	4412 444	1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
13									SNAP RING
	1942 130	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
14									RETAINER, Transmission Reverse Servo Piston Spring
	1942 150	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
15									SPRING, Reverse Servo Piston
	2801 241	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
16									PLUG, Reverse Servo Piston

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Servos, Accumulator Piston And Spring - 46RE (DGT)
Figure 46RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO



ACCUMULATOR PISTON AND SPRING


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52118 740AB	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
17									SPRING, Reverse Servo Piston
	52118 759AB	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
18									SEAL, Piston Reverse Servo, Rubber
	4058 741	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
19									PISTON, Reverse Servo
	2801 281	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
20									SNAP RING, .435 ID
	6027 153	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
21									SPRING, Accumulator Piston
	3515 079	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
22									SEAL, Piston Accumulator
	3743 013	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
23									PISTON, Accumulator
	3743 650	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
24									SEAL, Piston Accumulator

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Servos, Accumulator Piston And Spring - 46RE (DGT)
Figure 46RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO




ACCUMULATOR PISTON AND SPRING

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3743 010	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
25									SPRING, Accumulator Piston
	4617 529	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

Parking Sprag - 46RE (DGT)
Figure 46RE-730




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[EL0] = All 5.2L 8Cylinder Gas Engines									
[EM0] = All 5.9L Gas Engines									
[DGT] = 46RE Automatic Transmission									
1									SPRING, Parking Sprag
	2466 909	1	6, 7, 8			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
2									SPRAG, Transmission Parking
	4471 415	1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
3									SHAFT, Parking Sprag
	2466 892	1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
4									SNAP RING, Rod
	6035 256	1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EM0	DGT		
5									PLUG, Parking Sprag
	2538 042	1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
6									SNAP RING, Transmission
	2538 034	1	6, 7, 8			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
7									ROD, Parking Sprag
	4471 478	1	1, 2, 3			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Overdrive With Gear Train - 46RE (DGT)
Figure 46RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[EL0] = All 5.2L 8Cylinder Gas Engines

[EM0] = All 5.9L Gas Engines

[DGT] = 46RE Automatic Transmission

1									PLATE PACKAGE, Transmission Module
	4740 774	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		AR	1, 2, 3			EL0	DGT		
		AR	1, 2, 3			EM0	DGT		
2									BEARING, (NOT SERVICED) (Not Serviced)
3									GEAR, Overdrive Sun
	5015 107AA	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
4									BUSHING, (NOT SERVICED) (Not Serviced)
5									CARRIER, O/Drive Planet Pinion
	4798 520	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
6									RACE, Overrunning Clutch
	4461 124	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
7									THRUST BEARING, Ovedrive Third Position
	4461 014	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
8									CLUTCH, Overdrive Overrunning
	4461 015	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
9									GEAR, Overdrive Annulus


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Overdrive With Gear Train - 46RE (DGT)
Figure 46RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4761 010	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
10									SNAP RING, 5.25 OD
	4461 059	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
11									SNAP RING, 6.00 OD
	4461 060	2	6, 7, 8			EL0	DGT		
		2	6, 7, 8			EM0	DGT		
		2	1, 2, 3			EL0	DGT		
		2	1, 2, 3			EM0	DGT		
12									DRUM, Automatic Transmission
	4461 089	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
13									SNAP RING, 2.1875 OD
	4461 063	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
14									SPRING, Direct Clutch
	4461 027	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
15									HUB, Direct Clutch
	4461 072	AR	6, 7, 8			EL0	DGT		
		AR	6, 7, 8			EM0	DGT		
		AR	1, 2, 3			EM0	DGT		
		AR	1, 2, 3			EL0	DGT		
16									THRUST BEARING, Overdrive
	4446 724	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
17									PLATE, Transmission Clutch Reaction


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Overdrive With Gear Train - 46RE (DGT) Figure 46RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4461 030	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
18									DISC, Direct Clutch
	4461 042	8	1, 2, 3			EL0	DGT		
		8	1, 2, 3			EM0	DGT		
		8	6, 7, 8			EL0	DGT		
		8	6, 7, 8			EM0	DGT		
19									PLATE, Transmission Clutch Reaction
	4461 054	7	6, 7, 8			EL0	DGT		
		7	6, 7, 8			EM0	DGT		
		7	1, 2, 3			EL0			
		7	1, 2, 3			EM0	DGT		
20									PLATE, Transmission Clutch Reaction
	4461 031	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
21									SPRING, Direct Clutch
	4461 032	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
22									SNAP RING, 1.875" OD
	4461 064	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
23									FILTER, Overdrive Clutch
	4412 583	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
24									RETAINER, Transmission O/Drive Clutch Piston
	5211 7975	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Overdrive With Gear Train - 46RE (DGT) Figure 46RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
25	5211 8599	1	1, 2, 3			EM0	DGT		PISTON, Overdrive Clutch
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
26	6033 479	1	1, 2, 3			EM0	DGT		BOLT, Hex Head, .25-28x1-5/8 SEAL, Overdrive Clutch Piston
		1	6, 7, 8			EM0	DGT		
		6	1, 2, 3				DGK		
		1	6, 7, 8						
27	4431 697	1	1, 2, 3			EL0	DGT		SEAL, Overdrive Clutch Piston
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
28	4431 696	1	1, 2, 3			EL0	DGT		PLATE, Transmission O/Drive Clutch .123-.125" Thick
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
29	4431 585	1	1, 2, 3			EL0	DGT		.123-.125" Thick
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
4431 586		1	1, 2, 3			EM0	DGT		.123-.125" Thick
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
4431 587		1	1, 2, 3			EM0	DGT		.153-.155" Thick
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
4431 588		1	1, 2, 3			EM0	DGT		.153-.155" Thick
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
4431 590		1	1, 2, 3			EM0	DGT		.183-.185" Thick
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
4431 731		1	1, 2, 3			EM0	DGT		.183-.185" Thick
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML, EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Overdrive With Gear Train - 46RE (DGT)
Figure 46RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			EL0	DGT		.138-.140" Thick
		1	1, 2, 3			EM0	DGT		.138-.140" Thick
		1	6, 7, 8			EM0	DGT		.138-.140" Thick
4431 732		1	1, 2, 3			EL0	DGT		.168-.170" Thick
		1	6, 7, 8			EL0	DGT		.168-.170" Thick
		1	1, 2, 3			EM0	DGT		.168-.170" Thick
		1	6, 7, 8			EM0	DGT		.168-.170" Thick
4431 733		1	1, 2, 3			EL0	DGT		.198-.200" Thick
		1	6, 7, 8			EL0	DGT		.198-.200" Thick
		1	1, 2, 3			EM0	DGT		.198-.200" Thick
		1	6, 7, 8			EM0	DGT		.198-.200" Thick
4431 734		1	1, 2, 3			EL0	DGT		.228-.230" Thick
		1	6, 7, 8			EL0	DGT		.228-.230" Thick
		1	1, 2, 3			EM0	DGT		.228-.230" Thick
		1	6, 7, 8			EM0	DGT		.228-.230" Thick
4431 735		1	1, 2, 3			EL0	DGT		.108-110" Thick
		1	6, 7, 8			EL0	DGT		.108-110" Thick
		1	1, 2, 3			EM0	DGT		.108-110" Thick
		1	6, 7, 8			EM0	DGT		.108-110" Thick
30		1	1, 2, 3			EL0	DGT		SPACER, Intermediate Shaft, 1.58mm
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
-31		1	1, 2, 3			EL0	DGT		SPACER, Intermediate Shaft, .175
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
-32		1	1, 2, 3			EL0	DGT		SPACER, Intermediate Shaft, .193
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
-33		1	1, 2, 3			EL0	DGT		SPACER, Intermediate Shaft, .211
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
34		1	1, 2, 3			EL0	DGT		SNAP RING, 6.50 OD
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Overdrive With Gear Train - 46RE (DGT)
Figure 46RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4461 065	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
35									PLATE, Transmission Clutch Reaction
	4461 033	2	1, 2, 3			EL0	DGT		
		2	1, 2, 3			EM0	DGT		
		2	6, 7, 8			EL0	DGT		
		2	6, 7, 8			EM0	DGT		
36									PLATE, Transmission Clutch Reaction
	4461 047	3	6, 7, 8			EL0	DGT		
		3	6, 7, 8			EM0	DGT		
		3	1, 2, 3			EL0	DGT		
		3	1, 2, 3			EM0	DGT		
37									DISC, Direct Clutch
	4461 181	4	6, 7, 8			EL0	DGT		
		4	6, 7, 8			EM0	DGT		
		4	1, 2, 3			EL0	DGT		
		4	1, 2, 3			EM0	DGT		
38									PLATE, Transmission Clutch Reaction
	4461 033	2	1, 2, 3			EL0	DGT		
		2	1, 2, 3			EM0	DGT		
		2	6, 7, 8			EL0	DGT		
		2	6, 7, 8			EM0	DGT		
39									SPRING, Overdrive Clutch
	4461 066	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Controls, Gearshift, Lower - 46RE (DGT) Figure 46RE-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[EL0] = All 5.2L 8Cylinder Gas Engines									
[EM0] = All 5.9L Gas Engines									
[DGP] = 47RE Automatic Transmission									
[DGT] = 46RE Automatic Transmission									
[DG0] = All Automatic Transmissions									
1	3575 333	2					DG0		GROMMET, Control Rod Front
2	J012 0393	1					DG0		WASHER, Flat, Flat
3	3575 354	1					DG0		SPRING, Gearshift Control Rod,
									Control Rod Adjusting
4	3467 800	2					DG0		BUSHING, Gearshift Torque Shaft,
									Torque Shaft
5	6504 763	2					DG0		WASHER, Flat, M13.5
6	6034 943	1					DGT		WASHER
7	J400 4295	1					DG0		PIN, Rod To Trans Shaft Lever, Rod
									or Swivel To T/Shaft Lever
8	6028 114	1					DG0		NUT, Hex, .437-14, Bracket
									Mounting. Lock 7/16-14
9	0120 395	1							WASHER, Flat
10	0181 082	1					DG0		BOLT, Hex Head, 5/16-18x1/2
11	52077 802AD	1					DGT		BRACKET, Gearshift
12									SCREW, (NOT SERVICED) (Not
									Serviced)
13	6032 475	1					DG0		RING, Transmission Torque Shaft
14	5210 7734	1					DG0		CLAMP, w/Screw, Control Rod
									Swivel ***
15	3575 334	1					DG0		SWIVEL, Gearshift Control Rod,
									Control Rod Clamp ***
16	52107 806AA	1				EL0,	DGT		BRACKET, Torque Shaft
						EM0			
17	52107 699AB	1					DG0		ROD, Gear Shift Control
18	52079 228AC	1					DGT		TORQUE SHAFT, Gearshift
19	52107 780AA	1					DGT		ROD, Gear Shift Control,
									Transmission
20	52107 825AA	1					DGP,		LEVER, Manual Control
							DGT		
21	0180 034	1					DGP,		SCREW AND WASHER, Hex Head,
							DGT		.25-20x1.50
22	0115 984	1					DG0		NUT, Brake Line
23	5207 9065	1					DG0		LEVER, Throttle Valve


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Controls, Gearshift, Lower - 46RE (DGT)
Figure 46RE-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
24	0181 065	1					DG0		BOLT, Hex Head, .25-20x1.00
25	0115 984	1					DG0		NUT, Brake Line
26	0138 165	1					DG0		WASHER, Lock
27	5300 9055	1					DG0		SPRING, Throttle Valve Return
28	5207 8718	1					DG0		BRACKET, Throttle Valve Spring


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005









Group – 47RE

Automatic Transmission 4 Speed



GROUP 47RE - Automatic Transmission 4 Speed

Illustration Title	Group-Fig. No.
Transmission Assembly	
Transmission Assembly -47RE (DGP)	Fig. 47RE-110
Case and Extension	
Case and Related Parts - 47 RE (DGP)	Fig. 47RE-210
Extension -47RE (DGP)	Fig. 47RE-220
Oil Pump	
Pump, Oil With Reaction Shaft - 47RE (DGP)	Fig. 47RE-310
Gear Train	
Clutch, Front And Rear With Gear Train - 47RE (DGP)	Fig. 47RE-410
Gear Train And Intermediate Shaft - 47RE (DGP)	Fig. 47RE-420
Output Shaft - 47RE (DGP)	Fig. 47RE-430
Bands, Reverse and Kickdown	
Bands, Reverse And Kickdown With Linkage - 47RE (DGP)	Fig. 47RE-510
Valve Body	
Valve Body - 47RE (DGP)	Fig. 47RE-710
Servos, Accumulator Piston And Spring - 47RE (DGP)	Fig. 47RE-720
Parking Sprag - 47RE (DGP)	Fig. 47RE-730
Overdrive Gear Train	
Clutch, Overdrive With Gear Train - 47RE (DGP)	Fig. 47RE-1010
Gearshift Controls	
Controls, Gearshift, Lower - 47RE [DPG]	Fig. 47RE-1210

<div>47RE-100</div> <div>Transmission Assembly</div> <div></div>	<div>47RE-200</div> <div>Case and Extension</div> <div></div>	<div>47RE-300</div> <div>Oil Pump</div> <div></div>	<div>47RE-400</div> <div>Gear Train</div> <div></div>
<div>47RE-500</div> <div>Bands, Reverse and Kickdown</div> <div></div>	<div>47RE-700</div> <div>Valve Body</div> <div></div>	<div>47RE-1000</div> <div>Overdrive Gear Train</div> <div></div>	<div>47RE-1200</div> <div>Gearshift Controls</div> <div></div>

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

[DGP] = 47 RE Automatic Transmission

TRANSMISSION PACKAGE

-2

OVERDRIVE

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

September 16, 2005

Case and Related Parts - 47 RE (DGP)
Figure 47RE-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes:

[DG0] = All Automatic Transmissions
 [DGP] = 47RE Automatic Transmission
 [EH0] = All 3.9L V-6 Gas Engines
 [EL0] = All 5.2L 8 Cylinder Gas Engines
 [EM0] = All 5.9L 8 Cylinder Gas Engines
 [ET0] = All 5.9L Turbo Diesel Engines
 [EW0] = All 8.0L Gas Engines

-1									SEAL AND GASKET PACKAGE, Transmission
	4863 884AF-	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
2	5211 7614	1				EW0	DGP		COVER, Transmission Case
3	5211 8621	1					DGP		TUBE, Transmission Oil Filler
4	52118 629AB	1					DG0		SEAL, Oil Filler Tube
5	52107 769AB	1					DG0		INDICATOR, Transmission Fluid Level
6									MAGNET, Transmission
	3681 601	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
7									GASKET, Oil Pan
	2464 324	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
8									PAN, Transmission Oil
	5211 8780	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
9									SCREW AND WASHER, Hex Head, .312-18x.625
	4723 548	12	1, 2, 3				DGP		
		12	6, 7, 8				DGP		
10	4428 472	1					DGP		COVER, Transmission Dust
11	6024 487	8				ET0	DGP		SCREW AND WASHER, Hex Head, .375-16x1.75
12	6024 473	2					DG0		SCREW AND WASHER, Hex Head, .437-14x2.00
13									SCREW
	6036 115AA	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
14									SWITCH, Neutral, Safety, Back Up
	56028 181AB	1	1, 2, 3				DGP		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case and Related Parts - 47 RE (DGP)
Figure 47RE-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8				DGP		
15	6028 095	1	1, 2, 3				DGP		PLUG, Pressure Check
		1	6, 7, 8				DGP		
16	6022 266	4				EH0, EL0, EM0, EW0	DG0		SCREW, Hex Head, .375-16x1.5
17									CASE, Transmission
	5211 8758	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
18	52028 764AA	2	1, 2, 3				DGP		CONNECTOR, Oil Cooler Tube
		2	6, 7, 8				DGP		
-19									SENSOR, Transmission Output Speed
	4412 879	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Extension -47RE (DGP)
Figure 47RE-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGP] = 47RE Automatic Transmission									
1	5003 231AA	1	1, 2, 3				DGP		CASE, Transmission Rear
2	4531 216	1	1, 2, 3				DGP		SEAL, Extension Yoke
3									SCREW, (NOT SERVICED) (Not Serviced)
4	2466 957	1	1, 2, 3				DGP		COVER, Transmission Converter
		1	6, 7, 8				DGP		
5	2801 398	1	1, 2, 3				DGP		GASKET, Transmission
		1	6, 7, 8				DGP		
6	4471 565	1	1, 2, 3				DGP		GASKET, Overdrive Piston Retainer
		1	6, 7, 8				DGP		
7									SCREW, Hex Flange Head, .375-16x1.38
	6036 046AA	7	6, 7, 8				DGP		
		7	1, 2, 3				DGP		
8	4798 535	1	6, 7, 8				DGP		ADAPTER, Transfer Case
9	4269 956	1	6, 7, 8				DGP		SEAL, Adapter

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Pump, Oil With Reaction Shaft - 47RE (DGP)
Figure 47RE-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:

DGP = 47 RE Automatic Transmission


-1									GASKET AND SEAL PACKAGE, Transmission Oil Pump
	4746 109AB-	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
2	4531 225	1	1, 2, 3				DGP		SEAL, Impeller Hub, 57.25mm OD
		1	6, 7, 8				DGP		
3	1942 021	1	1, 2, 3				DGP		SEAL, Front Pump Housing
		1	6, 7, 8				DGP		
4									PUMP PACKAGE, Transmission
	4796 467AB	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
5									HOUSING, Pump, (NOT SERVICED) (Not Serviced)
6									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
7									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
8									SHAFT, Oil Pump, (NOT SERVICED) (Not Serviced)
9									BUSHING, (NOT SERVICED) (Not Serviced)
10									BUSHING, (NOT SERVICED) (Not Serviced)
11									SCREW, Hex Head, .312-18x.687
	0179 815	6	6, 7, 8				DGP		
		6	1, 2, 3				DGP		
12	4028 377	1	1, 2, 3				DGP		GASKET, Transmission Oil Pump
		1	6, 7, 8				DGP		
13	3420 087	1	1, 2, 3				DGP		BAFFLE PACKAGE, Pump
		1	6, 7, 8				DGP		
14									THRUST WASHER, Front Clutch
	4617 161	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
15									SEAL, Reaction Shaft

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Pump, Oil With Reaction Shaft - 47RE (DGP)
Figure 47RE-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3743 689	2	1, 2, 3				DGP		
		2	6, 7, 8				DGP		
16									SCREW AND WASHER, Hex Flange Head, .312-18x1.375
	6023 943	7	6, 7, 8				DGP		
		7	1, 2, 3				DGP		




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Front And Rear With Gear Train - 47RE (DGP)
Figure 47RE-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGP] = 47RE Automatic Transmission									
-1									SEAL PACKAGE, Transmission Clutch
	4637 078	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
2	4058 648AB	1	1, 2, 3			ET0	DGP		RETAINER, Clutch Front
		1	6, 7, 8			ET0	DGP		Front
3	4058 647	1	1, 2, 3				DGP		BUSHING, Front Clutch
		1	6, 7, 8				DGP		
-4									CHECK BALL, Dia-.187
	0147 483	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
5	3410 226	1	1, 2, 3				DGP		SEAL, Front Clutch Piston
		1	6, 7, 8				DGP		
6	4058 484	1	1, 2, 3				DGP		SEAL, Front Piston Clutch
		1	6, 7, 8				DGP		
7	2464 651AB	1	1, 2, 3				DGP		PISTON, Clutch
		1	6, 7, 8				DGP		
-8									CHECK BALL, Dia-.187
	0147 483	1	6, 7, 8				DGP		
		1	1, 2, 3				DGP		
9	2801 243	9	1, 2, 3				DGP		SPRING, Front Clutch
		9	6, 7, 8				DGP		
10	2801 949	1	1, 2, 3				DGP		RETAINER, Transmission
		1	6, 7, 8				DGP		
-11									CHECK BALL, Dia-.187
	0147 483	1	6, 7, 8				DGP		
		1	1, 2, 3				DGP		
12									SNAP RING
	2124 824	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
13									PLATE, Clutch Separator

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Front And Rear With Gear Train - 47RE (DGP)
Figure 47RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	2124 826AB	4	1, 2, 3				DGP		SNAP RING
		4	6, 7, 8				DGP		
	3410 570	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
15	4617 567	1	1, 2, 3				DGP		PLATE, Transmission Clutch Reaction
		1	6, 7, 8				DGP		
16	4617 201AB	4	1, 2, 3				DGP		DISC, Direct Clutch
		4	6, 7, 8				DGP		
17	3743 624AB	1	1, 2, 3				DGP		PISTON, Clutch
		1	6, 7, 8				DGP		
-18	0147 483	1	6, 7, 8				DGP		CHECK BALL, Dia-.187
		1	1, 2, 3				DGP		
19	1942 054	1	1, 2, 3				DGP		SEAL, Rear Clutch Piston
		1	6, 7, 8				DGP		
20	2124 835	1	1, 2, 3				DGP		SEAL, Rear Clutch Piston
		1	6, 7, 8				DGP		
21	4505 186	1	6, 7, 8				DGP		THRUST WASHER, Output Shaft, Red .068
		1	1, 2, 3				DGP		
22	4617 855	1	1, 2, 3				DGP		RETAINER, Transmission
		1	6, 7, 8				DGP		
-23	4058 443	1	1, 2, 3				DGP		SEAL, Rear Clutch Retainer
		1	6, 7, 8				DGP		
24	4617 161	1	1, 2, 3				DGP		THRUST WASHER, Front Clutch
		1	6, 7, 8				DGP		
25	4617 396	1	1, 2, 3				DGP		INPUT SHAFT, Transmission
		1	6, 7, 8				DGP		
26									SNAP RING

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Front And Rear With Gear Train - 47RE (DGP)
Figure 47RE-410


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	2124 872	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
27	4617 418AB	1	1, 2, 3				DGP		SEAL, Input Shaft
		1	6, 7, 8				DGP		
28	3743 622	1	6, 7, 8				DGP		RETAINER, Rear Clutch
		1	1, 2, 3				DGP		
29									DISC, Clutch
	2801 992AB	4	1, 2, 3				DGP		
		4	6, 7, 8				DGP		
30	3743 621AB	1	1, 2, 3				DGP		SPRING, Rear Clutch Piston
		1	6, 7, 8				DGP		
31	3515 077	1	1, 2, 3				DGP		SPACER, Rear Clutch Piston
		1	6, 7, 8				DGP		
32	2466 806	1	1, 2, 3				DGP		SPRING, Rear Clutch
		1	6, 7, 8				DGP		
33									PLATE, Clutch Pressure
	2466 803	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
34	52118 812AA	3	1, 2, 3				DGP		PLATE, Clutch Separator
		3	6, 7, 8				DGP		
35									PLATE, Transmission Clutch Reaction
	4617 567	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
36									SNAP RING
	1942 063	1	1, 2, 3				DGP		.060"-.062" Thick
		1	6, 7, 8				DGP		.060"-.062" Thick
	1942 063AB	1	1, 2, 3				DGP		.065"-.067" Thick
		1	6, 7, 8				DGP		.065"-.067" Thick
	1942 064	1	1, 2, 3				DGP		.074"-.076" Thick
		1	6, 7, 8				DGP		.074"-.076" Thick
	1942 064AB	1	1, 2, 3				DGP		.080"-.082" Thick
		1	6, 7, 8				DGP		.080"-.082" Thick
	1942 065	1	1, 2, 3				DGP		.088"-.090" Thick

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Front And Rear With Gear Train - 47RE (DGP)
Figure 47RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8				DGP		.088"-.090" Thick
	1942 065AB	1	1, 2, 3				DGP		.098"-.100" Thick
		1	6, 7, 8				DGP		.098"-.100" Thick
	2466 811	1	1, 2, 3				DGP		.106"-.108" Thick
		1	6, 7, 8				DGP		.106"-.108" Thick
	2466 811AB	1	1, 2, 3				DGP		.116"-.118" Thick
		1	6, 7, 8				DGP		.116"-.118" Thick


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train And Intermediate Shaft - 47RE (DGP)

Figure 47RE-420



FRONT & REAR PLANET PINION CARRIER GEARS

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGP] = 47RE Automatic Transmission									
1	6024 311	1	1, 2, 3				DGP		SNAP RING, 1.108 Free Diameter
		1	6, 7, 8				DGP		.055"-.059" Thick
	6024 312	1	1, 2, 3				DGP		.055"-.059" Thick
		1	6, 7, 8				DGP		.062"-.066" Thick
2	4617 998	1	1, 2, 3				DGP		.062"-.066" Thick
		1	6, 7, 8				DGP		CARRIER, Planetary Pinion
3	4539 129	1	1, 2, 3				DGP		THRUST WASHER, Planetary
		1	6, 7, 8				DGP		Carrier
4	4617 951	1	1, 2, 3				DGP		5 Tabs
		1	6, 7, 8				DGP		5 Tabs
5	2892 656	1	1, 2, 3				DGP		BUSHING, Support Case
		1	6, 7, 8				DGP		
6	4618 000	1	1, 2, 3				DGP		GEAR, Front Annulus
		1	6, 7, 8				DGP		
7	1736 521	1	1, 2, 3				DGP		WASHER
		1	6, 7, 8				DGP		
8	2801 311	1	1, 2, 3				DGP		SNAP RING, Sun Gear
		1	6, 7, 8				DGP		
9	4617 978	1	1, 2, 3				DGP		GEAR, Sun
		1	6, 7, 8				DGP		
10	4617 611	1	1, 2, 3				DGP		SHELL, Sun Gear
		1	6, 7, 8				DGP		
11	4505 188	1	1, 2, 3				DGP		INTERMEDIATE SHAFT,
		1	6, 7, 8				DGP		Transmission
12									PLATE, Transmission Module
									PLATE, Sun Gear Driving Shell

DODGE RAM STANDARD CAB (BR)

BUDGE SERIES

E = WS RAM 1500

L = RAM 1500, 2500,

3500

LINE

1, 6 = 1500

$$2, 7 = 2500$$

3. 8 = 3500

0, 0 = 0000

BODY

61= Req. Cab (118 WB)

62 = Req. Cab (134 WB)

63 = Req. Cap (138 WB)

64 = Reg. Cab (162 WB)

65 = Reg. Cab (134 WB)

05 = Reg. Cab (154 WD)

ENGINE

EHC, EH0 = 3.9L 6 Cyl.

ELF, EL0 = 5.2L 8 Cyl.

ETC, ETH, ET0= 5.9L 6

EML, EMM, EMO = 5.9L 8

EWA, EW0 = 8.0L V10 .

EAA = All engines

TRANSMISSION

DGK = 42RE 4 Spd. Auto.

DGP = 47RE 4 Spd. Auto.

DGT = 46RE 4 Spd. Auto.

DDP, DDX, DDC = 5 Spd. M

DEE = 6 Spd. Manual

DBB = All Manual Transmiss


DBB = All Manual Transmiss
DGO = All Automatic Transm

DGO = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train And Intermediate Shaft - 47RE (DGP)
Figure 47RE-420



FRONT & REAR PLANET PINION CARRIER GEARS


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1942 080	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
13	1736 521	1	1, 2, 3				DGP		SNAP RING, Sun Gear
		1	6, 7, 8				DGP		
14									THRUST WASHER, Planetary Carrier
	4617 888	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
15									CARRIER, Planetary Pinion
	2801 061	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
16									PLATE, Annulus Gear Thrust
	2400 580	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
17									GEAR, Rear Annulus
	4810 002AB	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
18									SNAP RING
	6033 591	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
19									THRUST WASHER, Reverse Drum
	5211 8059	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
20									DRUM, Automatic Transmission
	5211 8057	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
21									THRUST WASHER, Planetary Carrier
	2801 315	8	1, 2, 3				DGP		Rear
		8	6, 7, 8				DGP		Rear
		10	1, 2, 3				DGP		Front
		10	6, 7, 8				DGP		Front
22									THRUST WASHER, Planet Pinion
	2204 649	8	1, 2, 3				DGP		Rear
		8	6, 7, 8				DGP		Rear
		10	1, 2, 3				DGP		Front
		10	6, 7, 8				DGP		Front
23									ROLLER, Front and Rear Pinion
	3743 664	115	1, 2, 3				DGP		Front

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train And Intermediate Shaft - 47RE (DGP)
Figure 47RE-420



FRONT & REAR PLANET PINION CARRIER GEARS


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		92	1, 2, 3				DGP		Rear
		92	6, 7, 8				DGP		Rear
		115	6, 7, 8				DGP		Front
24	2400 667	4	6, 7, 8				DGP		PINION, Transmission Planetary Rear
		4	1, 2, 3				DGP		Rear
		5	6, 7, 8				DGP		Front
		5	1, 2, 3				DGP		Front
25	4428 223	5	1, 2, 3				DGP		SHAFT, Planetary Front
		4	1, 2, 3				DGP		Rear
		5	6, 7, 8				DGP		Front
		4	6, 7, 8				DGP		Rear
26	6024 666	4	1, 2, 3				DGP		DOWEL, .108x1.00 Rear
		4	6, 7, 8				DGP		Rear
		5	1, 2, 3				DGP		Front
		5	6, 7, 8				DGP		Front
27	4471 473	1	1, 2, 3				DGP		CAM, Overrunning Clutch
		1	6, 7, 8				DGP		
28	4617 199	1	1, 2, 3				DGP		CLUTCH, Overrunning
		1	6, 7, 8				DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Output Shaft - 47RE (DGP)
Figure 47RE-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DGP] = 47RE Automatic Transmission

1									OUTPUT SHAFT, Transmission
	5003 233AA	1	1, 2, 3				DGP		
	4874 036	1	6, 7, 8				DGP		
2									BUSHING, (NOT SERVICED) (Not Serviced)
3									BUSHING, (NOT SERVICED) (Not Serviced)
4	4461 008	1	1, 2, 3				DGP		BEARING, Output Shaft
		1	6, 7, 8				DGP		Front
5									SNAP RING
	4461 068	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
6	4461 057	1	1, 2, 3				DGP		SNAP RING
		1	6, 7, 8				DGP		
7	4461 069	1	1, 2, 3				DGP		SNAP RING
8	2466 224	1	1, 2, 3				DGP		BEARING, Output Shaft
		1	6, 7, 8				DG0		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Bands, Reverse And Kickdown With Linkage - 47RE (DGP)
Figure 47RE-510



REVERSE BAND



KICKDOWN BAND

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGP] = 47RE Automatic Transmission									
1	1556 385	2	1, 2, 3				DGP		O RING
		2	6, 7, 8				DGP		
2	4531 234	1	1, 2, 3				DGP		SHAFT, Band Lever
		1	6, 7, 8				DGP		
3	0103 026	1	1, 2, 3				DGP		NUT, Hex, .375-24
		1	6, 7, 8				DGP		
4	4531 226AB	1	1, 2, 3				DGP		LEVER, Reverse Band
		1	6, 7, 8				DGP		
5	4531 231	1	1, 2, 3				DGP		BAND, Reverse
		1	6, 7, 8				DGP		
6	2538 472	1	1, 2, 3				DGP		SCREW, Trans Reverse Band
		1	6, 7, 8				DGP		Adjusting, .375-24-1.88
7	2125 067	1	1, 2, 3				DGP		LEVER, Kickdown
		1	6, 7, 8				DGP		
8	4531 181	1	1, 2, 3				DGP		SHAFT, Band Lever
		1	6, 7, 8				DGP		
9	2124 848	1	1, 2, 3				DGP		STRUT, Kickdown Band
		1	6, 7, 8				DGP		
10	3743 338	1	1, 2, 3				DGP		ANCHOR, Kickdown Band
		1	6, 7, 8				DGP		
11	6036 115AA	1	1, 2, 3				DGP		SCREW
		1	6, 7, 8				DGP		
12	4329 853	1	1, 2, 3				DGP		BAND, Kickdown
		1	6, 7, 8				DGP		
13									NUT, Hex Jam, .50-20


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year


September 16, 2005

Bands, Reverse And Kickdown With Linkage - 47RE (DGP)
Figure 47RE-510

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	0124 934	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		




REVERSE BAND



KICKDOWN BAND

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

Valve Body - 47RE (DGP)
Figure 47RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DGP] = 47RE Automatic Transmission

-1									SEAL AND GASKET PACKAGE, Valve Body and Servo
	4863 892AC-	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
2	52118 796AB	1	1, 2, 3				DGP		BODY, Transfer Plate
		1	6, 7, 8				DGP		
3	5211 8510	1	6, 7, 8				DGP		GASKET, Transmission Solenoid
		1	1, 2, 3				DGP		
4									SOLENOID, Transmission Overdrive
	52118 500AB	1	6, 7, 8				DGP		
		1	1, 2, 3				DGP		
5									BOLT, Valve Body, .25-20x1.75
	0181 071	3	6, 7, 8				DGP		
		3	1, 2, 3				DGP		
6									FILTER, Valve Body
	5211 8789	1	6, 7, 8				DGP		
		1	1, 2, 3				DGP		
7									SCREW AND WASHER, Oil Filter Mounting, Fillester Head .190-24x2. 500
	6033 826	3	6, 7, 8				DGP		
		3	1, 2, 3				DGP		
8									O RING, Solenoid Wiring, Transmission
	6034 748	2	6, 7, 8				DGP		
		2	1, 2, 3				DGP		
9									SCREW, Tapping, .19-24x.75
	6033 985	1	6, 7, 8				DGP		
		1	1, 2, 3				DGP		
10									LEVER, Throttle Valve
	3681 227	1	6, 7, 8				DGP		
		1	1, 2, 3				DGP		
11	4617 439	1	1, 2, 3				DGP		LEVER, Manual Valve
12									BALL, Manual Lever Detent, .343 Diameter
	0147 488	1	6, 7, 8				DGP		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Valve Body - 47RE (DGP)
Figure 47RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	1, 2, 3				DGP		
13	2466 548	1	6, 7, 8				DGP		SEAL, Valve Lever Shift
		1	1, 2, 3				DGP		
14	2538 062	1	6, 7, 8				DGP		WASHER, Manual Valve Lever
		1	1, 2, 3				DGP		
15	6035 208	2	6, 7, 8				DGP		SEAL AND GASKET PACKAGE, Transmission
		2	1, 2, 3				DGP		
16	4505 098	1	6, 7, 8				DGP		SEAL, Manual Shift Valve, 1.25 OD
		1	1, 2, 3				DGP		
17	6030 609	1	6, 7, 8				DGP		SCREW, Cap Head Lock, .312-24x1. 25
		1	1, 2, 3				DGP		
18	4617 010	1	6, 7, 8				DGP		BRACKET, Valve Body Switch
		1	1, 2, 3				DGP		
19	4130 492	1	6, 7, 8				DGP		SPRING, Switch Valve
		1	1, 2, 3				DGP		
20	4505 036	1	6, 7, 8				DGP		VALVE, Trans Lockup Switch
		1	1, 2, 3				DGP		
21	4617 008	1	6, 7, 8				DGP		TUBE, Boost Valve
		1	1, 2, 3				DGP		
22	5211 7958	1	6, 7, 8				DGP		RETAINER, Boost Valve Oil Supply Tube
		1	1, 2, 3				DGP		
23	4617 219	1	6, 7, 8				DGP		CLIP, Transmission Governor Transducer
		1	1, 2, 3				DGP		
24	56028 196AA	1	6, 7, 8				DGP		TRANSDUCER, Pressure Sensor

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Valve Body - 47RE (DGP)
Figure 47RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	1, 2, 3				DGP		
25	6034 493	1	6, 7, 8				DGP		O RING, Pressure Switch
		1	1, 2, 3				DGP		
26									GASKET, Transmission Solenoid
	4617 216	1	6, 7, 8				DGP		
		1	1, 2, 3				DGP		
27									RETAINER, Transmission Governor Solenoid
	4617 211AB	1	6, 7, 8				DGP		
		1	1, 2, 3				DGP		
28									O RING PACKAGE, Valve Body, Transmission
	4723 549	1	6, 7, 8				DGP		
		1	1, 2, 3				DGP		
29	4617 210	1	6, 7, 8				DGP		SOLENOID, Transmission Governor
		1	1, 2, 3				DGP		
-30									SCREEN, Transmission Regulator Valve
	3878 313	1	6, 7, 8				DGP		
		1	1, 2, 3				DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Servos, Accumulator Piston And Spring - 47RE (DGP)
Figure 47RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO



ACCUMULATOR PISTON AND SPRING


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[ELO] = All 5.2L 8 Cylinder Gas Engines									
[DGP] = 47RE Automatic Transmission									
1	1942 130	1	1, 2, 3				DGP		SNAP RING
		1	6, 7, 8				DGP		
2	1942 123	1	1, 2, 3				DGP		SEAL
		1	6, 7, 8				DGP		
3	3410 441	1	1, 2, 3				DGP		GUIDE, Kickdown Servo
		1	6, 7, 8				DGP		
4	3410 444	1	1, 2, 3				DGP		SPRING, Kickdown Servo Piston
		1	6, 7, 8				DGP		
5	3410 444	1	1, 2, 3				DGP		SPRING, Kickdown Servo Piston
		1	6, 7, 8				DGP		
6	6031 392	1	6, 7, 8				DGP		SNAP RING, Brake Master Cylinder
		1	1, 2, 3				DGP		
7	3410 437	1	1, 2, 3				DGP		RETAINER, Kick Down
		1	6, 7, 8				DGP		
8	3410 445	1	1, 2, 3				DGP		PISTON, Kickdown Servo
		1	6, 7, 8				DGP		
9	6028 864	1	6, 7, 8				DGP		O RING, Kick Down Servo
		1	1, 2, 3				DGP		
10	1942 123	1	1, 2, 3				DGP		SEAL
		1	6, 7, 8				DGP		
11	3410 440	1	1, 2, 3				DGP		PISTON, Kickdown Servo
		1	6, 7, 8				DGP		
12	4412 444	1	1, 2, 3				DGP		SEAL
		1	6, 7, 8				DGP		
13									SNAP RING

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Servos, Accumulator Piston And Spring - 47RE (DGP)
Figure 47RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO



ACCUMULATOR PISTON AND SPRING


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	1942 130	1	1, 2, 3				DGP		RETAINER, Transmission Reverse Servo Piston Spring
		1	6, 7, 8				DGP		
15	5211 8342	1	1, 2, 3				DGP		SPRING, Reverse Servo Piston
		1	6, 7, 8				DGP		
16	4617 773	1	1, 2, 3				DGP		PLUG, Reverse Servo Piston
		1	6, 7, 8				DGP		
17	52118 742AB	1	1, 2, 3				DGP		SPRING, Accumulator Piston
		1	6, 7, 8				DGP		
18	3515 079	1	1, 2, 3				DGP		SEAL, Reverse Servo Piston
		1	6, 7, 8				DGP		
19	4531 233	1	1, 2, 3				DGP		PISTON, Reverse Servo
		1	6, 7, 8				DGP		
20	5211 8745	1	6, 7, 8				DGP		SNAP RING, .435 ID
		1	1, 2, 3				DGP		
21	6027 153	1	6, 7, 8				DGP		SPRING, Accumulator Piston
		1	1, 2, 3				DGP		
22	3515 079	1	1, 2, 3				DGP		SEAL, Piston Accumulator
		1	6, 7, 8				DGP		
23	3743 013	1	6, 7, 8				DGP		PISTON, Accumulator
		1	1, 2, 3				DGP		
24	3743 650	1	1, 2, 3				DGP		SEAL, Piston Accumulator
		1	6, 7, 8				DGP		
25	3743 010	1	6, 7, 8				DGP		SPRING, Accumulator Piston, (NOT REQUIRED)
		1	1, 2, 3				DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Parking Sprag - 47RE (DGP)
Figure 47RE-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes:

[DGP] = 47RE Automatic Transmission


1	2466 909	1	6, 7, 8				DGP		SPRING, Parking Sprag
		1	1, 2, 3				DGP		
2	4471 415	1	6, 7, 8				DGP		SPRAG, Transmission Parking
		1	1, 2, 3				DGP		
3	2466 892	1	6, 7, 8				DGP		SHAFT, Parking Sprag
		1	1, 2, 3				DGP		
4	8350 3127	1	6, 7, 8				DGP		SCREW
		1	1, 2, 3				DGP		
5	2538 042	1	6, 7, 8				DGP		PLUG, Parking Sprag
		1	1, 2, 3				DGP		
6	2538 034	1	6, 7, 8				DGP		SNAP RING, Transmission
		1	1, 2, 3				DGP		
7	4471 478	1	1, 2, 3				DGP		ROD, Parking Sprag
		1	6, 7, 8				DGP		
8	6035 256	1	1, 2, 3				DGP		SNAP RING, Rod
		1	6, 7, 8				DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Overdrive With Gear Train - 47RE (DGP)
Figure 47RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
[ET0] = All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
[DGP] = 47 RE Automatic Transmission									
[DGT] = 46 RE Automatic Transmission									
1									PLATE PACKAGE, Transmission Module
	4740 774	1	6, 7, 8				DGP		
		1	1, 2, 3				DGP		
2									BEARING, (NOT SERVICED) (Not Serviced)
3									GEAR, Overdrive Sun
	5015 107AA	1	6, 7, 8				DGP		
		1	1, 2, 3				DGP		
4									BUSHING, (NOT SERVICED) (Not Serviced)
5									CARRIER, O/Drive Planet Pinion
	4761 011	1	6, 7, 8				DGP		
		1	1, 2, 3				DGP		
6									RACE, Overrunning Clutch
	4461 124	1	6, 7, 8				DGP		
		1	1, 2, 3				DGP		
7									THRUST BEARING, Ovedrive Third Position
	4461 014	1	6, 7, 8				DGP		
		1	1, 2, 3				DGP		
8									CLUTCH, Overdrive Overrunning
	4461 015	1	6, 7, 8				DGP		
		1	1, 2, 3				DGP		
9									GEAR, Overdrive Annulus
	4761 010	1	6, 7, 8				DGP		
		1	1, 2, 3				DGP		
10									SNAP RING, 5.25 OD
	4461 059	1	6, 7, 8				DGP		
		1	1, 2, 3				DGP		
11									SNAP RING, 6.00 OD
	4461 060	2	1, 2, 3				DGP		
		2	6, 7, 8				DGP		
12									DRUM, Automatic Transmission

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Overdrive With Gear Train - 47RE (DGP)
Figure 47RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4461 089	1	6, 7, 8				DGP		
		1	1, 2, 3				DGP		
13	4461 063	1	6, 7, 8				DGP		SNAP RING, 2.1875 OD
		1	1, 2, 3				DGP		
14	4461 027	1	6, 7, 8				DGP		SPRING, Direct Clutch
		1	1, 2, 3				DGP		
15									HUB, Direct Clutch
	4461 072	1	6, 7, 8				DGP		
		AR	1, 2, 3				DGP		
16									THRUST BEARING, Overdrive
	4446 724	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
17									PLATE, Transmission Clutch Reaction
	4461 030	1	6, 7, 8				DGP		
		1	1, 2, 3				DGP		
18									DISC, Direct Clutch
	4461 042	10	1, 2, 3			ET0	DGP		
		10	1, 2, 3			EW0	DGP		
		10	6, 7, 8			ET0	DGP		
		10	6, 7, 8			EW0	DGP		
19									PLATE, Transmission Valve Body
	4864 053	9	6, 7, 8				DGP		
		9	1, 2, 3				DGP		
20									PLATE, Pressure
	4461 183	1	6, 7, 8				DGP		
		1	1, 2, 3				DGP		
21									SPRING, Direct Clutch
	4461 032	1	6, 7, 8				DGP		
		1	1, 2, 3				DGP		
22									SNAP RING, 1.875" OD
	4461 064	1	6, 7, 8				DGP		
		1	1, 2, 3				DGP		
23									FILTER, Overdrive Clutch
	4412 583	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
24									RETAINER, Transmission O/Drive Clutch Piston


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Overdrive With Gear Train - 47RE (DGP)
Figure 47RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
25	5211 7975	1	1, 2, 3				DGP		PISTON, Overdrive Clutch
		1	6, 7, 8				DGP		
	5211 8599	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
26	0152 796	6	1, 2, 3				DGP		SCREW, .25-20
		6	6, 7, 8				DGP		
27									SEAL, Overdrive Clutch Piston
28	4431 697	1	1, 2, 3				DGP		SEAL, Overdrive Clutch Piston Inner
		1	6, 7, 8				DGP		
	4431 697	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
29	4617 352	1	1, 2, 3				DGP		PLATE, Transmission O/Drive Clutch Outer
		1	6, 7, 8				DGP		
		1	6, 7, 8				DGP		
		1	6, 7, 8				DGP		
	4431 585	1	1, 2, 3				DGP		.123"-.125" Thick
		1	6, 7, 8				DGP		
	4431 586	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
	4431 587	1	1, 2, 3				DGP		.183"-.185" Thick
		1	6, 7, 8				DGP		
	4431 588	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
	4431 590	1	1, 2, 3				DGP		.243"-.245" Thick
		1	6, 7, 8				DGP		
	4431 731	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
	4431 732	1	1, 2, 3				DGP		.168"-.170" Thick
		1	6, 7, 8				DGP		
	4431 733	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
	4431 734	1	1, 2, 3				DGP		.228"-.230" Thick
		1	6, 7, 8				DGP		
	4431 735	1	1, 2, 3				DGP		
		1	6, 7, 8				DGP		
30									SPACER, Intermediate Shaft, 1. 58mm
	4431 916	1	1, 2, 3				DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Overdrive With Gear Train - 47RE (DGP)
Figure 47RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8				DGP		
-31	4431 917	1	1, 2, 3				DGP		SPACER, Intermediate Shaft, .175
		1	6, 7, 8				DGP		
-32	4431 918	1	1, 2, 3				DGP		SPACER, Intermediate Shaft, .193
		1	6, 7, 8				DGP		
-33	4431 919	1	1, 2, 3				DGP		SPACER, Intermediate Shaft, .211
		1	6, 7, 8				DGP		
34	4461 082	1	6, 7, 8				DGP		SNAP RING, Overdrive Clutch
		1	1, 2, 3				DGP		
35									PLATE, Transmission Clutch Reaction
	4461 033	1	6, 7, 8				DGP		Front
		1	1, 2, 3				DGP		Front
	4617 567	1	1, 2, 3				DGP		Rear
		1	6, 7, 8				DGP		Rear
36	4461 181	5	1, 2, 3				DGP		DISC, Direct Clutch
		5	6, 7, 8				DGP		
37	4461 066	1	1, 2, 3				DGP		SPRING, Overdrive Clutch
		1	6, 7, 8				DGP		
38	4461 065	1	1, 2, 3				DGP		SNAP RING, 6.50 OD
		1	6, 7, 8				DGP		
39	4461 047	5	6, 7, 8						PLATE, Transmission Clutch Reaction

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Controls, Gearshift, Lower - 47RE [DPG]
Figure 47RE-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[ELO] = All 5.2L 8 Cylinder Gas Engines

[EM0] = All 5.9L 8 Cylinder Gas Engines

[DGT] = 46RE Automatic Transmission

[DG0] = All Automatic Transmissions

[DGP] = 47RE Automatic Transmission

1	3575 333	2					DG0		GROMMET, Control Rod Front
2	J012 0393	1					DG0		WASHER, Flat, Flat
3	3575 354	1					DG0		SPRING, Gearshift Control Rod, Control Rod Adjusting
4	3467 800	2					DG0		BUSHING, Gearshift Torque Shaft, Torque Shaft
5	6504 763	2					DG0		WASHER, Flat, M13.5
6	6034 943	1					DGP		WASHER
7	J400 4295	1					DG0		PIN, Rod To Trans Shaft Lever, Rod or Swivel To T/Shaft Lever
8	6028 114	1					DG0		NUT, Hex, .437-14, Bracket Mtg. Lock 7/16-14
9	J012 0393	1					DGP		WASHER, Flat
10	0181 082	1					DG0		BOLT, Hex Head, 5/16-18x1/2
11	52077 802AD	1					DGP		BRACKET, Gearshift
12									SCREW, (NOT SERVICED) (Not Serviced)
13	6032 475	1					DG0		RING, Transmission Torque Shaft
14	5210 7734	1					DG0		CLAMP, w/Screw, Control Rod Swivel ***
15	3575 334	1					DG0		SWIVEL, Gearshift Control Rod, Control Rod Clamp ***
16	52107 807AA	1					DGP		BRACKET, Torque Shaft
17	52107 699AB	1					DG0		ROD, Gear Shift Control
18	52079 228AC	1					DGP		TORQUE SHAFT, Gearshift
19	52077 630AB	1					DGP		ROD, Gear Shift Control, Transmission
20	52107 825AA	1					DGP, DGT		LEVER, Manual Control
21	0180 034	1					DGP, DGT		SCREW AND WASHER, Hex Head, .25-20x1.50
22	0115 984	1					DG0		NUT, Brake Line
23	5207 9065	1					DG0		LEVER, Throttle Valve
24	0115 984	1					DG0		NUT, Brake Line


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Controls, Gearshift, Lower - 47RE [DPG]
Figure 47RE-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
25	0138 165	1					DG0		WASHER, Lock
26	0181 065	1					DG0		BOLT, Hex Head, .25-20x1.00
27	5300 9055	1					DG0		SPRING, Throttle Valve Return
28	5207 8718	1					DG0		BRACKET, Throttle Valve Spring

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year


September 16, 2005






Group – 3500

Manual Transmission 5 Speed


GROUP 3500 - Manual Transmission 5 Speed

Illustration Title	Group-Fig. No.
Transmission Assembly	
Transmission - 3500 [DDC]	Fig. 3500-110
Case and Extension	
Case And Extension - 3500 (DDC)	Fig. 3500-210
Gear Train	
Gear Train - 3500 (DDC)	Fig. 3500-410
Fork and Rails	
Shift Forks And Rails - 3500 (DDC)	Fig. 3500-910
Gearshift Controls	
Gear Shift Controls - 3500 (DDC)	Fig. 3500-1210



3500-100 Transmission Assembly	3500-200 Case and Extension	3500-400 Gear Train	3500-900 Fork and Rails
			
3500-1200 Gearshift Controls			
			

Transmission - 3500 [DDC]
Figure 3500-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


NOTES: Sales Codes									
[EH0] = All 3.9L Gas Engines									
[EL0] = All 5.2L 8Cylinder Gas Engines									
[DDC] = 5 Speed Heavy Duty Manual Transmission									
1							TRANSMISSION, 5 Speed		
	52108 100AB	1	1, 2, 3			EH0, EL0	DDC		
	52108 101AB	1	6, 7, 8			EH0, EL0	DDC		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case And Extension - 3500 (DDC)
Figure 3500-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[EH0] = All 3.9L Gas Engines									
[EL0] = All 5.2L 8Cylinder Gas Engines									
[DBB] = All Manual Transmissions									
[DDC] = 5 Speed Heavy Duty Manual Transmission									
1	5015 187AA	1	1, 2, 3			EH0, EL0	DDC		CASE, Transmission
		1	6, 7, 8			EH0, EL0	DDC		
2	5003 287AA	1	1, 2, 3			EH0, EL0	DDC		CASE, Transmission Rear
	5014 483AA	1	6, 7, 8			EH0, EL0	DDC		
3	4874 019	1	6, 7, 8			EH0, EL0	DDC		RETAINER, Shaft
		1	1, 2, 3			EH0, EL0	DDC		
4	4886 199AB	1	1, 2, 3			EH0, EL0	DDC		LEVER, Gearshift
		1	6, 7, 8			EH0, EL0	DDC		
5	4886 153AA	1	1, 2, 3			EH0, EL0	DDC		SEAL, Shift Lever
		1	6, 7, 8			EH0, EL0	DDC		
6	4741 313	1	1, 2, 3			EH0, EL0	DDC		BOLT, M8-1.25x70 Reverse Idler M8X1.25X70
		1	6, 7, 8			EH0, EL0	DDC		Reverse Idler M8X1.25X70
7	4741 144	4	6, 7, 8			EH0, EL0	DBB		BOLT, Hex Head
		4	1, 2, 3			EH0, EL0	DDC		
8									BOLT, Hex Head, M8x1.25x50


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case And Extension - 3500 (DDC) Figure 3500-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4741 123	11	1, 2, 3			EH0, EL0	DDC		
		11	6, 7, 8			EH0, EL0	DBB		
9									BOLT, Hex
	4741 115	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
10									PIN, Locating
	4741 122	2	1, 2, 3			EH0, EL0	DDC		
		2	6, 7, 8			EH0, EL0	DBB		
11									SWITCH, Back Up Lamp
	4741 121	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
12									VENT, Transmission
	4740 901	1	6, 7, 8			EH0, EL0	DDC		
		1	1, 2, 3			EH0, EL0	DDC		
13									PLUG, Oil Fill
	4882 280	1	6, 7, 8			EH0, EL0	DDC		
		1	1, 2, 3			EH0, EL0	DDC		
14									PIN, Detent Shift Detent Lock
	4740 904	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		Shift Detent Lock
15									CAP, Detent Shift Detent
	4741 128	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		Shift Detent
16									SPRING, Shift Detent

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500, 3500

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

61= Reg. Cab (118 WB)
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)

ENGINE

EHC, EH0 = 3.9L 6 Cyl.
ELF, EL0 = 5.2L 8 Cyl.
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP, DDX, DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Case And Extension - 3500 (DDC)
Figure 3500-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4773 182	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
17	5016 233AA	1	6, 7, 8			EH0, EL0	DDC		PLUNGER
		1	1, 2, 3			EH0, EL0	DDC		
18	4741 300	6	1, 2, 3			EH0, EL0	DDC		BOLT, Hex Head, M6x1.00x25
		6	6, 7, 8			EH0, EL0	DBB		
19	4741 112	1	1, 2, 3			EH0, EL0	DDC		BEARING, Ball Linear
		1	6, 7, 8			EH0, EL0	DDC		Linear
20	4741 296	1	6, 7, 8			EH0, EL0	DDC		SEAL, Input Shaft Input Shaft
		1	1, 2, 3			EH0, EL0	DDC		Input Shaft
21	4741 118	1	6, 7, 8			EH0, EL0	DDC		SEAL, Output Shaft
	4531 216AB	1	1, 2, 3			EH0, EL0	DDC		
22	4874 174	1	1, 2, 3			EH0, EL0	DDC		BEARING, Input Shaft Input Shaft
		1	6, 7, 8			EH0, EL0	DDC		Input Shaft
23	4740 902	1	1, 2, 3			EH0, EL0	DDC		VENT, Transmission Vent
		1	6, 7, 8			EH0, EL0	DDC		Vent


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Gear Train - 3500 (DDC)
Figure 3500-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[EH0] = All 3.9L Gas Engines

[EL0] = All 5.2L 8Cylinder Gas Engines

[DBB] = All Manual Transmissions

[DDC] = 5 Speed Heavy Duty Manual Transmission

1	4741 294	1	1, 2, 3			EH0, EL0	DDC		INPUT SHAFT, Transmission
		1	6, 7, 8			EH0, EL0	DDC		
2	4741 277	1	1, 2, 3			EH0, EL0	DDC		STOP RING, Synchronizer
		1	6, 7, 8			EH0, EL0	DDC		Synchronizer
3	4741 878	1	1, 2, 3			EH0, EL0	DDC		NEEDLE BEARING, Input Shaft
		1	6, 7, 8			EH0, EL0	DDC		
4	4741 266	AR	1, 2, 3			EH0, EL0	DDC		SNAP RING, Output Shaft Bearing
		AR	6, 7, 8			EH0, EL0	DBB		
5	4741 293	1	1, 2, 3			EH0, EL0	DDC		SYNCHRONIZER, Third and Fourth
		1	6, 7, 8			EH0, EL0	DDC		Third and Fourth ***
6	4883 718AA	1	1, 2, 3			EH0, EL0	DDC		GEAR, Third
		1	6, 7, 8			EH0, EL0	DDC		
7	4741 874	1	1, 2, 3			EH0, EL0	DDC		NEEDLE BEARING, Second Gear
		1	6, 7, 8			EH0, EL0	DDC		Needle Second and Third
8									SNAP RING


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML, EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train - 3500 (DDC)
Figure 3500-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4897 922AA	1	1, 2, 3			EH0,	DDC		
		1	6, 7, 8			EL0	DDC		
9						EH0,			THRUST WASHER, Second And Third Gear
	4746 070	2	1, 2, 3			EH0,	DDC		
		2	6, 7, 8			EL0	DBB		
10						EH0,			GEAR, Second
	4874 358	1	1, 2, 3			EL0	DDC		
		1	6, 7, 8			EH0,	DDC		
11						EH0,			SYNCHRONIZER, First and Second
	4874 356	1	1, 2, 3			EL0	DDC		
		1	6, 7, 8			EH0,	DDC		
12						EH0,			GEAR, First
	4874 355	1	1, 2, 3			EL0	DDC		
		1	6, 7, 8			EH0,	DDC		
13						EH0,			NEEDLE BEARING, Transmission Needle First Gear
	4741 871	1	1, 2, 3			EL0	DDC		
		1	6, 7, 8			EH0,	DDC		
14						EL0			SHAFT, Output
	5003 288AA	1	1, 2, 3			EH0,	DDC		
		1	6, 7, 8			EL0	DDC		
15						EH0,			NEEDLE BEARING, Transmission Needle Reverse
	4741 871	1	1, 2, 3			EL0	DDC		
		1	6, 7, 8			EH0,	DDC		
16						EL0			GEAR, Reverse

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train - 3500 (DDC)
Figure 3500-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4741 284	1	1, 2, 3			EH0, EL0	DDC		Reverse ***
		1	6, 7, 8			EH0, EL0	DDC		Reverse ***
17	4741 285	1	1, 2, 3			EH0, EL0	DDC		STOP RING, Synchronizer Reverse Synchronizer (Solid Brass)
		1	6, 7, 8			EH0, EL0	DDC		Reverse Synchronizer (Solid Brass)
18	4741 278	1	1, 2, 3			EH0, EL0	DDC		SYNCHRONIZER, Fifth And Reverse Fifth and Reverse ***
		1	6, 7, 8			EH0, EL0	DDC		Fifth and Reverse ***
19	4741 805	AR	1, 2, 3			EH0, EL0	DDC		RING, Transmission
		AR	6, 7, 8			EH0, EL0	DBB		
20	4741 273	1	1, 2, 3			EH0, EL0	DDC		BEARING, Needle Needle Fifth Gear
		1	6, 7, 8			EH0, EL0	DDC		Needle Fifth Gear
21	4883 300	1	1, 2, 3			EH0, EL0	DDC		GEAR, Fifth
		1	6, 7, 8			EH0, EL0	DDC		
22	4741 114	1	6, 7, 8			EH0, EL0	DDC		RETAINER, Transmission Output Shaft Bearing
23	4741 866	1	6, 7, 8			EH0, EL0	DDC		BEARING, Output Shaft Output Shaft
		1	1, 2, 3			EH0, EL0	DDC		Output Shaft
24	4741 266	1	1, 2, 3			EH0, EL0	DDC		SNAP RING, Output Shaft Bearing Snap Output Shaft Bearing

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train - 3500 (DDC)
Figure 3500-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
25	4740 900	1	6, 7, 8			EH0, EL0	DDC		Snap Output Shaft Bearing
		1	6, 7, 8			EH0, EL0	DDC		BEARING, Countershaft
		AR	6, 7, 8			EH0, EL0	DBB		
26	4741 299	1	1, 2, 3			EH0, EL0	DDC		SHAFT, Counter
		1	6, 7, 8			EH0, EL0	DDC		
27	4741 312	1	1, 2, 3			EH0, EL0	DDC		SUPPORT, Segment Idler Shaft
		1	6, 7, 8			EH0, EL0	DDC		Segment Idler Shaft
		1	6, 7, 8			EH0, EL0	DDC		Segment Idler Shaft
28	4741 310	1	1, 2, 3			EH0, EL0	DDC		WASHER, Flat
		1	6, 7, 8			EH0, EL0	DDC		Flat
		1	6, 7, 8			EH0, EL0	DDC		Flat
29	4741 309	1	1, 2, 3			EH0, EL0	DDC		WASHER, Idler Gear
		1	6, 7, 8			EH0, EL0	DDC		Wave Spring
30	4741 307	2	1, 2, 3			EH0, EL0	DDC		THRUST WASHER, Reverse Idler
		2	6, 7, 8			EH0, EL0	DBB		
		1	1, 2, 3			EH0, EL0	DDC		GEAR, Reverse Idler
31	4741 306	1	1, 2, 3			EH0, EL0	DDC		Reverse Idler (24 Teeth) ***
		1	6, 7, 8			EH0, EL0	DDC		Reverse Idler (24 Teeth) ***
32	4874 359	1	1, 2, 3			EH0, EL0	DDC		BEARING, Idler

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61 = Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0 = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML, EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train - 3500 (DDC)
Figure 3500-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			EH0, EL0	DDC		
33	4741 303	1	1, 2, 3			EH0, EL0	DDC		IDLER SHAFT, Transmission Reverse Idler
		1	6, 7, 8			EH0, EL0	DDC		Reverse Idler
34	4741 891	2	1, 2, 3			EH0, EL0	DDC		BALL, Check, 4 mm
		2	6, 7, 8			EH0, EH0, EL0	DBB		
35	4874 403	2	1, 2, 3			EH0, EL0	DDC		RING
		2	6, 7, 8			EH0, EH0, EL0	DBB		
36	4874 363	2	1, 2, 3			EH0, EL0	DDC		RING, Synchronizer Blocker
		2	6, 7, 8			EH0, EL0	DBB		
37	4874 405	2	1, 2, 3			EH0, EL0	DDC		CONE, Synchronizer
		2	6, 7, 8			EH0, EL0	DBB		
38	4874 404	2	1, 2, 3			EH0, EL0	DDC		RING
		2	6, 7, 8			EH0, EH0, EL0	DBB		
39	4741 311	2	1, 2, 3			EH0, EL0	DDC		SNAP RING
		2	6, 7, 8			EH0, EH0, EL0	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shift Forks And Rails - 3500 (DDC)
Figure 3500-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[EH0] = All 3.9L Gas Engines
[EL0] = All 5.2L 8Cylinder Gas Engines
[DDC] = 5 Speed Heavy Duty Manual Transmission
[DBB] = All Manual Transmissions


1	5014 501AA	1	1, 2, 3			EH0, EL0	DDC		SHAFT, Selector
	5014 502AA	1	6, 7, 8			EH0, EL0	DDC		
2	5014 109AA	1	1, 2, 3			EH0, EL0	DDC		LEVER, Shift Shaft
		1	6, 7, 8			EH0, EL0	DDC		
3	4741 137	AR	1, 2, 3			EH0, EL0	DDC		SPRING, Lever
		AR	6, 7, 8			EH0, EL0	DBB		
4	5016 233AA	1	1, 2, 3			EH0, EL0	DDC		PLUNGER
		1	6, 7, 8			EH0, EL0	DDC		
5	5012 337AA	1	1, 2, 3			EH0, EL0	DDC		BUSHING, Transmission
		1	6, 7, 8			EH0, EL0	DDC		
6	4741 138AB	1	1, 2, 3			EH0, EL0	DDC		PIN, Shift Shaft Dowel
		1	6, 7, 8			EH0, EL0	DDC		
7	4886 076AA	1	1, 2, 3			EH0, EL0	DDC		FORK, Third and Fourth
		1	6, 7, 8			EH0, EL0	DDC		
8									PIN, Shift Shaft

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shift Forks And Rails - 3500 (DDC)
Figure 3500-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4741 139	1	1, 2, 3			EH0, EL0	DDC		Roll
		1	6, 7, 8			EH0, EL0	DDC		Roll
9									SOCKET, Shift Shaft
	4874 352	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
10									FORK, Transmission
	4773 564	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
11									FORK, First and Second First and Second ***
	4886 077AA	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		First and Second ***
12									ISOLATOR, Shift Lever
	5012 020AA	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Shift Controls - 3500 (DDC)
Figure 3500-1210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[EH0] = All 3.9L Gas Engines									
[EL0] = All 5.2L 8Cylinder Gas Engines									
[DD0] = All 5 Speed ManualTransmissions									
[DBB] = All Manual Transmissions									
1	4446 921	1					DD0		INSERT, Transmission Shift Knob, Shift Pattern
2	6502 556	1					DBB		NUT, Hex, M10-1.5, Gear Shift Control Selector Lever, M10x1.5
3	5210 4174	1					DBB		KNOB, Gearshift, Gear Shift Lever ***
4	52107 614AB	1					DBB		BOOT, Gear Shift Lever
5	6101 946	6	1, 2, 3				DBB		SCREW, Tapping
6	5210 7612	1					DBB		LEVER, Gearshift
7									CONSOLE, Floor
	5EZ5 4LAZ	1					DBB		AGATE
	5EZ5 4RC8	1					DBB		DARK CIRRUS
	5EZ5 4VK9	1					DBB		DARK SUEDE
8	52107 613AB	1					DBB		BOOT, Gear Shift Lever
9	6101 946	6	1, 2, 3				DBB		SCREW, Tapping

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 4500

Manual Transmission 5 Speed

GROUP 4500 - Manual Transmission 5 Speed

Illustration Title Group-Fig. No.

Transmission Assembly

Transmission 5 Speed - 4500 (DDP) (DDX) Fig. 4500-110

Case and Extension

Case 5 Speed - 4500 (DDP) (DDX) Fig. 4500-210

Gear Train

Gear Train 5 Speed - 4500 (DDP) (DDX) Fig. 4500-410


Gear Train 5 Speed - 4500 (DDP) (DDX) Fig. 4500-420






Fork and Rails

Fork And Control 5 Speed - 4500 (DDP) (DDX) Fig. 4500-910


Gearshift Controls

Gear Shift Controls 5 Speed - 4500 (DDP) (DDX) Fig. 4500-1210



<div>4500-100 Transmission Assembly</div> 	<div>4500-200 Case and Extension</div> 	<div>4500-400 Gear Train</div> 	<div>4500-900 Fork and Rails</div> 
<div>4500-1200 Gearshift Controls</div> 			

Transmission 5 Speed - 4500 (DDP) (DDX)
Figure 4500-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Code
[DDP] = 5 Speed Manual Transmissions
[DDX] = 5 Speed Heavy Duty Manual Transmissions
[EL0] = All 5.2L 8Cylinder Gas Engines
[EM0] = All 5.9L Gas Engines
[ET0] = All 5.9L Turbo Diesel Engines
[EW0] = All 8.0L Gas Engines


1							TRANSMISSION, 5 Speed		
	52108 128AF	1	1, 2, 3			EL0,	DDP		
						EM0			
	52108 129AF	1	6, 7, 8			EL0,	DDP		
						EM0			
	52108 131AD	1	6, 7, 8			ET0,	DDX		
						EW0			
	52108 130AD	1	1, 2, 3			ET0,	DDX		
						EW0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case 5 Speed - 4500 (DDP) (DDX)
Figure 4500-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Code									
[DDP] = 5 Speed Manual Transmissions									
[DDX] = 5 Speed Heavy Duty Manual Transmissions									
[DEE] = 6 Speed Manual Transmission									
[ELO] = All 5.2L 8Cylinder Gas Engines									
[EM0]= All 5.9L Gas Engines									
[ET0]= All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
1									RETAINER, Transmission Drive Gear
	4741 543	1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
	4741 542	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
2									SEAL, Input
	5012 115AA	1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EW0 EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
3									PLUG, Oil Fill
	4637 849	1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
4									SCREW, Drive Gear
	4637 777	4	1, 2, 3			ET0, EW0	DDX		
		4	6, 7, 8			ET0, EW0	DDX		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case 5 Speed - 4500 (DDP) (DDX)
Figure 4500-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
5		1	1, 2, 3			EL0, EM0	DDP		CUP, Transmission Drive Gear Bearing
		1	6, 7, 8			EL0, EM0	DDP		
	4741 544	1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
6		1	6, 7, 8			EL0, EM0	DDP		MAGNET, Transmission
	4773 012	1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
7		2	1, 2, 3			ET0, EW0	DDX		DOWEL, Gear Shift Cover
	4637 847	2	1, 2, 3			ET0, EW0	DDX		
		2	6, 7, 8			ET0, EW0	DDX		
		2	1, 2, 3			EL0, EM0	DDP		
		2	6, 7, 8			EL0, EM0	DDP		
8									CASE, Transmission
	5016 379AA	1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			ET0, EW0	DDX		
	5019 654AA	1	1, 2, 3			EL0, EM0	DDP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case 5 Speed - 4500 (DDP) (DDX)
Figure 4500-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	5014 100AA	1	6, 7, 8			EL0, EMO	DDP		PLATE, Transmission Module
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EMO	DDP		
10	0181 088	1	6, 7, 8			EL0, EMO	DDP		BOLT, Hex Head, .312-18x1.00
		10	1, 2, 3			ET0, EW0	DDX		
		10	6, 7, 8			ET0, EW0	DDX		
		10	1, 2, 3			EL0, EMO	DDP		
11	4637 785	1	6, 7, 8			EL0, EMO	DDP		PLATE, Transmission Module
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EMO	DDP		
12	0556 875	1	6, 7, 8			EL0, EMO	DDP		COVER, Power Take Off
		2	1, 2, 3			ET0, EW0	DDX		
		2	6, 7, 8			ET0, EW0	DDX		
		2	1, 2, 3			EL0, EMO	DDP		
13		2	6, 7, 8			EL0, EMO	DDP		BOLT, Transfer Case
						EMO			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case 5 Speed - 4500 (DDP) (DDX)
Figure 4500-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4637 851	1	6, 7, 8			ET0, EW0	DDX, DEE		
		6	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EM0	DDP		
14	4637 691	1	1, 2, 3			ET0, EW0	DDX		BEARING CUP, Intermediate Shaft
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
15	4637 689	1	1, 2, 3			ET0, EW0	DDX		PLUG, Countershaft
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
16	4637 804	2	1, 2, 3			ET0, EW0	DDX		DOWEL, Transmission Case
		2	6, 7, 8			ET0, EW0	DDX		
		2	1, 2, 3			EL0, EM0	DDP		
		2	6, 7, 8			EL0, EM0	DDP		
17	5003 035AA	1	1, 2, 3			ET0, EW0	DDX		RETAINER, Transmission Case Rear
	5014 479AA	1	6, 7, 8			ET0, EW0	DDX		
	5003 035AA	1	1, 2, 3			EL0, EM0	DDP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case 5 Speed - 4500 (DDP) (DDX)
Figure 4500-210


[illegible]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train 5 Speed - 4500 (DDP) (DDX)
Figure 4500-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Code

[DDP] = 5 Speed Manual Transmissions

[DDX] = 5 Speed Heavy Duty Manual Transmissions

[EL0] = All 5.2L 8Cylinder Gas Engines

[EM0] = All 5.9L Gas Engines

[ET0]= All 5.9L Turbo Diesel Engines

[EW0] = All 8.0L Gas Engines

1									BEARING, First Gear
	4798 769	2	1, 2, 3			ET0,	DDX		
		2	6, 7, 8			EW0			
		2	1, 2, 3			ET0,	DDX		
		2	1, 2, 3			EW0			
		2	1, 2, 3			EL0,	DDP		
		2	6, 7, 8			EM0			
		2	6, 7, 8			EL0,	DDP		
		2	6, 7, 8			EM0			
2									GEAR, First
	4637 728	1	1, 2, 3			ET0,	DDX		
		1	6, 7, 8			EW0			
		1	6, 7, 8			ET0,	DDX		
		1	6, 7, 8			EW0			
		1	1, 2, 3			EL0,	DDP		
		1	6, 7, 8			EM0			
		1	6, 7, 8			EL0,	DDP		
		1	6, 7, 8			EM0			
3									GEAR PACKAGE, Reverse Clutch
	5003 055AA	1	1, 2, 3			ET0,	DDX		
		1	6, 7, 8			EW0			
		1	6, 7, 8			ET0,	DDX		
		1	1, 2, 3			EW0			
		1	1, 2, 3			EL0,	DDP		
		1	6, 7, 8			EM0			
		1	6, 7, 8			EL0,	DDP		
		1	6, 7, 8			EM0			
4									BEARING, Drive Gear
	4723 145	1	1, 2, 3			ET0,	DDX		
		1	6, 7, 8			EW0			
		1	6, 7, 8			ET0,	DDX		
		1	6, 7, 8			EW0			


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train 5 Speed - 4500 (DDP) (DDX)
Figure 4500-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
5		1	1, 2, 3			EL0, EM0	DDP		SNAP RING PACKAGE, Transmission
		1	6, 7, 8			EL0, EM0	DDP		
	5003 056AA	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
6		1	6, 7, 8			ET0, EW0	DDX		SPACER, Reverse Synchronizer
	4882 542	1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
7		1	6, 7, 8			EL0, EM0	DDP		BEARING, Reverse Synchronizer
	5017 924AA	1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
8		1	1, 2, 3			ET0, EW0	DDX		SYNCHRONIZER, Reverse
	5014 478AA	1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train 5 Speed - 4500 (DDP) (DDX)
Figure 4500-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	4637 763	1	6, 7, 8			EL0, EM0	DDP		THRUST WASHER, Reverse Gear
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
10	4773 176	1	6, 7, 8			EL0, EM0	DDP		PIN, Split Thrust Washer
		2	1, 2, 3			ET0, EW0	DDX		
		2	6, 7, 8			ET0, EW0	DDX		
		2	1, 2, 3			EL0, EM0	DDP		
11	4637 771	2	6, 7, 8			EL0, EM0	DDP		BEARING CONE, Main Shaft
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
12	5016 384AA	1	6, 7, 8			EL0, EM0	DDP		MAINSHAFT, Transmission
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
13	5016 386AA	1	6, 7, 8			EL0, EM0	DDP		SYNCHRONIZER, First and Second
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			EL0, EM0	DDP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train 5 Speed - 4500 (DDP) (DDX)
Figure 4500-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4796 270	1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
	5066 046AA	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
14									STOP RING PACKAGE, Synchronizer
	4637 726	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
15									GEAR, Second
	4637 730	1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
16									THRUST WASHER, Third Gear
	4637 732	1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
17									SPACER, Third Gear
	4882 540	1	1, 2, 3			ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train 5 Speed - 4500 (DDP) (DDX)
Figure 4500-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	4874 369	1	6, 7, 8			ET0, EW0	DDX		GEAR, Third
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
19	4798 768	1	1, 2, 3			ET0, EW0	DDX		BEARING, Third Gear
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
20	4897 883AA	2	6, 7, 8			ET0, EW0	DDX		RING, Blocker
		2	1, 2, 3			ET0, EW0	DDX		
		2	1, 2, 3			EL0, EM0	DDP		
		2	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
21	4740 824	1	1, 2, 3			ET0, EW0	DDX		SYNCHRONIZER, Third and Fourth
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train 5 Speed - 4500 (DDP) (DDX)
Figure 4500-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
22	4874 370	1	6, 7, 8			EL0, EM0	DDP		GEAR, Clutch Drive
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
-23	4897 883AA-	1	6, 7, 8			EL0, EM0	DDP		RING, Blocker
		2	1, 2, 3			ET0, EW0	DDX		
		2	6, 7, 8			ET0, EW0	DDX		
		2	1, 2, 3			EL0, EM0	DDP		
24	4637 755	2	6, 7, 8			EL0, EM0	DDP		THRUST BEARING, Drive Gear
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
25	4637 774	1	6, 7, 8			EL0, EM0	DDP		NEEDLE BEARING, Input Shaft
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
26		1	6, 7, 8			EL0, EM0	DDP		SHAFT, Input
		1	6, 7, 8			EM0			

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

61= Reg. Cab (118 WB)
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)

ENGINE

EHC, EH0 = 3.9L 6 Cyl.
ELF, EL0 = 5.2L 8 Cyl.
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP, DDX, DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train 5 Speed - 4500 (DDP) (DDX) Figure 4500-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4882 358	1	1, 2, 3			ET0, EW0	DDX		W/52108130AD
		1	6, 7, 8			ET0, EW0	DDX		W/52108131AD
	4882 357	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train 5 Speed - 4500 (DDP) (DDX)
Figure 4500-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Code

[DDP] = 5 Speed Manual Transmissions

[DDX] = 5 Speed Heavy Duty Manual Transmissions

[EL0] = All 5.2L 8Cylinder Gas Engines

[EM0] = All 5.9L Gas Engines

[ET0] = All 5.9L Turbo Diesel Engines

[EW0] = All 8.0L Gas Engines


1									BEARING CUP, Main Shaft
	4637 782	1	1, 2, 3			ET0,	DDX		
		1	6, 7, 8			EW0			
		1	1, 2, 3			ET0,	DDX		
		1	1, 2, 3			EW0			
		1	6, 7, 8			EL0,	DDP		
		1	6, 7, 8			EM0			
		1	6, 7, 8			EL0,	DDP		
		1	6, 7, 8			EM0			
2									SHIM PACKAGE, Rear Mainshaft Bearing
	4864 284	1	1, 2, 3			ET0,	DDX		
		1	6, 7, 8			EW0			
		1	1, 2, 3			ET0,	DDX		
		1	1, 2, 3			EW0			
		1	6, 7, 8			EL0,	DDP		
		1	6, 7, 8			EM0			
		1	6, 7, 8			EL0,	DDP		
		1	6, 7, 8			EM0			
3									GEAR, Overdrive Mainshaft
	4741 551	1	1, 2, 3			ET0,	DDX		
		1	6, 7, 8			EW0			
		1	1, 2, 3			ET0,	DDX		
		1	1, 2, 3			EW0			
		1	6, 7, 8			EL0,	DDP		
		1	6, 7, 8			EM0			
		1	6, 7, 8			EL0,	DDP		
		1	6, 7, 8			EM0			
4									WASHER, Overdrive Gear
	4741 552	1	1, 2, 3			ET0,	DDX		
		1	6, 7, 8			EW0			
		1	6, 7, 8			ET0,	DDX		
		1	6, 7, 8			EW0			

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Gear Train 5 Speed - 4500 (DDP) (DDX)
Figure 4500-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
5	5013 887AA	1	1, 2, 3			ET0, EW0	DDX		NUT AND WASHER PACKAGE
		1	6, 7, 8			ET0, EW0	DDX		
6	4269 956	1	6, 7, 8			EL0, EM0	DDP		SEAL, Adapter
7	4882 366	1	1, 2, 3			ET0, EW0	DDX		SHAFT, Idler
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
8	4882 538	2	1, 2, 3			ET0, EW0	DDX		WASHER, Reverse Idler
		2	6, 7, 8			ET0, EW0	DDX		
		2	1, 2, 3			EL0, EM0	DDP		
		2	6, 7, 8			EL0, EM0	DDP		
9	4882 365	2	1, 2, 3			ET0, EW0	DDX		BEARING, Idler Gear
		2	6, 7, 8			ET0, EW0	DDX		
	5017 923AA	1	1, 2, 3			EW0 EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
10						EM0			GEAR, Reverse Idler

DODGE RAM STANDARD CAB (BR)					TRANSMISSION
SERIES	LINE	BODY	ENGINE		DGK = 42RE 4 Spd. Auto.
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.		DGP = 47RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.		DGT = 46RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.		DDP, DDX, DDC = 5 Spd. Manual
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.		DEE = 6 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .		DBB = All Manual Transmissions
			EAA = All engines		DG0 = All Automatic Transmissions
			EAG = All gas engines		

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train 5 Speed - 4500 (DDP) (DDX)
Figure 4500-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4882 364	1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
11									BEARING CONE, Cluster Gear
	4637 705	1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
12									COUNTERSHAFT
	4882 367	1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
13									PIN, Split Thrust Washer
	4773 176	2	1, 2, 3			ET0, EW0	DDX		
		2	6, 7, 8			ET0, EW0	DDX		
		2	1, 2, 3			EL0, EM0	DDP		
		2	6, 7, 8			EL0, EM0	DDP		
14									BEARING CONE, Cluster Gear
	4637 708	1	1, 2, 3			ET0, EW0	DDX		
	4637 705	1	6, 7, 8			ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Gear Train 5 Speed - 4500 (DDP) (DDX)
Figure 4500-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	4637 708	1	1, 2, 3			EL0, EM0	DDP		BEARING CUP, Cluster Gear
		1	6, 7, 8			EL0, EM0	DDP		
	4637 707	1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
16	4637 780	1	1, 2, 3			EL0, EM0	DDP		SHIM PACKAGE, Countershaft
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
17	5003 056AA	1	1, 2, 3			EL0, EM0	DDP		SNAP RING PACKAGE, Transmission
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
18	5003 156AA	1	1, 2, 3			EL0, EM0	DDP		SYNCHRONIZER PACKAGE, Overdrive
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005




Gear Train 5 Speed - 4500 (DDP) (DDX)
Figure 4500-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19	4637 786	1	6, 7, 8			ET0, EW0	DDX		GEAR, Countershaft
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
20	4882 541	1	6, 7, 8			EL0, EM0	DDP		BEARING, Overdrive
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
21	4637 778	1	6, 7, 8			ET0, EW0	DDP		THRUST WASHER, Countershaft
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Fork And Control 5 Speed - 4500 (DDP) (DDX)
Figure 4500-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; Sales Code
[DDP]= 5 Speed Manual Transmissions
[DDX]= 5 Speed Heavy Duty Manual Transmissions
[EL0] = All 5.2L 8Cylinder Gas Engines
[EM0] = All 5.9L Gas Engines
[ET0] = All 5.9L Turbo Diesel Engines
[EW0] = All 8.0L Gas Engines

1	5003 036AA	1	1, 2, 3			ET0,	DDX		HOUSING, Shift Lever
		1	6, 7, 8			EW0			
		1	1, 2, 3			ET0,	DDX		
		1	1, 2, 3			EW0			
		1	1, 2, 3			EL0,	DDP		
		1	6, 7, 8			EM0			
		1	6, 7, 8			EL0,	DDP		
		1	6, 7, 8			EM0			
2	4741 660	1	6, 7, 8			ET0,	DDX		VENT, Transmission
		1	1, 2, 3			EW0			
		1	1, 2, 3			ET0,	DDX		
		1	1, 2, 3			EW0			
		1	1, 2, 3			EL0,	DDP		
		1	6, 7, 8			EM0			
		1	6, 7, 8			EL0,	DDP		
		1	6, 7, 8			EM0			
3	4638 633	1	1, 2, 3			ET0,	DDX		CLIP, Vent Tube
		1	6, 7, 8			EW0			
		1	6, 7, 8			ET0,	DDX		
		1	6, 7, 8			EW0			
	6032 633	1							
		1	1, 2, 3			EL0,	DDP		
		1	1, 2, 3			EM0			
		1	6, 7, 8			EL0,	DDP		
4	1664 355	2	1, 2, 3			EM0			PIN, Shift Fork
		2	1, 2, 3			EL0,	DDP		
		2	6, 7, 8			EM0			
		2	6, 7, 8			EL0,	DDP		
5									SPACER, Shift Tower

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

Fork And Control 5 Speed - 4500 (DDP) (DDX)
Figure 4500-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5003 214AA	1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
6	5003 212AA	4	1, 2, 3			ET0, EW0	DDX		BUSHING, Gearshift Lever
		4	6, 7, 8			ET0, EW0	DDX		
		4	1, 2, 3			EL0, EM0	DDP		
		4	6, 7, 8			EL0, EM0	DDP		
7	5003 213AA	4	6, 7, 8			ET0, EW0	DDX		BOLT
		4	6, 7, 8			EL0, EM0	DDP		
		4	1, 2, 3			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
8	5003 211AA	1	1, 2, 3			ET0, EW0	DDX		LEVER, Gearshift
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
9	0181 088	10	1, 2, 3			ET0, EW0	DDX		BOLT, Hex Head, .312-18x1.00
		10	6, 7, 8			ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fork And Control 5 Speed - 4500 (DDP) (DDX)
Figure 4500-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		10	1, 2, 3			EL0, EM0	DDP		
		10	6, 7, 8			EL0, EM0	DDP		
10									CLIP
	5211 8181	5	6, 7, 8			ET0, EW0	DDX		
		5	1, 2, 3			ET0, EW0	DDX		
		5	1, 2, 3			EL0, EM0	DDP		
		5	6, 7, 8			EL0, EM0	DDP		
11									CLIP, Vacuum Harness
	6016 203	1	6, 7, 8			ET0, EW0	DDX		
		1	6, 7, 8			EL0, EM0	DDP		
12									GASKET, Back Up Lamp Switch
	1302 807	1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
13									SWITCH, Back Up Lamp
	4741 630	1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
14									LUG, Overdrive
	4637 692	1	1, 2, 3			ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fork And Control 5 Speed - 4500 (DDP) (DDX)
Figure 4500-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
15	4778 216	1	1, 2, 3			ET0, EW0	DDX		RAIL, Over Drive Lug
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
16	5012 019AA	1	1, 2, 3			EL0, EM0	DDP		PAD PACKAGE, Shift Fork
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
17	4773 178	1	1, 2, 3			ET0, EW0	DDX		FORK, Transmission
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
18	1664 355	2	1, 2, 3			ET0, EW0	DDX		PIN, Shift Fork
		2	6, 7, 8			ET0, EW0	DDX		
		2	1, 2, 3			EL0, EM0	DDP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Figure 4500-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	6, 7, 8			EL0, EM0	DDP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Shift Controls 5 Speed - 4500 (DDP) (DDX)
Figure 4500-1210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Code

[DBB] = All Manual Transmissions

[DDP] = 5 Speed Manual Transmissions

[DDX] = 5 Speed Heavy Duty Manual Transmissions

[DD0]= All 5 Speed Manual Transmissions

[EL0] = All 5.2L 8Cylinder Gas Engines

[EM0] = All 5.9L Gas Engines

[ET0] = All 5.9L Turbo Diesel Engines

[EW0] = All 8.0L Gas Engines

1	4446 921	1					DD0		INSERT, Transmission Shift Knob, Shift Pattern
2	6502 556	1					DBB		NUT, Hex, M10-1.5, Gear Shift Control Selector Lever
3	5210 4174	1					DBB		KNOB, Gearshift, Gear Shift Lever ***
4	52107 614AB	1					DBB		BOOT, Gear Shift Lever
5	6101 946	6	1, 2, 3				DBB		SCREW, Tapping
6	5003 211AA	1	6, 7, 8			EL0, EM0	DDP		LEVER, Gearshift
		1	1, 2, 3			EL0, EM0	DDP		
	5210 7612	1					DBB		
	5003 211AA	1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
7	5EZ5 4LAZ	1					DBB		CONSOLE, Floor AGATE
	5EZ5 4RC8	1					DBB		DARK CIRRUS
	5EZ5 4VK9	1					DBB		DARK SUEDE
8	52107 613AB	1					DBB		BOOT, Gear Shift Lever
9	6101 946	6	1, 2, 3				DBB		SCREW, Tapping

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 5600

Manual Transmission 6 Speed

GROUP 5600 - Manual Transmission 6 Speed

Illustration Title Group-Fig. No.

Transmission Assembly

Transmission Assembly - 5600 6 Speed (DEE) Fig. 5600-110

Case and Extension

Case and Related Parts - 5600 6 Speed (DEE) Fig. 5600-210

Gear Train

Gear Train - 5600 6 Speed (DEE) Main Shaft Fig. 5600-410


Gear Train - 5600 6 Speed (DEE) Counter Shaft Fig. 5600-420






Fork and Rails

Fork and Rails - 5600 6 Speed (DEE) Fig. 5600-910

Gear Shift Controls

Controls ,Gearshift - 5600 6 Speed (DEE) Fig. 5600-1210




5600-100 Transmission Assembly	5600-200 Case and Extension	5600-400 Gear Train	5600-900 Fork and Rails
			
5600-1200 Gear Shift Controls			
			

Transmission Assembly - 5600 6 Speed (DEE)
Figure 5600-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DEE] = 6 Speed Heavy Duty Manual Transmission
[ETH] = 5.9L Cummins Turbo Diesel
1 TRANSMISSION, 6 speed

52108 501AB	1	1, 2, 3				ETH	DEE		
52108 502AB	1	6, 7, 8				ETH	DEE		
5210 8401	1	1, 2, 3				ETC	DEE		
5210 8402	1	6, 7, 8				ETC	DEE		



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

Case and Related Parts - 5600 6 Speed (DEE)
Figure 5600-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DDX] = 5 Speed Heavy Duty Manual Transmission

[DEE] = 6 Speed Heavy Duty Manual Transmission

[ETC] = 5.9L Cummins 24V Diesel

[ETH] = 5.9L Cummins Turbo Diesel

[ET0] = All 5.9L Turbo Diesel Engines

[EW0] = All 8.0L Gas Engines


1									CASE, Transmission
	5003 578AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-2									PLUG, Oil Fill
	4882 280	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-3									BUSHING, Shift Rail
	5003 579AA-	6	1, 2, 3			ETC	DEE		
		6	6, 7, 8			ETC	DEE		
		6	1, 2, 3			ETH	DEE		
		6	6, 7, 8			ETH	DEE		
-4									PIN, Locating
	4761 099	AR	1, 2, 3			ETC	DEE		
		AR	6, 7, 8			ETC	DEE		
		AR	1, 2, 3			ETH	DEE		
		2	6, 7, 8			ETC	DEE		
5									COVER, Power Take Off
	0556 875	2	1, 2, 3			ETC	DEE		
		2	6, 7, 8			ETC	DEE		
		2	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ET0, EW0	DDX, DEE		
6									LABEL, Equipment Identification
	5016 174AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
7									SCREW
	5015 221AA	12	1, 2, 3			ETC	DEE		

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Case and Related Parts - 5600 6 Speed (DEE)
Figure 5600-210


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	5003 580AA	12	6, 7, 8			ETC	DEE		BEARING CUP, Output Shaft
		12	1, 2, 3			ETH	DEE		
		12	6, 7, 8			ETH	DEE		
		1	1, 2, 3			ETC	DEE		
9	5012 134AA	1	6, 7, 8			ETC	DEE		CUP, Bearing Inner
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
		1	1, 2, 3			ETH	DEE		
10	5003 582AA	1	1, 2, 3			ETC	DEE		HOUSING, Clutch
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
11	5003 583AA	1	1, 2, 3			ETC	DEE		BEARING CUP, Input Shaft
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
12	5003 584AA	1	1, 2, 3			ETC	DEE		BEARING CUP, Output Shaft
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
13	5208 7542	1	1, 2, 3			ETC	DEE		PIVOT, Clutch Release
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-14	6022 190	1	1, 2, 3			ETC	DEE		WASHER, Clutch Pivot
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-15	5222 757	1	6, 7, 8			ETH	DEE		DOWEL
		2	1, 2, 3			ETC	DEE		

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML, EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Case and Related Parts - 5600 6 Speed (DEE)
Figure 5600-210


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	5012 114AA	2	6, 7, 8			ETC	DEE		RETAINER, Transmission Input Shaft
		2	1, 2, 3			ETH	DEE		
		2	6, 7, 8			ETH	DEE		
-17	5015 211AA-	1	1, 2, 3			ETC	DEE		GUIDE, Oil, For Transmission Stamp # [52108502AB] SEAL, Input
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
-18	5012 115AA-	1	6, 7, 8			ETH	DEE		HOUSING, Transmission Rear Extension
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
19	5003 585AA	1	1, 2, 3			ETC	DEE		VENT, Transmission
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
-20	4740 901	1	6, 7, 8			ETH	DEE		BUSHING, Crossover Shaft
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-21	5003 587AA-	1	1, 2, 3			ETC	DEE		SEAL, Adapter
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
-22	4269 956	1	6, 7, 8			ETH	DEE		SEAL, Output Shaft
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
-23	4741 920	1	1, 2, 3			ETH	DEE		CAM, Alignment
		1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
24	5011 966AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	6, 7, 8			ETC	DEE		

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Case and Related Parts - 5600 6 Speed (DEE)
Figure 5600-210


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
25	6100 880	1	1, 2, 3			ETH	DEE		WASHER
		1	6, 7, 8			ETH	DEE		
		1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
26	6501 474	1	1, 2, 3			ETH	DEE		BOLT, Hex Head, M8x1.25x16
		1	6, 7, 8			ETH	DEE		
		1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
-27	5003 589AA-	1	1, 2, 3			ETC	DEE		PLUNGER
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-28	5011 967AB-	1	1, 2, 3			ETC	DEE		SPRING, Crossover Lever
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-29	4210 616	AR	1, 2, 3			ETC	DEE		PLUG, Oil Fill, Plug w/Washer Detent
		AR	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
30	5210 3101	1	1, 2, 3			ETC	DEE		BRACKET, Exhaust Pipe to T/Case
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
31	5208 5085	1	1, 2, 3			ETC	DEE		BUSHING, Exhaust Hanger
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
32	5600 7270	1	1, 2, 3			ETC	DEE		SWITCH, Back Up Lamp
		1	6, 7, 8			ETC	DEE		

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Case and Related Parts - 5600 6 Speed (DEE)
Figure 5600-210


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-33	5012 138AA-	1	1, 2, 3			ETC	DEE		GASKET, Back Up Lamp Switch
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-34	5300 8550	2	1, 2, 3			ETC	DEE		CLIP
		2	6, 7, 8			ETC	DEE		
		2	1, 2, 3			ETH	DEE		
		2	6, 7, 8			ETH	DEE		
-35	5012 136AA-	AR	1, 2, 3			ETC	DEE		CLIP, Wiring
		AR	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train - 5600 6 Speed (DEE) Main Shaft Figure 5600-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[ETC] = 5.9L Cummins 24V Diesel									
[ETH] = 5.9L Cummins Turbo Diesel									
[DEE] = 6 Speed Heavy Duty Manual Transmission									
1									BEARING CONE, Input Shaft
	5010 047AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
2									SHAFT, Input
	5010 045AA	1	1, 2, 3			ETC	DEE		Includes Fifth Gear
		1	6, 7, 8			ETC	DEE		Includes Fifth Gear
	5015 204AA	1	1, 2, 3			ETH	DEE		Includes Fifth Gear
		1	6, 7, 8			ETH	DEE		Includes Fifth Gear
3									BEARING CUP, Input Shaft
	5010 046AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
4									CONE, Input Shaft
	5010 053AA	AR	1, 2, 3			ETH	DEE		
		AR	6, 7, 8			ETH	DEE		
		AR	1, 2, 3			ETC	DEE		
		AR	6, 7, 8			ETC	DEE		
	5083 021AA	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
5									RING, Blocker
	5010 054AA	AR	1, 2, 3			ETC	DEE		
		AR	6, 7, 8			ETC	DEE		
		AR	1, 2, 3			ETH	DEE		
		AR	6, 7, 8			ETH	DEE		
6									RETAINING RING, Bearing
	5010 058AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
7									BEARING CONE, Output Shaft
	5010 057AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML, EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train - 5600 6 Speed (DEE) Main Shaft Figure 5600-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-8	5011 376AA-	1	6, 7, 8			ETH	DEE		SHIM PACKAGE, Drive Pinion Bearing
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
9	5010 055AA	1	1, 2, 3			ETC	DEE		SYNCHRONIZER, Fifth
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETC	DEE		
10	5012 350AA	AR	6, 7, 8			ETC	DEE		SPRING, Synchronizer
		3	1, 2, 3			ETC	DEE		
		AR	1, 2, 3			ETH	DEE		
11	5010 056AA	AR	6, 7, 8			ETH	DEE		KEY, Synchronizer
		AR	1, 2, 3			ETC	DEE		
		AR	6, 7, 8			ETC	DEE		
12	4741 136	AR	1, 2, 3			ETH	DEE		BALL, Shift Lever, M5
		AR	6, 7, 8			ETC	DEE		
		AR	1, 2, 3			ETC	DEE		
13	5010 052AA	1	1, 2, 3			ETH	DEE		GEAR, Sixth
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
-14	5010 051AA-	1	6, 7, 8			ETH	DEE		BEARING, Sixth Gear
		1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETH	DEE		
15	5010 049AA	1	1, 2, 3			ETH	DEE		SHAFT, Output
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETC	DEE		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train - 5600 6 Speed (DEE) Main Shaft Figure 5600-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	5010 050AA	1	6, 7, 8			ETH	DEE		SLEEVE, First Gear
	5010 077AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
17		1	6, 7, 8			ETH	DEE		BEARING
	5010 059AA	AR	1, 2, 3			ETC	DEE		
		AR	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
18		1	6, 7, 8			ETH	DEE		GEAR, Second
	5010 060AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
19		1	6, 7, 8			ETH	DEE		RING, Blocker
	5010 061AA	AR	1, 2, 3			ETC	DEE		
		AR	6, 7, 8			ETC	DEE		
	5015 202AA	AR	1, 2, 3			ETH	DEE		
20		AR	6, 7, 8			ETH	DEE		SYNCHRONIZER, First and Second
	5010 062AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
21		1	6, 7, 8			ETH	DEE		GEAR, First
	5010 063AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
22		1	6, 7, 8			ETH	DEE		FORK, Transmission, Reverse
	5012 128AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
23		1	6, 7, 8			ETH	DEE		RING
	5012 127AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

61= Reg. Cab (118 WB)
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)

ENGINE

EHC, EH0 = 3.9L 6 Cyl.
ELF, EL0 = 5.2L 8 Cyl.
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP, DDX, DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train - 5600 6 Speed (DEE) Main Shaft Figure 5600-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ETH	DEE		
24	5012 125AA	1	1, 2, 3			ETC	DEE		SYNCHRONIZER, Reverse
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
25	5012 130AA	1	1, 2, 3			ETC	DEE		GEAR, Reverse
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
26	4637 761	1	1, 2, 3			ETC	DEE		BEARING, Reverse Synchronizer
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
27	5012 129AA	1	1, 2, 3			ETC	DEE		SLEEVE, Reverse
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
28	5012 131AA	1	1, 2, 3			ETC	DEE		WASHER, Reverse Thrust
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
29	5010 065AA	1	6, 7, 8			ETH	DEE		BEARING CONE, Output Shaft
		2	1, 2, 3			ETH	DEE		
		1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
30	5003 580AA	1	1, 2, 3			ETH	DEE		BEARING CUP, Output Shaft
		1	6, 7, 8			ETH	DEE		
		1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
-31	5011 352AA-	1	1, 2, 3			ETH	DEE		SNAP RING PACKAGE, Mainshaft
		1	6, 7, 8			ETH	DEE		
		1	1, 2, 3			ETC	DEE		

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

61= Reg. Cab (118 WB)
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)

ENGINE

EHC, EH0 = 3.9L 6 Cyl.
ELF, EL0 = 5.2L 8 Cyl.
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP, DDX, DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ETC	DEE		
32	5012 133AA	1	1, 2, 3			ETC	DEE		NUT, Locking
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-33									THRUST WASHER, Second And Third Gear
	5010 068AA-	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
		1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		



SERIES	LINE	BODY
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)
		64 = Reg. Cab (162 WB)
		65 = Reg. Cab (134 WB)

TRANSMISSION
 DGK = 42RE 4 Spd. Auto.
 DGP = 47RE 4 Spd. Auto.
 DGT = 46RE 4 Spd. Auto.
 DDP, DDX, DDC = 5 Spd. Manual
 DEE = 6 Spd. Manual
 DBB = All Manual Transmissions
 DG0 = All Automatic Transmissions

September 16, 2005

Gear Train - 5600 6 Speed (DEE) Counter Shaft
Figure 5600-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[ETC] = 5.9L Cummins 24V Diesel

[ETH] = 5.9L Cummins Turbo Diesel

[DEE] = 6 Speed Heavy Duty Manual Transmission


1									CONE ASSEMBLY, Countershaft
	5012 124AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
2									GEAR, Countershaft, Reverse
	5012 122AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
3									SLEEVE, Reverse
	5012 123AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
4									COUNTERSHAFT, Serviced w/ Bearing
	5010 066AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
5									BEARING, First Gear
	4798 769	AR	1, 2, 3			ETC	DEE		
		AR	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
6									THRUST WASHER, Second And Third Gear
	5010 068AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
7									GEAR, Third
	5010 069AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Gear Train - 5600 6 Speed (DEE) Counter Shaft
Figure 5600-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ETH	DEE		
8	5010 053AA	AR	1, 2, 3			ETH	DEE		CONE, Input Shaft
		AR	6, 7, 8			ETH	DEE		
		AR	1, 2, 3			ETC	DEE		
		AR	6, 7, 8			ETC	DEE		
9	5010 054AA	AR	1, 2, 3			ETC	DEE		RING, Blocker
		AR	6, 7, 8			ETC	DEE		
		AR	1, 2, 3			ETH	DEE		
		AR	6, 7, 8			ETH	DEE		
10	5010 070AA	1	1, 2, 3			ETC	DEE		SYNCHRONIZER, Third and Fourth
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
11	4741 136	AR	1, 2, 3			ETC	DEE		BALL, Shift Lever, M5
		AR	6, 7, 8			ETC	DEE		
		AR	1, 2, 3			ETH	DEE		
		3	1, 2, 3			ETH	DEE		
12	5010 056AA	AR	1, 2, 3			ETC	DEE		KEY, Synchronizer
		AR	6, 7, 8			ETC	DEE		
		AR	1, 2, 3			ETH	DEE		
		AR	6, 7, 8			ETH	DEE		
13	5012 350AA	AR	1, 2, 3			ETC	DEE		SPRING, Synchronizer
		AR	6, 7, 8			ETC	DEE		
		AR	1, 2, 3			ETH	DEE		
		AR	6, 7, 8			ETH	DEE		
14	5010 071AA	1	1, 2, 3			ETC	DEE		SLEEVE, Fourth Gear
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
15	5010 072AA	1	1, 2, 3			ETC	DEE		GEAR, Fourth
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Gear Train - 5600 6 Speed (DEE) Counter Shaft
Figure 5600-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ETH	DEE		
16	5010 073AA	1	1, 2, 3			ETH	DEE		GEAR, Countershaft, Sixth
		1	6, 7, 8			ETH	DEE		
		1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
17	5010 074AA	1	1, 2, 3			ETH	DEE		GEAR, Countershaft, Input
		1	6, 7, 8			ETH	DEE		
		1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
18	5010 075AA	1	1, 2, 3			ETC	DEE		CONE ASSEMBLY, Countershaft, Front
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-19	5011 358AA-	1	1, 2, 3			ETC	DEE		SNAP RING PACKAGE, Countershaft
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
20	5012 118AA	2	1, 2, 3			ETC	DEE		WASHER, Idler Gear
		2	6, 7, 8			ETC	DEE		
		2	1, 2, 3			ETH	DEE		
		2	6, 7, 8			ETH	DEE		
21	5012 121AA	1	1, 2, 3			ETC	DEE		GEAR, Idler
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
22	5012 119AA	2	1, 2, 3			ETC	DEE		BEARING, Idler
		2	6, 7, 8			ETC	DEE		
		2	1, 2, 3			ETH	DEE		
		2	6, 7, 8			ETH	DEE		
23	5012 120AA	1	1, 2, 3			ETC	DEE		SPACER, Idler


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Gear Train - 5600 6 Speed (DEE) Counter Shaft Figure 5600-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
24	5012 117AA	1	6, 7, 8			ETC	DEE		SHAFT, Idler
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
		1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fork and Rails - 5600 6 Speed (DEE) Figure 5600-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[ETC] = 5.9L Cummins 24V Diesel									
[ETH] = 5.9L Cummins Turbo Diesel									
[DEE] = 6 Speed Heavy Duty Manual Transmission									
1									RAIL, Shift
	5010 078AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
2									SOCKET, Shift Shaft
	5010 086AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
3									PIN, Shift Shaft
	4741 139	AR	1, 2, 3			ETC	DEE		
		AR	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
4									FORK, Third and Fourth
	5010 090AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
5									PIN, Roll
	5010 083AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
6									FORK, First and Second
	5010 091AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
7									RAIL, Shift
	5010 079AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
8									PIN, Roll


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fork and Rails - 5600 6 Speed (DEE) Figure 5600-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5010 082AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-9									BLOCKER, Shift
	5010 088AA-	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-10									GATE, Gearshift Rod
	5010 089AA-	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
11									RAIL, Reverse Shift, Rail and Gate Serviced in Assembly
	5010 097AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
12									FORK, Transmission, Reverse
	5012 128AA	1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
13									FORK, Fifth Shift
	5010 093AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
14									ARM, Transmission Shift
	5016 173AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-15									PIN, Shift Shaft
	5010 084AA-	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
16									BRACKET, Shift Fork

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

61= Reg. Cab (118 WB)
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)

ENGINE

EHC, EH0 = 3.9L 6 Cyl.
ELF, EL0 = 5.2L 8 Cyl.
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP, DDX, DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Figure 5600-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5010 095AA	1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
17									BOLT, M8
	5010 096AA	2	1, 2, 3			ETC	DEE		M8x1.25x40
		2	6, 7, 8			ETC	DEE		
		2	1, 2, 3			ETH	DEE		
		2	6, 7, 8			ETH	DEE		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Controls ,Gearshift - 5600 6 Speed (DEE)
Figure 5600-1210**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DBB] = All Manual Transmissions									
[DEE] = 6 Speed Heavy Duty Manual Transmission									
[ETC] = 5.9L Cummins 24V Diesel									
[ETH] = 5.9L Cummins Turbo Diesel Engine									
[ET0] = All 5.9L Turbo Diesel Engines									
1									LEVER, Gearshift
	5012 139AA	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
2		1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
2	5003 213AA	4	1, 2, 3			ETC	DEE		BOLT
		4	6, 7, 8			ETC	DEE		
		4	1, 2, 3			ETH	DEE		
		4	6, 7, 8			ETH	DEE		
3									BUSHING, Gearshift Lever
	5003 212AA	4	1, 2, 3			ETH	DEE		
		4	6, 7, 8			ETH	DEE		
		4	1, 2, 3			ETC	DEE		
		4	6, 7, 8			ETC	DEE		
4									SPACER, Shift Tower
	5003 214AA	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
		1	1, 2, 3			ETC	DEE		
		1	6, 7, 8			ETC	DEE		
5	5210 7612	1					DBB		LEVER, Gearshift
6	5210 4174	1	6, 7, 8						KNOB, Gearshift
7	5210 8192	1				ET0	DEE		INSERT, Transmission Shift Knob
8	6502 556	1	6, 7, 8						NUT, Hex, M10-1.5
9	52107 614AB	1					DBB		BOOT, Gear Shift Lever
10	52107 613AB	1					DBB		BOOT, Gear Shift Lever
11									CONSOLE, Floor
	5EZ5 4LAZ	1					DBB		[Agate]
	5EZ5 4RC8	1					DBB		[Dark Mist Gray]
	5EZ5 4VK9	1					DBB		[Dark Tan]
12									SCREW, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 231

Transfer Case Model 231 [DHJ, DHK, DHN]



GROUP 231 - Transfer Case Model 231 [DHJ, DHK, DHN]

Illustration Title

Group-Fig. No.

Transfer Case Assembly

Transfer Case Assembly (DHK) Shift on the Fly Fig. 231-110

Case and Related Parts

Case And Related Parts (DHK)Shift on the Fly Fig. 231-210

Gear Train






Gear Train (DHK) Shift on the Fly Fig. 231-410

Fork and Rails


Forks, Rails, Miscellaneous Parts [DHK] Shift on the Fly Fig. 231-910

Gearshift Controls

Controls, Transfer Case [DHK] Shift on the Fly Fig. 231-1210

231-100 Transfer Case Assembly 	231-200 Case and Related Parts 	231-400 Gear Train 	231-900 Fork and Rails 
231-1200 Gearshift Controls 			

Transfer Case Assembly (DHK) Shift on the Fly
Figure 231-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes
[DGP] = 47RE 4 Speed Automatic Transmission
[DDC] = 3500 5 Speed Manual Transmission
[DGK] = 42 RE 4 Speed Automatic Transmission
[DGT] = 46 RE 4 Speed Automatic Transmission
[DG0] = All Automatic Transmissions
[DHK] = Shift on the Fly 231 Transfer Case
[ELF] = Magnum 5.2L SMPI V8
[EL0]= All 5.2L 8 Cyl Gas Engines
[EML] = Magnum 5.9L SMPI V8
[EM0] = All 5.9L 8 Cylinder Gas Engines

1							TRANSFER CASE, NP231 HD		
	52105 021AB	1	6, 7, 8			EL0,	DDC		
	52105 022AB	1	6, 7, 8			EM0 EL0, EM0	DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

Case And Related Parts (DHK)Shift on the Fly
Figure 231-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
DDC = 5 Speed Heavy Duty Manual Transmission									
DG0 = All Automatic Transmissions									
EL0 = All 5.2L 8 Cylinder Gas Engines									
EM0 = All 5.9L 8 Cylinder Gas Engines									
1	5015 430AA	1	6, 7, 8			EL0, EM0	DG0		CASE, Transfer Front
		1	6, 7, 8			EL0, EM0	DDC		
2	4746 253	6	6, 7, 8			EL0, EM0	DG0		STUD
		6	6, 7, 8			EL0, EM0	DDC		
3	4219 065	1	6, 7, 8			EL0, EM0	DG0		SNAP RING, Annulus Gear
		1	6, 7, 8			EL0, EM0	DDC		
4	6033 172	6							NUT AND WASHER, Hex, .375-24
5	4886 473AA	1	6, 7, 8			EL0, EM0	DG0		SCREW
		1	6, 7, 8			EL0, EM0	DDC		
6	5300 1101	1	6, 7, 8			EL0, EM0	DG0		SWITCH, Transfer Case
		1	6, 7, 8			EL0, EM0	DDC		
7	4338 956	2	6, 7, 8			EL0, EM0	DG0		SEAL, Vacuum Switch
		2	6, 7, 8			EL0, EM0	DDC		
8	4338 943	1	6, 7, 8			EL0, EM0	DG0		FILTER, Transfer Case Oil

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case And Related Parts (DHK)Shift on the Fly
Figure 231-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	4210 617	1	6, 7, 8			EL0, EM0	DDC		BOLT, Transfer Case
		4	6, 7, 8			EL0, EM0	DDC		
10	4210 614	4	6, 7, 8			EL0, EM0	DG0		BOLT, Hex Flange Head
		2	6, 7, 8			EL0, EM0	DDC		
11	4897 958AA	2	6, 7, 8			EL0, EM0	DG0		GASKET, Transfer Case
		1	6, 7, 8			EL0, EM0	DDC		
12	4897 956AA	1	6, 7, 8			EL0, EM0	DG0		RETAINER, Transfer Case Rear
		1	6, 7, 8			EL0, EM0	DDC		
13	6500 318	5	6, 7, 8			EL0, EM0	DDC		BOLT
		5	6, 7, 8			EL0, EM0	DG0		
14	4796 910	1	6, 7, 8			EL0, EM0	DG0		VENT, Transfer Case
		1	6, 7, 8			EL0, EM0	DDC		
15	4746 150	1	6, 7, 8			EL0, EM0	DG0		EXTENSION, Transfer Case
		1	6, 7, 8			EL0, EM0	DDC		
16	4746 258	1	6, 7, 8			EL0, EM0	DDC		SEAL, Output Shaft
		1	6, 7, 8			EL0, EM0	DDC		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case And Related Parts (DHK)Shift on the Fly
Figure 231-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			EL0, EM0	DG0		
17	4798 257	1	6, 7, 8			EL0, EM0	DG0		SPRING, Poppet
		1	6, 7, 8			EL0, EM0	DDC		
18	5300 8217	1	6, 7, 8			EL0, EM0	DG0		PLUNGER
		1	6, 7, 8			EL0, EM0	DDC		
19	4210 983	2	6, 7, 8			EL0, EM0	DDC		WASHER, Flat
		2	6, 7, 8			EL0, EM0	DG0		
20	4338 944	1	6, 7, 8			EL0, EM0	DG0		CONNECTOR, Oil Tube Pickup
		1	6, 7, 8			EL0, EM0	DDC		
21	4856 641	2	6, 7, 8			EL0, EM0	DG0		PLUG, Oil Fill
		2	6, 7, 8			EL0, EM0	DDC		
22	4338 941	1	6, 7, 8			EL0, EM0	DG0		TUBE, Oil Pickup
		1	6, 7, 8			EL0, EM0	DDC		
23	3681 601	1	6, 7, 8			EL0, EM0	DG0		MAGNET, Transmission
		1	6, 7, 8			EL0, EM0	DDC		
24	5209 7541	1							TUBE, Transfer Case Vent
25									BOLT, Transfer Case

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case And Related Parts (DHK)Shift on the Fly
Figure 231-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4210 617	4	6, 7, 8			EL0, EM0	DDC		
		4	6, 7, 8			EL0, EM0	DG0		
26	4443 176	1	6, 7, 8						HOSE, Fuel, .31 I.D. 50 Foot Roll
27	6502 081	2							CLAMP, Oil Cooler Line
28	4741 242	1	6, 7, 8			EL0, EM0	DG0		CASE, Transfer Rear
		1	6, 7, 8			EL0, EM0	DDC		
29	4338 942	1	6, 7, 8			EL0, EM0	DG0		SEAL, Oil
		1	6, 7, 8			EL0, EM0	DDC		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Gear Train (DHK) Shift on the Fly
Figure 231-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
DDC = 5 Speed Heavy Duty Manual Transmission									
DG0 = All Automatic Transmissions									
EL0 = All 5.2L 8 Cylinder Gas Engines									
EM0 = All 5.9L 8 Cylinder Gas Engines									
1	4797 022	1	6, 7, 8			EL0, EM0	DG0		MAINSHAFT, Transfer Case
		1	6, 7, 8			EL0, EM0	DDC		
2	4167 929	1	6, 7, 8			EL0, EM0	DG0		SEAL, Input Gear
		1	6, 7, 8			EL0, EM0	DDC		
3	4338 973	1	6, 7, 8			EL0, EM0	DG0		RETAINER
		1	6, 7, 8			EL0, EM0	DDC		
4	4210 603	1	6, 7, 8			EL0, EM0	DG0		SEAL, Main Shaft
		1	6, 7, 8			EL0, EM0	DDC		
5	4338 936	1	6, 7, 8			EL0, EM0	DG0		PUMP, Transfer Case Oil
		1	6, 7, 8			EL0, EM0	DDC		
6	4897 981AA	1	6, 7, 8			EL0, EM0	DG0		BEARING, Output Shaft
		1	6, 7, 8			EL0, EM0	DDC		
7	6025 755	1	6, 7, 8			EL0, EM0	DG0		SNAP RING, 1.28 ID
		1	6, 7, 8			EL0, EM0	DDC		
8									BEARING, Input Shaft

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Gear Train (DHK) Shift on the Fly
Figure 231-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4338 891	1	6, 7, 8			EL0, EM0	DG0		
		1	6, 7, 8			EL0, EM0	DDC		
9	4338 909	1	6, 7, 8			EL0, EM0	DG0		RING
		1	6, 7, 8			EL0, EM0	DDC		
10	4796 903	1	6, 7, 8			EL0, EM0	DG0		PLANETARY, Transfer Case
		1	6, 7, 8			EL0, EM0	DDC		
11	4338 908	2	6, 7, 8			EL0, EM0	DG0		THRUST WASHER, Planetary Carrier
		2	6, 7, 8			EL0, EM0	DDC		
12	4746 144	1	6, 7, 8			EL0, EM0	DG0		SLEEVE, Synchronizer
		1	6, 7, 8			EL0, EM0	DDC		
13	4338 892	1	6, 7, 8			EL0, EM0	DG0		BEARING
		1	6, 7, 8			EL0, EM0	DDC		
14	4797 013	1	6, 7, 8			EL0, EM0	DDC		SLEEVE, Shift Range
15	4897 955AA	1	6, 7, 8			EL0, EM0	DG0		SLEEVE, Range Fork
16	4338 933	1	6, 7, 8			EL0, EM0	DG0		SNAP RING
		1	6, 7, 8			EL0, EM0	DDC		
17									SNAP RING

DODGE RAM STANDARD CAB (BR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.					
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.					
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.					
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual					
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual					
			EAA = All engines	DBB = All Manual Transmissions					
			EAG = All gas engines	DG0 = All Automatic Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train (DHK) Shift on the Fly
Figure 231-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4338 910	1	6, 7, 8			EL0, EM0	DG0		
		1	6, 7, 8			EL0, EM0	DDC		
18									SPROCKET, Transfer Case
	4797 023	1	6, 7, 8			EL0, EM0	DG0		
		1	6, 7, 8			EL0, EM0	DDC		
19									RING, Blocker
	4746 139	1	6, 7, 8			EL0, EM0	DG0		
		1	6, 7, 8			EL0, EM0	DDC		
20									GEAR, Input
	5015 432AA	1	6, 7, 8			EL0, EM0	DG0		
	5015 441AA	1	6, 7, 8			EL0, EM0	DDC		
21									BEARING, Output Shaft
	4269 189	1	6, 7, 8			EL0, EM0	DG0		
		1	6, 7, 8			EL0, EM0	DDC		
22									CHAIN, Transfer Case
	4636 961	1	6, 7, 8			EL0, EM0	DG0		
		1	6, 7, 8			EL0, EM0	DDC		
23									OUTPUT SHAFT, Transfer Case
	4636 965	1	6, 7, 8			EL0, EM0	DG0		
		1	6, 7, 8			EL0, EM0	DDC		
24									NUT, Hex Flange
	4446 488	1	6, 7, 8			EL0, EM0	DG0		
		1	6, 7, 8			EL0, EM0	DDC		
25									SNAP RING, Bearing

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train (DHK) Shift on the Fly
Figure 231-410


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4338 894	1	6, 7, 8			EL0, EM0	DG0		
		1	6, 7, 8			EL0, EM0	DDC		
26									SEAL
	4798 112	1	6, 7, 8			EL0, EM0	DG0		
		1	6, 7, 8			EL0, EM0	DDC		
27									YOKE, Transfer Case
	4897 960AA	1	6, 7, 8			EL0, EM0	DG0		
		1	6, 7, 8			EL0, EM0	DDC		
28									WASHER, Flat
	4446 487	1	6, 7, 8			EL0, EM0	DG0		
		1	6, 7, 8			EL0, EM0	DDC		
29									HUB, Synchronizer
	4746 143	1	6, 7, 8			EL0, EM0	DG0		
		1	6, 7, 8			EL0, EM0	DDC		
30	6500 318	4	6, 7, 8			EL0, EM0	DDC		BOLT
31									BEARING, Input Shaft
	4338 891	1	6, 7, 8			EL0, EM0	DG0		
		1	6, 7, 8			EL0, EM0	DDC		
32									SNAP RING
	3821 558	1	6, 7, 8			EL0, EM0	DG0		
		1	6, 7, 8			EL0, EM0	DDC		
33									KEY, Synchronizer
	4746 137	3	6, 7, 8			EL0, EM0	DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Gear Train (DHK) Shift on the Fly Figure 231-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
34		3	6, 7, 8			ELO, EM0	DDC		SPRING, Synchronizer
	4746 138	2	6, 7, 8			ELO, EM0	DG0		
		2	6, 7, 8			ELO, EM0	DDC		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

Forks, Rails, Miscellaneous Parts [DHK] Shift on the Fly
Figure 231-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[EL0] = All 5.2L 8 Cylinder Gas Engines									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
[DDC] = 5 Speed Manual Transmissions									
[DG0] = All Automatic Transmissions									
1	4798 136	1	6, 7, 8			EL0, EM0	DG0		FORK, Range
		1	6, 7, 8			EL0, EM0	DDC		
2	4746 140	1	6, 7, 8			EL0, EM0	DDC		PAD, Shift Fork
		1	6, 7, 8			EL0, EM0	DG0		
3	3467 791	1	6, 7, 8			EL0, EM0	DG0		GROMMET, Shift Lever
		1	6, 7, 8			EL0, EM0	DDC		
4	4746 136	1	6, 7, 8			EL0, EM0	DG0		FORK, Mode
		1	6, 7, 8			EL0, EM0	DDC		
5	4167 969	2	6, 7, 8			EL0, EM0	DG0		PAD, Shift Fork
		2	6, 7, 8			EL0, EM0	DDC		
6	0152 345	1	6, 7, 8			EL0, EM0	DDC		NUT
		1	6, 7, 8			EL0, EM0	DG0		
7	4897 959AA	1	6, 7, 8			EL0, EM0	DG0		LEVER, Transfer Case
		1	6, 7, 8			EL0, EM0	DDC		
8									SECTOR, Transfer Case
DODGE RAM STANDARD CAB (BR)									
SERIES		LINE		BODY		ENGINE		TRANSMISSION	
E = WS RAM 1500		1, 6 = 1500		61= Reg. Cab (118 WB)		EHC, EH0 = 3.9L 6 Cyl.		DGK = 42RE 4 Spd. Auto.	
L = RAM 1500, 2500,		2, 7 = 2500		62 = Reg. Cab (134 WB)		ELF, EL0 = 5.2L 8 Cyl.		DGP = 47RE 4 Spd. Auto.	
3500		3, 8 = 3500		63 = Reg. Cab (138 WB)		ETC, ETH, ET0= 5.9L 6 Cyl.		DGT = 46RE 4 Spd. Auto.	
				64 = Reg. Cab (162 WB)		EML,EMM, EM0 = 5.9L 8 Cyl.		DDP, DDX, DDC = 5 Spd. Manual	
				65 = Reg. Cab (134 WB)		EWA, EW0 = 8.0L V10 .		DEE = 6 Spd. Manual	
						EAA = All engines		DBB = All Manual Transmissions	
						EAG = All gas engines		DG0 = All Automatic Transmissions	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Forks, Rails, Miscellaneous Parts [DHK] Shift on the Fly
Figure 231-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4897 952AA	1	6, 7, 8			EL0, EM0	DG0		
		1	6, 7, 8			EL0, EM0	DDC		
9									WASHER, Flat
	S243 6163	1	6, 7, 8			EL0, EM0	DDC		
		1	6, 7, 8			EL0, EM0	DG0		
10									SEAL, O-Ring
	4167 964	1	6, 7, 8			EL0, EM0	DDC		
		1	6, 7, 8			EL0, EM0	DG0		
11									SEAL, O-Ring
	4167 963	1	6, 7, 8			EL0, EM0	DG0		
		1	6, 7, 8			EL0, EM0	DDC		
12									CUP, Shift Fork Spring
	8350 3515	1	6, 7, 8			EL0, EM0	DG0		
		1	6, 7, 8			EL0, EM0	DDC		
13									SPRING, Mode Fork
	0013 816	1	6, 7, 8			EL0, EM0	DG0		
		1	6, 7, 8			EL0, EM0	DDC		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Figure 231-1210




NOTES: Sales Codes						
[DDC] = 5 Speed Heavy Duty Manual Transmission						
[DDP] = 5 Speed Manual Transmissions						
[DDX] = 5 Speed Heavy Duty Manual Transmissions						
[DG0] = All Automatic Transmissions						
1						SHIFTER, Transfer Case
	52105 214AE	1	6, 7, 8			Up to 07-10-00
	52105 214AF	1	6, 7, 8			After 07-10-00
2	6101 467	1	6, 7, 8			NUT, Hex Flange, M8x1.25
3	52105 216AB	1	6, 7, 8			RING
4	6502 064	2	6, 7, 8			SCREW, Tapping, M6x1x20
5	6101 727	2	6, 7, 8			BOLT, Hex Head
6	5210 5005	1	6, 7, 8			LEVER, Transfer Case
7						BEZEL, Transfer Case
	5FB39 LAZAB	1	6, 7, 8	DG0		AGATE
	5FB39 RC8AB	1	6, 7, 8	DG0		DARK CIRRUS
	5FB39 VK9AB	1	6, 7, 8	DG0		DARK SUEDE
8	52105 059AB	1	6, 7, 8			BOOT, Gearshift
9	5210 4174	1	6, 7, 8			KNOB, Gearshift
10	6502 556	1	6, 7, 8			NUT, Hex, M10-1.5
11	5210 5001	1	6, 7, 8			INSERT, Gearshift Knob
12						ROD, Gear Shift Control, Transfer Case
	5210 5006	1		DDC, DG0		
		1		DDP, DDX		
13						SWIVEL, Gearshift Control Rod
	3467 790	1		DDC, DG0		
		1		DDP, DDX		
14						CLAMP, Shift Rod
	4377 309	1		DDC, DG0		
		1		DDP, DDX		
15	0181 086	1				BOLT, Hex Head, .312-18x.75
16	52020 357AA	1	6, 7, 8			CROSSMEMBER, Skid Plate
17	52058 674AC	1	6, 7, 8			SKID PLATE, Front

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Controls, Transfer Case [DHK] Shift on the Fly
Figure 231-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	6101 340	2	6, 7, 8						U-NUT, M10-1.50

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 241

Transfer Case Model 241 [DHE, DHG, DHH]

GROUP 241 - Transfer Case Model 241 [DHE, DHG, DHH]

Illustration Title

Group-Fig. No.

Transfer Case Assembly

Transfer Case (DHH)(DHG)Shift on the Fly

Fig. 241-110

Case and Related Parts

Case, Transfer And Related Parts (DHH)(DHG) Shift on the Fly

Fig. 241-210

Gear Train

Gear Train (DHH)(DHG) Shift on the Fly

Fig. 241-410

Fork and Rails


Forks (DHH)(DHG)Shift on the Fly






Fig. 241-910

Gearshift Controls


Controls (DHH)[DHG) Shift on the Fly

Fig. 241-1210



<div><div>241-100</div><div>Transfer Case Assembly</div></div>	<div><div>241-200</div><div>Case and Related Parts</div></div>	<div><div>241-400</div><div>Gear Train</div></div>	<div><div>241-900</div><div>Fork and Rails</div></div>
<div><div>241-1200</div><div>Gearshift Controls</div></div>			

Transfer Case (DHH)(DHG)Shift on the Fly
Figure 241-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DDP] = 5 Speed Manual Transmissions
[DDX] = 5 Speed Heavy Duty Manual Transmissions
[DEE] = 6 Speed Heavy Duty Manual Transmissions
[DG0] = All Automatic Transmissions
[EL0] = All 5.2L 8 Cylinder Gas Engines
[EM0] = All 5.9L 8 Cylinder Gas Engines
[ET0] = All 5.9L Turbo Diesel Engines
[EW0] = All 8.0L Gas Engines


1	52105 023AB	1	6, 7, 8			EL0, EM0	DDP		TRANSFER CASE, NP241 Up to 07-10-00
	52105 024AB	1	6, 7, 8			ET0, EW0	DDX, DEE DG0		
	52105 025AB	1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
	52105 024AB	1	6, 7, 8						
-2	52105 026AB-	1	6, 7, 8			EM0	DDP		TRANSFER CASE, NP241 HD Up to 07-10-00
	52105 027AB-	1	6, 7, 8			ET0, EW0	DDX, DEE		
	52105 028AB-	1	6, 7, 8			EM0, ET0, EW0	DG0		
	52105 027AB-	1	6, 7, 8			EM0	DDP		After 07-10-00

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case, Transfer And Related Parts (DHH)(DHG) Shift on the Fly
Figure 241-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DDP] = 5 Speed Manual Transmissions

[DDX] = 5 Speed Heavy Duty Manual Transmissions

[DEE] = 6 Speed Heavy Duty Manual Transmissions

[DG0] = All Automatic Transmissions

[EL0] = All 5.2L 8 Cylinder Gas Engines

[EM0] = All 5.9L 8 Cylinder Gas Engines

[ET0] = All 5.9L Turbo Diesel Engines

[EW0] = All 8.0L Gas Engines

1	5015 446AA	1	6, 7, 8			EM0	DDP		CASE, Transfer Front
		1	6, 7, 8			EM0,	DG0		After 07-10-00[DHG]
						ET0,			[DHG]
		1	6, 7, 8			EW0	DDX,		Heavy Duty[DHG]
	5015 449AA	1	6, 7, 8			EM0	DDP		Up to 07-10-00[DHG]
		1	6, 7, 8			EL0,	DDP		Up to 07-10-00[DHH]
		1	6, 7, 8			ET0,	DDX,		[DHH]
		1	6, 7, 8			EW0	DEE		
		1	6, 7, 8				DG0		[DHH]
		1	6, 7, 8			EL0,	DDP		After 07-10-00[DHH]
						EM0			
2	6501 289	2	6, 7, 8				DG0		STUD
		2	6, 7, 8			EM0	DDP		Up to 07-10-00
		2	6, 7, 8			ET0,			
		2	6, 7, 8			EW0			
		2	6, 7, 8			EL0,	DDP		After 07-10-00
		2	6, 7, 8			EM0	DDP		Up to 07-10-00
		2	6, 7, 8			ET0,	DDX,		Heavy Duty
		2	6, 7, 8			EW0	DEE		
		2	6, 7, 8			EM0,	DG0		
		2	6, 7, 8			ET0,			
		2	6, 7, 8			EW0			
		2	6, 7, 8			EM0	DDP		After 07-10-00
3									SNAP RING, Annulus Gear


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case, Transfer And Related Parts (DHH)(DHG) Shift on the Fly
Figure 241-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4219 065	1	6, 7, 8			EM0,	DG0		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE		After 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE		After 07-10-00
4	4797 550	1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0,	DG0		
		1	6, 7, 8			ET0, EW0	DDX, DEE		After 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE		After 07-10-00
		1	6, 7, 8			EW0	DEE		
		1	6, 7, 8			ET0, EW0	DDX, DEE		
5	4897 980AA	1	6, 7, 8			ET0, EW0	DDX, DEE		EXTENSION, Transfer Case After 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		
6	5018 919AA	1	6, 7, 8			ET0, EW0	DDX, DEE		PLUG

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case, Transfer And Related Parts (DHH)(DHG) Shift on the Fly
Figure 241-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			EM0	DDP		
		1	6, 7, 8			EM0, ET0, EW0	DG0		
7									RETAINER, Transfer Case Rear
	4897 996AA	1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EM0, ET0, EW0	DG0		
		1	6, 7, 8			EM0	DDP		
8									BOLT, Transfer Case
	4210 617	7	6, 7, 8			EM0, ET0, EW0	DG0		
		7	6, 7, 8			EM0	DDP		Up to 07-10-00
		7	6, 7, 8				DG0		
		7	6, 7, 8			ET0, EW0	DDX, DEE		
		7	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		7	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		7	6, 7, 8			EL0, EM0	DDP		After 07-10-00
9									After 07-10-00 BOLT, Retainer
	6501 371	4	6, 7, 8			EM0, ET0, EW0	DG0		
		4	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		4	6, 7, 8			EM0	DDP		Up to 07-10-00
		4	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		4	6, 7, 8			ET0, EW0			
		4	6, 7, 8				DG0		
		4	6, 7, 8			EL0, EM0	DDP		After 07-10-00

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case, Transfer And Related Parts (DHH)(DHG) Shift on the Fly
Figure 241-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4	6, 7, 8			EM0	DDP		After 07-10-00
10	6033 172	6							NUT AND WASHER, Hex, .375-24
11	4741 920	1	6, 7, 8			EM0	DDP		SEAL, Output Shaft
		1	6, 7, 8			ET0,	DDX,		Up to 07-10-00
		1	6, 7, 8			EW0	DEE		Heavy Duty
		1	6, 7, 8			EM0,	DG0		
						ET0,			
						EW0			
	4746 258	1	6, 7, 8			EM0	DDP		After 07-10-00
		1	6, 7, 8			EL0,	DDP		Up to 07-10-00
		1	6, 7, 8			EM0			
		1	6, 7, 8			EL0,	DDP		After 07-10-00
		1	6, 7, 8			EM0			
						ET0,	DDX,		
						EW0	DEE		
4798 125		1	6, 7, 8				DG0		
12	4796 910	1	6, 7, 8			EM0,	DG0		VENT, Transfer Case
						ET0,			
						EW0			
		1	6, 7, 8			ET0,	DDX,		Heavy Duty
		1	6, 7, 8			EW0	DEE		
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0,	DDP		Up to 07-10-00
						EM0			
		1	6, 7, 8			ET0,	DDX,		
		1	6, 7, 8			EW0	DEE		
		1	6, 7, 8				DG0		
		1	6, 7, 8			EL0,	DDP		After 07-10-00
						EM0			
		1	6, 7, 8			EM0	DDP		After 07-10-00
13	6502 081	2							CLAMP, Oil Cooler Line
14	4443 176	1	6, 7, 8						HOSE, Fuel, .31 I.D. 50 Foot Roll,
									Vent, (5/16"ID) (25 Ft. Roll)
15	5209 7541	1							TUBE, Transfer Case Vent
16	4338 943	1	6, 7, 8			EM0,	DG0		FILTER, Transfer Case Oil
						ET0,			
						EW0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case, Transfer And Related Parts (DHH)(DHG) Shift on the Fly
Figure 241-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8				DG0		
		1	6, 7, 8			EL0, DDP			After 07-10-00
17		1	6, 7, 8			EM0 EM0	DDP		After 07-10-00 CONNECTOR, Oil Tube Pickup
	4338 944	1	6, 7, 8			EM0, DG0			
		1	6, 7, 8			ET0, EW0 ET0, EW0	DDX, DEE		
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8				DG0		
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
18		1	6, 7, 8			EM0	DDP		After 07-10-00 TUBE, Oil Pickup
	8350 3523	1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0, ET0, EW0	DG0		
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
		1	6, 7, 8			EM0	DDP		After 07-10-00
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8				DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case, Transfer And Related Parts (DHH)(DHG) Shift on the Fly
Figure 241-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19	4338 942	1	6, 7, 8			ET0, EW0	DDX, DEE		SEAL, Oil
		1	6, 7, 8			EM0, ET0, EW0	DG0		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0, EM0 EW0	DDP		Up to 07-10-00
20	3681 601	1	6, 7, 8				DDX, DEE		
		1	6, 7, 8			EL0, EM0	DG0		After 07-10-00
		1	6, 7, 8			EM0	DDP		After 07-10-00
		1	6, 7, 8			EM0, ET0, EW0	DDP		MAGNET, Transmission
		1	6, 7, 8			EM0, ET0, EW0	DG0		
21	4856 641	1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EM0, ET0, EW0	DDX, DEE		
		1	6, 7, 8			EL0, EM0	DG0		After 07-10-00
21	4856 641	1	6, 7, 8			EM0	DDP		After 07-10-00
		2	6, 7, 8			EM0, ET0, EW0	DDP		PLUG, Oil Fill
		2	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		2	6, 7, 8			EW0	DDP		Up to 07-10-00
		2	6, 7, 8			EM0	DDP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case, Transfer And Related Parts (DHH)(DHG) Shift on the Fly
Figure 241-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE DG0		
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
22		2	6, 7, 8			EM0	DDP		After 07-10-00 SWITCH, Transfer Case
	5300 1101	1	6, 7, 8			EM0, ET0, EW0	DG0		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE DG0		
		1	6, 7, 8			EL0,	DDP		After 07-10-00
23		1	6, 7, 8			EM0	DDP		After 07-10-00 SEAL, Vacuum Switch
	4338 956	2	6, 7, 8			EM0, ET0, EW0	DG0		
		2	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		2	6, 7, 8			EM0	DDP		Up to 07-10-00
		2	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		2	6, 7, 8				DG0		
		2	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
24		1	6, 7, 8			EM0	DDP		After 07-10-00 SCREW
	4886 473AA	1	6, 7, 8			EM0	DDP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case, Transfer And Related Parts (DHH)(DHG) Shift on the Fly
Figure 241-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0, ET0, EW0	DG0		
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EL0, EM0	DDP		
25	4798 257	1	6, 7, 8				DG0		SPRING, Poppet
		1	6, 7, 8			EM0, ET0, EW0	DG0		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8				DG0		
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
		1	6, 7, 8			EM0	DDP		After 07-10-00
26	5300 8217	1	6, 7, 8			EL0, EM0	DDP		PLUNGER After 07-10-00
		1	6, 7, 8			EM0	DDP		After 07-10-00
		1	6, 7, 8			EM0, ET0, EW0	DG0		
		1	6, 7, 8			ET0, EW0	DDX,		Heavy Duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8				DG0		
27									WASHER, Flat

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case, Transfer And Related Parts (DHH)(DHG) Shift on the Fly
Figure 241-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4210 983	2	6, 7, 8			EM0, ET0, EW0	DG0		
		2	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		2	6, 7, 8			EM0	DDP		
		2	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		2	6, 7, 8			EL0,	DDP		After 07-10-00
		2	6, 7, 8			EM0	DDP		After 07-10-00
		2	6, 7, 8			ET0, EW0			
28	4210 614	1	6, 7, 8			EM0	DDP		BOLT, Hex Flange Head After 07-10-00
		1	6, 7, 8			EL0,	DDP		After 07-10-00
		1	6, 7, 8			EM0 EM0, ET0, EW0	DG0		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0,	DDP		Up to 07-10-00
		1	6, 7, 8			EM0 ET0, EW0	DDX, DEE DG0		
29	0556 875	1	6, 7, 8			EM0, ET0, EW0	DG0		COVER, Power Take Off
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EM0	DDP		
		1	6, 7, 8			EM0	DDP		After 07-10-00
30									BOLT, Transfer Case

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case, Transfer And Related Parts (DHH)(DHG) Shift on the Fly
Figure 241-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4637 851	6	6, 7, 8			EM0,	DG0		
		6	6, 7, 8			ET0,			
						EW0			
						ET0,	DDX,		Heavy Duty
						EW0	DEE		
31	5016 563AA	6	6, 7, 8			EM0	DDP		
		1	6, 7, 8			EM0	DDP		After 07-10-00
									STUD
	4746 253	6	6, 7, 8			EM0,	DG0		
		6	6, 7, 8			ET0,			
						EW0			
						ET0,	DDX,		Heavy Duty
						EW0	DEE		
		6	6, 7, 8			EM0	DDP		Up to 07-10-00
		6	6, 7, 8			EL0,	DDP		Up to 07-10-00
						EM0			
		6	6, 7, 8			ET0,	DDX,		
						EW0	DEE		
		6	6, 7, 8			EL0,	DDP		After 07-10-00
		6	6, 7, 8			EM0			
32		6	6, 7, 8			EM0	DDP		After 07-10-00
	4798 002	1	6, 7, 8			EL0,	DDP		EXTENSION, Transfer Case
						EM0			Up to 07-10-00
		1	6, 7, 8			ET0,	DDX,		
						EW0	DEE		
		1	6, 7, 8				DG0		
		1	6, 7, 8			EL0,	DDP		After 07-10-00
						EM0			
33									BOLT, Transfer Case
	4210 617	4	6, 7, 8			EL0,	DDP		Up to 07-10-00
						EM0			
		4	6, 7, 8			ET0,	DDX,		
						EW0	DEE		
		4	6, 7, 8				DG0		
		7	6, 7, 8			EL0,	DDP		After 07-10-00
						EM0			
34									GASKET, Rear Oil Seal Retainer

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case, Transfer And Related Parts (DHH)(DHG) Shift on the Fly
Figure 241-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4856 645	1	6, 7, 8			EM0,	DG0		
		1	6, 7, 8			ET0, EW0 ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8				DG0		
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
		1	6, 7, 8			EM0	DDP		After 07-10-00

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train (DHH)(DHG) Shift on the Fly **Figure 241-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DDP] = 5 Speed Manual Transmissions									
[DDX] = 5 Speed Heavy Duty Manual Transmissions									
[DEE] = 6 Speed Heavy Duty Manual Transmissions									
[DG0] = All Automatic Transmissions									
[EL0] = All 5.2L 8 Cylinder Gas Engines									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
[ET0] = All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
1									SNAP RING
	3821 558	1	6, 7, 8				DG0		
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0, ET0, EW0	DG0		
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
		1	6, 7, 8			EM0	DDP		After 07-10-00
2									SNAP RING
	4338 910	1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8				DG0		
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0, ET0, EW0	DG0		
	4338 933	1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
3		1	6, 7, 8			EM0	DDP		After 07-10-00 BEARING, Input Shaft


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train (DHH)(DHG) Shift on the Fly **Figure 241-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4338 891	1	6, 7, 8			EM0, ET0, EW0	DG0		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
		1	6, 7, 8			EM0	DDP		After 07-10-00
4	4338 909	1	6, 7, 8			EM0, ET0, EW0	DG0		RING
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
		1	6, 7, 8			EM0	DDP		After 07-10-00
5	4338 908	2	6, 7, 8			ET0, EW0	DDX, DEE		THRUST WASHER, Planetary Carrier Heavy Duty
		2	6, 7, 8			EM0, ET0, EW0	DG0		
		2	6, 7, 8			EM0	DDP		Up to 07-10-00
		2	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

61= Reg. Cab (118 WB)
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)

ENGINE

EHC, EH0 = 3.9L 6 Cyl.
ELF, EL0 = 5.2L 8 Cyl.
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP, DDX, DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train (DHH)(DHG) Shift on the Fly
Figure 241-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	6, 7, 8			ET0, EW0	DDX, DEE		
		2	6, 7, 8			EM0	DDP		After 07-10-00
		2	6, 7, 8			EL0, EM0	DDP		After 07-10-00
6	4797 028	1	6, 7, 8			EM0	DDP		GEAR, Input Up to 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
	4797 029	1	6, 7, 8			EM0 ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EM0	DDP		After 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
	5015 447AA	1	6, 7, 8				DG0		
		1	6, 7, 8			EM0, ET0, EW0	DG0		
7	4746 127	1	6, 7, 8			EM0	DDP		BEARING, Input Shaft After 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
		1	6, 7, 8				DG0		
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0, ET0, EW0	DG0		
8	4797 030	1	6, 7, 8			EL0, EM0	DDP		PLANETARY, Transfer Case After 07-10-00

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train (DHH)(DHG) Shift on the Fly Figure 241-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			EL0,	DDP		Up to 07-10-00
		1	6, 7, 8			EM0	DDX,		
		1	6, 7, 8			ET0,	DEE		
		1	6, 7, 8			EW0	DG0		
4797 032		1	6, 7, 8			EM0,	DG0		
		1	6, 7, 8			ET0,			
		1	6, 7, 8			EW0			
		1	6, 7, 8			EM0	DDP		After 07-10-00
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0,	DDX,		Heavy Duty
		1	6, 7, 8			EW0	DEE		
-9									BEARING
4762 084		1	6, 7, 8			EM0	DDP		
		1	6, 7, 8			EM0,	DG0		
						ET0,			
						EW0			
		1	6, 7, 8			ET0,	DDX,		
						EW0	DEE		
10									SLEEVE, Range Fork
4746 129		1	6, 7, 8			ET0,	DDX,		Heavy Duty
						EW0	DEE		
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EM0	DDP		After 07-10-00
4897 955AA		1	6, 7, 8				DG0		
4897 994AA		1	6, 7, 8			EM0,	DG0		
						ET0,			
						EW0			
-11									SLEEVE, Shift Range
4797 013		1	6, 7, 8			EL0,	DDP		Up to 07-10-00
						EM0			
		1	6, 7, 8			ET0,	DDX,		
						EW0	DEE		
		1	6, 7, 8			EL0,	DDP		After 07-10-00
						EM0			
12									SNAP RING, Mainshaft
4746 128		1	6, 7, 8			EM0,	DG0		
						ET0,			
						EW0			


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Gear Train (DHH)(DHG) Shift on the Fly
Figure 241-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	4746 138	1	6, 7, 8			ET0, EW0	DDX, DEE		Up to 07-10-00 SPRING, Synchronizer
		1	6, 7, 8			EM0	DDP		
		2	6, 7, 8			EM0, DG0			
		2	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		2	6, 7, 8			EM0	DDP		Up to 07-10-00
		2	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		2	6, 7, 8			ET0, EW0	DDX, DEE		
		2	6, 7, 8			EL0, EM0	DDP		After 07-10-00
		2	6, 7, 8			EM0	DDP		After 07-10-00
		3	6, 7, 8			EM0, ET0, EW0	DG0		KEY, Synchronizer
14	4746 137	3	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		3	6, 7, 8			EM0	DDP		Up to 07-10-00
		3	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		3	6, 7, 8			ET0, EW0	DDX, DEE		
		3	6, 7, 8			EL0, EM0	DDP		After 07-10-00
		3	6, 7, 8			EM0	DDP		After 07-10-00
		3	6, 7, 8			EM0	DDP		After 07-10-00
		3	6, 7, 8			EM0	DDP		After 07-10-00
		3	6, 7, 8			EM0	DDP		After 07-10-00
		3	6, 7, 8			EM0	DDP		After 07-10-00
15	4746 144	1	6, 7, 8			EM0, ET0, EW0	DG0		SLEEVE, Synchronizer
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

Gear Train (DHH)(DHG) Shift on the Fly Figure 241-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE DG0		
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
16		1	6, 7, 8			EM0	DDP		After 07-10-00 RING, Blocker
	4746 139	1	6, 7, 8			EM0, ET0, EW0	DG0		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE DG0		
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
17		1	6, 7, 8			EM0	DDP		After 07-10-00 SPROCKET, Transfer Case
	4746 142	1	6, 7, 8			EM0, ET0, EW0	DG0		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
	4746 256	1	6, 7, 8			EM0	DDP		After 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE		After 07-10-00
18									CHAIN, Transfer Case
	4746 147	1	6, 7, 8			EM0	DDP		After 07-10-00

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

61= Reg. Cab (118 WB)
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)

ENGINE

EHC, EH0 = 3.9L 6 Cyl.
ELF, EL0 = 5.2L 8 Cyl.
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP, DDX, DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train (DHH)(DHG) Shift on the Fly Figure 241-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0, ET0, EW0	DG0		
4746 257		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8				DG0		
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
19	4778 949	1	6, 7, 8			EL0, EM0	DDP		MAINSHAFT, Transfer Case Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8				DG0		
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
4883 579AA		1	6, 7, 8			EM0, ET0, EW0	DG0		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EM0	DDP		After 07-10-00
20	4210 603	1	6, 7, 8			EL0, EM0	DDP		SEAL, Main Shaft Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8				DG0		
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
21	4338 936	1	6, 7, 8						PUMP, Transfer Case Oil Up to 07-10-00

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

61= Reg. Cab (118 WB)
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)

ENGINE

EHC, EH0 = 3.9L 6 Cyl.
ELF, EL0 = 5.2L 8 Cyl.
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP, DDX, DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Gear Train (DHH)(DHG) Shift on the Fly
Figure 241-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ET0, EW0	DDX, DEE		
	4883 596AA	1	6, 7, 8			EM0	DG0		
		1	6, 7, 8			ET0, DDX,			Up to 07-10-00
		1	6, 7, 8			EW0	DEE		Heavy Duty
		1	6, 7, 8			EM0, ET0, EW0	DG0		
	4338 936	1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
22	4883 596AA	1	6, 7, 8			EM0	DDP		After 07-10-00
	4856 643	1	6, 7, 8			EM0, ET0, EW0	DG0		SNAP RING, Output Bearing Heavy Duty Only
		1	6, 7, 8			ET0, DDX,			Heavy Duty Only
		1	6, 7, 8			EW0	DEE		
		1	6, 7, 8			EM0	DDP		Heavy Duty Only Up to 07-10-00
23		1	6, 7, 8			EM0	DDP		Heavy Duty Only After 07-10-00
	4883 601AA	1	6, 7, 8			EM0, ET0, EW0	DG0		BEARING, Output Shaft
		1	6, 7, 8			ET0, DDX,			Heavy Duty
		1	6, 7, 8			EW0	DEE		
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
	4897 981AA	1	6, 7, 8			EM0	DDP		After 07-10-00
		1	6, 7, 8			EL0, DDP			Up to 07-10-00
		1	6, 7, 8			EM0	DG0		
		1	6, 7, 8			ET0, DDX, EW0 DEE			
		1	6, 7, 8			EL0, DDP			After 07-10-00
24						EM0			SNAP RING
	4883 597AA	2	6, 7, 8			EM0	DDP		Heavy Up to 07-10-00
		2	6, 7, 8			ET0, DDX, EW0 DEE			Heavy Duty


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Gear Train (DHH)(DHG) Shift on the Fly
Figure 241-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	6, 7, 8			EM0, ET0, EW0	DG0		Heavy Duty
	4897 982AA	2	6, 7, 8			EM0 ET0, EW0	DDP DDX, DEE		Heavy Duty After 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
25	4269 189	1	6, 7, 8			EM0, ET0, EW0	DG0		BEARING, Output Shaft
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
		1	6, 7, 8			EM0	DDP		After 07-10-00
26	4746 145	1	6, 7, 8			EM0, ET0, EW0	DG0		SPROCKET, Driven
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
	4746 259	1	6, 7, 8			ET0, EW0	DDX, DEE		Up to 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
	4746 145	1	6, 7, 8			EM0	DDP		After 07-10-00

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train (DHH)(DHG) Shift on the Fly **Figure 241-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
27	4746 259	1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
	8350 3517	1	6, 7, 8			EL0, EM0	DDP		OUTPUT SHAFT, Transfer Case Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
28	4746 146	1	6, 7, 8			EM0, ET0, EW0	DG0		SHAFT, Output
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EM0	DDP		After 07-10-00
29	4167 991	1	6, 7, 8			EM0, ET0, EW0	DG0		SNAP RING, Bearing
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
30	2466 224	1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
		1	6, 7, 8			EM0	DDP		After 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
		1	6, 7, 8			EM0	DDP		BEARING, Output Shaft

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

61= Reg. Cab (118 WB)
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)

ENGINE

EHC, EH0 = 3.9L 6 Cyl.
ELF, EL0 = 5.2L 8 Cyl.
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP, DDX, DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train (DHH)(DHG) Shift on the Fly
Figure 241-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			EM0, ET0, EW0	DG0		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
31	4798 125	1	6, 7, 8			EM0	DDP		After 07-10-00
		1	6, 7, 8			EM0	DDP		SEAL, Output Shaft
		1	6, 7, 8			ET0, DDX,			Up to 07-10-00
		1	6, 7, 8			EW0 EL0, EM0	DEE DDP		After 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EM0			
		1	6, 7, 8			ET0, EW0	DG0 DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0, ET0, EW0	DG0		
32	4897 983AA	1	6, 7, 8			EM0	DDP		After 07-10-00
		1	6, 7, 8			EM0, ET0, EW0	DG0		YOKE, Transfer Case Output
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EM0 ET0, EW0	DDX, DEE DG0		
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
33		1	6, 7, 8			EM0	DDP		After 07-10-00
									WASHER, Transfer Case Yoke

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train (DHH)(DHG) Shift on the Fly
Figure 241-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4210 973	1	6, 7, 8			EM0, ET0, EW0	DG0		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
34	4167 924	1	6, 7, 8			EM0, ET0, EW0	DG0		After 07-10-00 NUT, Transfer Case Yoke
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
		1	6, 7, 8			EM0	DDP		After 07-10-00
35	4746 143	1	6, 7, 8			EM0, ET0, EW0	DG0		HUB, Synchronizer
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EM0, ET0, EW0	DDX, DEE		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train (DHH)(DHG) Shift on the Fly **Figure 241-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8				DG0		
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
		1	6, 7, 8			EM0	DDP		After 07-10-00
36									SLEEVE, Range Fork
	4746 129	1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
	4797 013	1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE		
	4897 955AA	1	6, 7, 8				DG0		
	4897 994AA	1	6, 7, 8			EM0, ET0, EW0	DG0		Heavy Duty
	4746 129	1	6, 7, 8			EM0	DDP		After 07-10-00
37									SEAL, Input Gear
	4167 929	1	6, 7, 8			EM0, ET0, EW0	DG0		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EM0, ET0, EW0	DDX, DEE		
		1	6, 7, 8				DG0		
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
		1	6, 7, 8			EM0	DDP		After 07-10-00
38									RETAINER
	4338 973	1	6, 7, 8			EM0, ET0, EW0	DG0		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

61= Reg. Cab (118 WB)
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)

ENGINE

EHC, EH0 = 3.9L 6 Cyl.
ELF, EL0 = 5.2L 8 Cyl.
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP, DDX, DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train (DHH)(DHG) Shift on the Fly
Figure 241-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			EL0,	DDP		Up to 07-10-00
		1	6, 7, 8			EM0	DDX,		
		1	6, 7, 8			ET0,	DEE		
		1	6, 7, 8			EW0	DG0		
		1	6, 7, 8			EL0,	DDP		After 07-10-00
		1	6, 7, 8			EM0	DDP		After 07-10-00
39									BOLT
	6500 318	4	6, 7, 8			EM0,	DG0		
						ET0,			
						EW0			
		4	6, 7, 8			ET0,	DDX,		Heavy Duty
		4	6, 7, 8			EW0	DEE		
		4	6, 7, 8			EM0	DDP		Up to 07-10-00
		4	6, 7, 8			EL0,	DDP		Up to 07-10-00
						EM0			
		4	6, 7, 8			ET0,	DDX,		
						EW0	DEE		
		4	6, 7, 8						After 07-10-00
		4	6, 7, 8			EL0,	DDP		
						EM0			
		4	6, 7, 8			EM0	DDP		After 07-10-00
-40									HUB, Synchronizer Range
	4746 130	1	6, 7, 8			EM0,	DG0		
						ET0,			
						EW0			
		1	6, 7, 8			EM0	DDP		
		1	6, 7, 8			ET0,	DDX,		
						EW0	DEE		
41									SNAP RING
	0893 31A	1	6, 7, 8			EM0,	DG0		
						ET0,			
		1	6, 7, 8			EW0			
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
						EL0,	DDP		Up to 07-10-00
						EM0			
		1	6, 7, 8			ET0,	DDX,		
						EW0	DEE		
		1	6, 7, 8				DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train (DHH)(DHG) Shift on the Fly




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			EL0,	DDP		After to 07-10-00
						EM0			
		1	6, 7, 8			EM0	DDP		After to 07-10-00
		1	6, 7, 8			ET0,	DDX,		Heavy Duty
						EW0	DEE		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Forks (DHH)(DHG]Shift on the Fly
Figure 241-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DDP] = 5 Speed Manual Transmissions

[DDX] = 5 Speed Heavy Duty Manual Transmissions

[DEE] = 6 Speed Heavy Duty Manual Transmissions

[DG0] = All Automatic Transmissions

[EL0] = All 5.2L 8 Cylinder Gas Engines

[EM0] = All 5.9L 8 Cylinder Gas Engines

[ET0] = All 5.9L Turbo Diesel Engines

EW0 = All 8.0L Gas Engines

1	4798 136	1	6, 7, 8			EM0, ET0, EW0	DG0		FORK, Range
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0,	DDP		Up to 07-10-00
		1	6, 7, 8			EM0 ET0, EW0	DDX, DEE		
		1	6, 7, 8				DG0		
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
		1	6, 7, 8			EM0	DDP		After 07-10-00
2	4746 136	1	6, 7, 8			EM0, ET0, EW0	DG0		FORK, Mode
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8				DG0		
		1	6, 7, 8			EL0,	DDP		After 07-10-00
		1	6, 7, 8			EM0	DDP		After 07-10-00
3		1	6, 7, 8			EM0	DDP		PAD, Shift Fork


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Forks (DHH)(DHG]Shift on the Fly
Figure 241-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4167 969	2	6, 7, 8			EM0, ET0, EW0	DG0		
		2	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		2	6, 7, 8			EM0	DDP		Up to 07-10-00
		2	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		2	6, 7, 8			ET0, EW0	DDX, DEE		
		2	6, 7, 8			EL0, EM0	DDP		After 07-10-00
		2	6, 7, 8			EM0	DDP		After 07-10-00 PAD, Shift Fork
4	4746 140	1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0, ET0, EW0	DG0		
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
		1	6, 7, 8			EM0	DDP		After 07-10-00 CUP, Shift Fork Spring
5	8350 3515	1	6, 7, 8			EM0, ET0, EW0	DG0		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Forks (DHH)(DHG]Shift on the Fly
Figure 241-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8				DG0		
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
		1	6, 7, 8			EM0	DDP		After 07-10-00 SPRING, Mode Fork
6	0013 816	1	6, 7, 8			EM0, ET0, EW0	DG0		
		1	6, 7, 8			ET0,	DDX,		Heavy Duty
		1	6, 7, 8			EW0	DEE		
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0,	DDX,		
		1	6, 7, 8			EW0	DEE		
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0,	DDP		After 07-10-00
		1	6, 7, 8			EM0			
7	4897 962AA	1	6, 7, 8			EM0	DDP		After 07-10-00 SECTOR, Transfer Case
		1	6, 7, 8			ET0,	DDX,		
		1	6, 7, 8			EW0	DEE		
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0,	DDX,		Heavy Duty
		1	6, 7, 8			EW0	DEE		
		1	6, 7, 8			EM0,	DG0		
		1	6, 7, 8			ET0, EW0			
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
8		1	6, 7, 8			EM0	DDP		After 07-10-00 WASHER, (NOT SERVICED) (Not Serviced)
9									SEAL, O-Ring
	4167 964	1	6, 7, 8				DG0		
		1	6, 7, 8			ET0, EW0	DDX, DEE		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Forks (DHH)(DHG]Shift on the Fly
Figure 241-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			EL0,	DDP		Up to 07-10-00
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0,	DDX,		Heavy Duty
						EW0	DEE		
		1	6, 7, 8			EM0,	DG0		
						ET0,			
						EW0			
		1	6, 7, 8			EL0,	DDP		After 07-10-00
						EM0			
10		1	6, 7, 8			EM0	DDP		After 07-10-00
	4167 963	1	6, 7, 8			EM0,	DG0		SEAL, O-Ring
						ET0,			
						EW0			
		1	6, 7, 8			ET0,	DDX,		Heavy Duty
						EW0	DEE		
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0,	DDP		Up to 07-10-00
						EM0			
		1	6, 7, 8			ET0,	DDX,		
						EW0	DEE		
		1	6, 7, 8				DG0		
		1	6, 7, 8			EL0,	DDP		After 07-10-00
						EM0			
11		1	6, 7, 8			EM0	DDP		After 07-10-00
	4897 959AA	1	6, 7, 8			EM0,	DG0		LEVER, Transfer Case
						ET0,			
						EW0			
		1	6, 7, 8			ET0,	DDX,		Heavy Duty
						EW0	DEE		
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0,	DDP		Up to 07-10-00
						EM0			
		1	6, 7, 8			ET0,	DDX,		
						EW0	DEE		
		1	6, 7, 8				DG0		
		1	6, 7, 8			EL0,	DDP		After 07-10-00
						EM0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Forks (DHH)(DHG]Shift on the Fly
Figure 241-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12	0152 345	1	6, 7, 8			EM0	DDP		After 07-10-00
		1	6, 7, 8			EM0, ET0, EW0	DG0		NUT, Hex Flange Lock
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Up to 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE DG0		
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
		1	6, 7, 8			EM0	DDP		After 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE DG0		Heavy Duty
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
13	3467 791	1	6, 7, 8			EM0, ET0, EW0	DG0		Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE DG0		Up to 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
		1	6, 7, 8			EM0	DDP		After 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE DG0		Heavy Duty
		1	6, 7, 8			EL0, EM0	DDP		Up to 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE DG0		Up to 07-10-00
		1	6, 7, 8			EL0, EM0	DDP		After 07-10-00
		1	6, 7, 8			EM0	DDP		After 07-10-00
		1	6, 7, 8			ET0, EW0	DDX, DEE DG0		Heavy Duty

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Controls (DHH)[DHG] Shift on the Fly
Figure 241-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DBB] = All Manual Transmissions
[DDC] = 5 Speed Heavy Duty Manual Transmissions
[DG0] = All Automatic Transmissions

1									SHIFTER, Transfer Case
	52105 214AE	1	6, 7, 8						Up to 07-10-00
	52105 214AF	1	6, 7, 8						After 07-10-00
2	6101 467	1	6, 7, 8						NUT, Hex Flange, M8x1.25
3	52105 216AB	1	6, 7, 8						RING
4	6502 064	2	6, 7, 8						SCREW, Tapping, M6x1x20
5	6101 727	2	6, 7, 8						BOLT, Hex Head
6	5210 5005	1	6, 7, 8						LEVER, Transfer Case
7									BEZEL, Transfer Case
	5FB39 LAZAB	1	6, 7, 8				DG0		AGATE
	5FB39 RC8AB	1	6, 7, 8				DG0		DARK CIRRUS
	5FB39 VK9AB	1	6, 7, 8				DG0		DARK SUEDE
8	52105 059AB	1	6, 7, 8						BOOT, Gearshift
9	5210 4174	1	6, 7, 8						KNOB, Gearshift
10	6502 556	1					DBB		NUT, Hex, M10-1.5, M10x1.50
11	5210 5001	1	6, 7, 8						INSERT, Gearshift Knob
12	5210 5006	1					DDC,		ROD, Gear Shift Control, Transfer
							DG0		Case
13	3467 790	1					DDC,		SWIVEL, Gearshift Control Rod
							DG0		
14	4377 309	1					DDC,		CLAMP, Shift Rod
							DG0		
15	0181 086	1							BOLT, Hex Head, .312-18x.75
16	52020 357AA	1	6, 7, 8						CROSSMEMBER, Skid Plate
17	52058 674AC	1	6, 7, 8						SKID PLATE, Front
18	6101 340	2	6, 7, 8						U-NUT, M10-1.50

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 022

Wheels, Covers and Jacks

GROUP 22 - Wheels, Covers and Jacks

Illustration Title

Group-Fig. No.

Wheels and Hardware

Wheels And Hardware

Fig. 022-130

Wheel Covers and Center Caps

Caps And Covers, Wheel

Fig. 022-230

Jack Stowage


Jack And Stowage





Fig. 022-340

Spare Tire Stowage


Wheel, Spare Underslung Mounting

Fig. 022-430



<div>022-100</div> <div>Wheels and Hardware</div> <div></div>	<div>022-200</div> <div>Wheel Covers and Center Caps</div> <div></div>	<div>022-300</div> <div>Jack Stowage</div> <div></div>	<div>022-400</div> <div>Spare Tire Stowage</div> <div></div>
--	---	--	---

Wheels And Hardware
Figure 022-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes:									
WDB = Wheels - 16 x 7.0 Chrome									
WDK = Wheels - 16 x 7 Steel Bright Trim Ring									
WDV = Wheels - 16 x 7.5 Steel, 8 Lug									
WDW = Wheels - 16 x 6.0 Steel, 5.35 Offset									
WDZ = Wheels - 16 x 8.0 Forged Aluminum									
WD5 = Wheels - 16 x 7.0 Cast Aluminum									
WMG = Wheel Skins, Bright									
WMJ = Hub - Chrome Center									
WND = Wheels 16 x 7.0 Cast Aluminum									
-1	5FS04 S4AAC-	1	1, 6		61, 62				WHEEL, Steel, 16x7, Spare
-2	5GE66 S4AAA-	1	2, 7		62, 65				WHEEL, Steel, Spare
3	5FS04 S4AAC	4	1, 6		61, 62				WHEEL, Steel, 16x7, WDK
4	52113 156AA	6	3, 8		62, 63, 64				WHEEL, Steel, WDW, 16x6, Argent
5	52057 938AB	4	1, 6		61, 62				WHEEL, Steel, WDB, 16x7, Chrome
6	5GE66 S4AAA	4	2, 7		62, 65				WHEEL, Steel, WDV, 16x7.5, Argent
7	5EK53 PAKAC	4	1, 6		61, 62				WHEEL, Aluminum, WND, 16x7, Cast Aluminum
8	5HC75 PAKAA	4	1, 6		61, 62				WHEEL, Aluminum, WD5, 16x7, Cast Aluminum
9	52106 367AA	4	2, 7		62, 65				WHEEL, Aluminum, WDZ, 16x8, Forged Aluminum
10	5GL88 PAKAA	4	6		61, 62				WHEEL, Aluminum, WFV, 17x8, Cast Aluminum
11	6036 310AA	20	1, 6		61, 62				NUT, Wheel, .50x20, [WDB,WDK, WND,WFV,WD5]
12	6034 726	32	3, 8		62, 63, 64				NUT, Hex Flange, .56-18, [WDW]
-13	6034 727	32	2, 7		62, 65				NUT, Hex, .516-18, [WDV,WDZ]
14	2073 355	4	1, 6		61, 62				STEM, Wheel Valve 1.25'
	2530 153	2	3, 8		62, 63, 64				1.50'
	52057 949AB	4	2, 3, 7, 8		62, 63, 64, 65				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Caps And Covers, Wheel
Figure 022-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes:

WDW = Wheels - 16 x 6.0 Steel, 5.35 Offset

WDZ = Wheels - 16 x 8.0 Forged Aluminum

WD5 = Wheels - 16 x 7.0 Cast Aluminum

WMG = Wheel Skins, Bright

WMJ = Hub - Chrome Center

WND = Wheels - 16 x 7.0 Cast Aluminum

1									CAP, Wheel Center
	4753 123	4	1, 6		61, 62				[WND]
		4	1, 6		61, 62				[WMJ+WND] [WMJ+WFV]
	5203 9098	1	2, 7		62, 65				[WMJ,WDZ]
	5203 8267	4	1, 6		61, 62				[WDB]
2									CAP, Wheel Center, Chrome
	5203 8915	4	1, 6		61, 62				WMJ,WD5
	52106 863AA	2	3, 8		62, 63,				WDW,WMG, Front
					64				
	52106 866AA	2	3, 8		62, 63,				WDW,WMG, Rear
					64				
	52106 283AA	4	2, 7		62, 65				WMJ,WDV
3	5205 8200	4	1, 2, 6, 7		61, 62,				RING, Wheel Trim, 16"
					65				
4									COVER, Wheel, 16"
	52106 448AB	2	3, 8		62, 63,				Front
					64				
	52106 449AA	2	3, 8		62, 63,				Rear
					64				
-5									CAP, Wheel Center, Chrome, with
									Dual Wheels
	52106 863AA-	2	3, 8		62, 63,				Front
					64				
	52106 866AA-	2	3, 8		62, 63,				Rear
					64				
-6	5DK6 0PX9	4	1, 6		61, 62				CAP, Wheel Center, Black, WMA +
									WDK

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500

L = RAM 1500, 2500,
3500

LINE

1, 6 = 1500

2, 7 = 2500

3, 8 = 3500

BODY

61= Reg. Cab (118 WB)

62 = Reg. Cab (134 WB)

63 = Reg. Cab (138 WB)

64 = Reg. Cab (162 WB)

65 = Reg. Cab (134 WB)

ENGINE

EHC, EH0 = 3.9L 6 Cyl.

ELF, EL0 = 5.2L 8 Cyl.

ETC, ETH, ET0= 5.9L 6 Cyl.

EML,EMM, EM0 = 5.9L 8 Cyl.

EWA, EW0 = 8.0L V10 .

EAA = All engines

EAG = All gas engines

TRANSMISSION

DGK = 42RE 4 Spd. Auto.

DGP = 47RE 4 Spd. Auto.

DGT = 46RE 4 Spd. Auto.

DDP, DDX, DDC = 5 Spd. Manual

DEE = 6 Spd. Manual

DBB = All Manual Transmissions

DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Jack And Stowage
Figure 022-340


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1	STRAP, Jack Storage								
	5203 8253	1	1, 2, 6, 7		61, 62, 65				
	5203 8254	1	3, 8		62, 63, 64				
2	JACK								
	52020 414AA	1	1, 6		61, 62				Screw Type
	52038 317AD	1	2, 7		62, 65				Bottle Type
	52038 318AD	1	3, 8		62, 63, 64				Bottle Type
3	0181 063	1							SCREW AND WASHER, .25-20x.75
4	5203 8246	1	1, 2, 3						BRACKET, Jack
		1	6, 7, 8						
5	BAG, Jack Tool Storage								
	52020 344AA	1	1, 6		61, 62				
		1	2, 7		62, 65				
		1	3, 8		62, 63, 64				
6	TOOL, Wrench								
	52019 871AB	1	1, 6		61, 62				
	52020 339AA	1	2, 7		62, 65				
		1	3, 8		62, 63, 64				
	52020 343AA	1	3, 8		62, 63, 64				Adapter
7	DRIVER, Jack Handle								
	52020 330AC	1	1, 6		61, 62				
		1	2, 7		62, 65				
		1	3, 8		62, 63, 64				
8	EXTENSION, Jack Handle								
	52020 337AA	1	1, 6		61, 62				
		1	2, 7		62, 65				
		1	3, 8		62, 63, 64				
9	STRAP, Jack Tool Storage								
	5203 8324	2							w/o Storage Tray
	5521 5597	2							w Storage Tray

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wheel, Spare Underslung Mounting
Figure 022-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6101 452	4							SCREW AND WASHER, Hex Head, M8x1.25x20, Winch Mtg.
2	5201 9948	1							GROMMET, Spare Tire Winch Tube
3	5201 9996	1			62, 63, 64, 65				TUBE, Winch Actuator 8 foot Box
4	5201 9997	1	1, 6		61				6.5 foot Box SCREW, Pan Head, .164-18x.50, (NOT SERVICED) (Not Serviced)
5	5205 8707	1							WINCH, Spare Tire Carrier, Spare Tire Carrier
6									PIN, Cotter, (NOT SERVICED) (Not Serviced)
7	5205 8402	1			61, 62				GROMMET, Spare Tire Winch Tube

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year


September 16, 2005



Group – 23D

Wiper/Lock Cylinder and Keys


GROUP 23D - Wiper/Lock Cylinder and Keys

Illustration Title	Group-Fig. No.
Lock Cylinders and Keys	
Lock Cylinders and Components	Fig. 23D-110
Windshield Wiper and Washer Systems	
Windshield Wiper & Washer	Fig. 23D-230



<div>23D-100</div> <div>Lock Cylinders and Keys</div> <div></div>	<div>23D-200</div> <div>Windshield Wiper and Washer Systems</div> <div></div>		
--	--	--	--

Lock Cylinders and Components
 Figure 23D-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5003 845AA	1							CYLINDER, Ignition Lock
2	4778 125	1							LOCK CYLINDER, Door (Bright)/ Liftgate
3	4778 117	1							TUMBLER, Door and Deck Number 1, Wide
4	4778 118	1							TUMBLER, Door and Deck Number 2, Wide
5	4778 119	1							TUMBLER, Door and Deck Number 3, Wide
6	4778 120	1							TUMBLER, Door and Deck Number 4, Wide
7	5010 879AA	1							TUMBLER, Ignition Number 1, Sidebar
8	5010 880AA	1							TUMBLER, Ignition Number 2, Sidebar
9	5010 881AA	1							TUMBLER, Ignition Number 3, Sidebar
10	5010 882AA	1							TUMBLER, Ignition Number 4, Sidebar
11	5010 883AA	1							SPRING, Ignition Tumbler, Sidebar
12	4378 793	1							SPRING, Cylinder Return
13	4778 121	1							SPRING, Door and Deck Tumbler
14	4778 149	1							CAP, Door Lock Cylinder, Bright
15	4778 150	1							SHUTTER, Door, Deck and Liftgate, Bright
16	4796 386	1							KEY, Blank
17	6026 125	1							CLIP, Retainer
18	5507 5824	1							LEVER, Door Lock Cylinder
19	56045 497AB	2							TRANSMITTER, Keyless Entry
20	8350 4802	2							BATTERY, Transmitter

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Windshield Wiper & Washer
Figure 23D-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55154 582AC	2							ARM, Wiper
2	55076 910AA	2							BLADE, Wiper
-3	4897 022AA-	2							REFILL, Wiper Blade
4	6100 568	4							BOLT AND WASHER, Implement Attaching
5	55076 549AG	1							MODULE, Wiper
6									MOTOR, Wiper, Serviced w/Wiper Module Assembly, (NOT SERVICED) (Not Serviced)
7									NUT, 1/4x20, (NOT SERVICED) (Not Serviced)
8	5515 4999	1							HOSE, Windshield Washer
9	4334 799	1							CONNECTOR, Washer Hose, In Line, 3/16
10	5515 4703	1							HOSE, Windshield Washer
11	J323 6813	1							CONNECTOR, Washer Hose, Y, Vacuum 3/16
12	5515 4781	1							HOSE, Windshield Washer, 8.7 O.D.
13	5600 5414	2							NOZZLE, Washer, Windshield
14	4756 656	1							CAP, Washer Reservoir
15	5515 4852	1							RESERVOIR, Washer, w/Sensor
16	4334 568	2							GROMMET, Washer Reservoir
17	5515 5039	1							SENSOR, Washer Fluid Level
18	5515 4758	1							PUMP, Washer, Windshield

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 024

Air Conditioning & Heater

GROUP 24 - Air Conditioning & Heater

Illustration Title Group-Fig. No.

Air Conditioner and Heater Units

Air Conditioner And Heater Unit Fig. 024-160

Air Conditioner and Heater Plumbing

Plumbing Air Conditioning Fig. 024-220

Plumbing, Heater 3.9L/5.2L And 5.9L Engine Fig. 024-260

Plumbing, Heater 8.0L Engine Fig. 024-265

Plumbing, Heater Diesel Engine Fig. 024-267

Plumbing, Cabin Heater Diesel Engine Fig. 024-269

Plumbing, Air Conditioning Diesel Engine Fig. 024-280

Air Conditioner and Heater Controls

Controls Heater and Air Conditioning Fig. 024-310

Control, Air Conditioning Fig. 024-350

Air Conditioning Compressor

Compressor Fig. 024-410

Compressor, Air Conditioning Diesel Engine Fig. 024-440

Air Conditioning Compressor Mounting


Mounting, Compressor 3.9L/5.2L/5.9L Engine Fig. 024-520







Mounting, Air Conditioning Compressor 8.0L Engine Fig. 024-525

Mounting, Compressor Diesel Engine Fig. 024-530


Air Ducts and Outlets

Air Ducts Fig. 024-630



024-100 Air Conditioner and Heater Units 	024-200 Air Conditioner and Heater Plumbing 	024-300 Air Conditioner and Heater Controls 	024-400 Air Conditioning Compressor 
024-500 Air Conditioning Compressor Mounting 	024-600 Air Ducts and Outlets 		

Air Conditioner And Heater Unit
Figure 024-160



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	-------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code

EH0 = All 3.9L V-6 Gas Engines
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines
ET0 = All 5.9L Turbo Diesel Engines
EW0 = All 8.0L Gas Engines

1	4886 383AA	1							HOUSING, Air Recirculating
2	5012 919AB	1							CASE, Heater And A/C Unit
3	5012 920AB	1							CASE, Heater And A/C Unit
4	4720 026	1							DOOR, Fresh Air
5	4886 070AA	1							ACTUATOR, Fresh Air Door
6	4720 029	1							CLIP, Fresh Air Door
7	4720 023	1							DOOR, Vent
8	4778 420	1							DOOR, Floor Defroster Duct
9	4882 286	1							ACTUATOR, Heater Door
10	4720 279AB	1							ACTUATOR, Heater
11	5012 923AB	1							COUPLING, Servo, Servo to Door link
12	5012 922AA	1							DOOR, A/C Temperature
13	5012 924AA	1							SERVO, A/C Temperature Door
14	4720 347	1							LEVER, A/C Floor Door Duct
15	4720 348	1							LEVER, A/C Vent Defrost Door
16	4720 278	1							RESISTOR, Blower Motor
17	5011 167AA	1							EVAPORATOR, Air Conditioning
18	4720 039	1							SEAL, Blower Motor
19	5012 833AA	1							MOTOR, Blower
20	4720 009	1							BLOWER
21	5210 066	1							TUBE, A/C Motor Cooling
22	4720 037	1							SEAL, Evaporator Drain
23	4720 033	1							SEAL, Heater Tubes
24	4720 034	1							SEAL, Evaporator Tubes
25									U-NUT, Implement Mounting, (NOT SERVICED) (Not Serviced)
26	4720 533	20							SCREW, Heater Housing
27	4720 534	12							SCREW, Pan Head
28	4720 555	1							CLAMP, Heater Core
29	4720 028	1							CLIP, Heater Core
30	5011 724AA	1							COVER, A/C and Heater
31	4746 215	1							CORE, Heater
32	4720 031	2							RETAINER, Wiring Harness
33	5011 713AA	1							DUCT, A/C And Heater


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Air Conditioner And Heater Unit
Figure 024-160




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
34	4746 208	1							HARNESS, A/C And Heater Vacuum
35	5012 921AA	1							WIRING, Resistor Block Jumper
36	4720 032	4							STUD, A/C Heater Housing
37	4778 421	1							DOOR, Floor Defroster Duct
38	4778 415	1							INSULATOR, Air Conditioning
39	4746 884	1							BAFFLE, Air Inlet, without Air Conditioning
-40	55056 421AA-	1				ET0			HARNESS, Vacuum
-41									HARNESS ASSEMBLY, vacuum
	5503 6098	1				EH0, EL0, EM0			
	55055 705AB-	1				EH0, EL0, EM0, EWO			
-42	5013 495AB-	1							COVER, Blower Motor

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Plumbing Air Conditioning
Figure 024-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
1	55055 838AB	1							ACCUMULATOR, Suction and Discharge Line
2	5503 5607	1							BRACKET, Accumulator, Accumulator Support
3	55055 830AA	1				EL0, EM0			LINE, A/C Suction & Discharge
	55055 831AA	1				EH0			
	55055 832AA	1				EW0			
4	5010 432AA	1				EL0, EM0			BRACKET, A/C Line
		1				EH0			
5	4596 152	2				EH0, EL0, EM0,			CLIP, A/C Quick Disconnect
						EW0			
6	55055 835AA	1				EH0, EL0, EM0, EW0			LINE, A/C Liquid
	55055 834AB	1				ET0			
7	5503 6022	1	6, 7, 8						CLIP, A/C Liquid Line
8	4897 617AA	1				EW0			SWITCH, A/C High Pressure Cut Off
		1				EL0, EM0			
9	5015 805AA	1				EH0 EH0, EL0, EM0, EW0			O RING, High Pressure

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Plumbing Air Conditioning Figure 024-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	55055 824AA	1				EH0, EL0, EM0, EW0			CONDENSER, Air Conditioning
11									SCREW, (NOT SERVICED) (Not Serviced)
12	55036 206AC	1							BAND, Accumulator Retaining
13	4761 737	AR							O RING, A/C Suction Line
14	4728 705	1							O RING, Low Pressure Cutout Switc
15	4897 615AA	1							SWITCH, A/C Cycling
-16	5503 6209	1							LABEL, Air Conditioning System
-17	5010 430AA-	2				EH0, EL0, EM0, EW0			ISOLATOR, A/C Condenser Upper
	5010 431AA-	2				EH0, EL0, EM0, EW0			Lower

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML, EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Plumbing, Heater 3.9L/5.2L And 5.9L Engine
Figure 024-260



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code

EH0 = All 3.9L V-6 Gas Engines
ELF = "Magnum" 5.2L SMPI V-8 Engine
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines

1	4741 932	1				EL0, EM0			HOSE, 5/8" I.D. 50 Foot Roll
		1				EH0			
2	55036 503AB	1				EH0, ELF, EM0			HOSE, Heater, Heater Supply
3	5503 6413	1				EH0,			HOSE, Heater, Heater to Manifold
						ELF, EM0			
4	6502 017	6				EH0, ELF,			CLAMP, Heater Hose
						EM0			
5	5503 6160	1				EH0, EL0, EM0			TUBE, Water Pump Inlet, Heater Return ***
6	4740 906	1				EH0, EL0, EM0			O RING, Tube Assy, Heater Return
-7	55056 105AA-	1				EH0,			CLIP, Heater Hose
						ELF, EM0			


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Plumbing, Heater 8.0L Engine
Figure 024-265



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code EW0 = 8.0L Gas Engine									
1	5503 6776	1				EW0			HOSE, Heater Return
-2	4637 938	1				EW0			SLEEVE, Heater Hose
3	5503 6777	1				EW0			HOSE, Heater Supply
-4	4637 938	1				EW0			SLEEVE, Heater Hose
5	5503 6415	1				EW0			HOSE AND TUBE, Thermostat, w/ Tube Manifold to Hose
6	5503 6056	1				EW0			CLIP, Heater Hose, Hose
-7	6032 878	1				EW0			STUD, .312-18x2.00, Clip to Cover
8	5503 6735	1				EW0			CLIP, Heater Hose, Hose
9	5505 5328	1				EW0			HOSE, Heater, w/Tube Water Pump to Hose
10	6502 017	8				EW0			CLAMP, Heater Hose

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

Plumbing, Heater Diesel Engine
Figure 024-267




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code									
ETC = 5.9L Cummins 24V Diesel Engine									
ETH = 5.9L HO Cummins Turbo Diesel Engine									
ET0 = All 5.9L Diesel Engines									
EW0 = All 8.0L Gas Engines									
1	4429 114	3				ETC			SCREW, Hex Flange Head
		3				ETH			
2	4429 089	2				ETC			CLAMP, Tube Retaining
3	4429 631	6				ETC			SCREW, Hex Head
		6				ETH			
4	5014 191AA	1				ETC			TUBE, Heater
		1				ETH			
5	5014 191AA	1				ETC			TUBE, Heater
		1				ETH			
6	5011 901AA	1				ETC			COUPLING, Hose
7									CLAMP, Oil Cooler, (NOT SERVICED) (Not Serviced)
8	4429 689	1				ETC			NUT, Hex Flange
9									HOSE, Transmission Oil Cooler, 04638704, (NOT SERVICED) (Not Serviced)
10	4883 885AA	1				ETC			COUPLING, Hose
	5011 901AA	1				ETC			Automatic Transmission
		1				ETH			Manual Transmission
11	4429 812	1				ETC			ELBOW, Oil Cooler Hose
12	55036 506AB	1				ET0			HOSE, Heater
	5503 7546	AR							Heater Supply
									Heater Return
13	5503 6776	1				EW0			HOSE, Heater Return

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Plumbing, Cabin Heater Diesel Engine
 Figure 024-269



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code

ETC = 5.9L Cummins 24V Diesel Engine

ETH = 5.9L HO Cummins Turbo Diesel Engine

ET0 = 5.9L Diesel Engine

1									PLUG, Pipe
	4429 369	1				ETC			
		1				ETH			
2	4429 862	4				ETC			NUT, Hex Flange, M10x1.5
		4				ETH			
3	4429 976	1				ETC			COUPLING, Elbow Hose
		1				ETH			
4	5011 409AA	1				ETC			HOSE, Oil Cooler
		1				ETH			
5	5011 900AA	2				ETC			CLAMP, Heater
		2				ETH			
6	5011 901AA	1				ETC			COUPLING, Hose
		1				ETH			
7	5014 191AA	1				ETC			TUBE, Heater
		1				ETH			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Plumbing, Air Conditioning Diesel Engine
 Figure 024-280


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code ET0 = 5.9L Diesel Engine									
1	55055 838AB	1							ACCUMULATOR, Suction and Discharge Line
2	5503 5607	1							BRACKET, Accumulator, Accumulator Support
3	55055 833AB	1				ET0			LINE, A/C Suction & Discharge
-4	4897 617AA-	1				ET0			SWITCH, A/C High Pressure Cut Off
-5	4728 705	1							O RING, Low Pressure Cutout Switc
6	55055 834AA	1				ET0			LINE, A/C Liquid
7	5503 6022	1	6, 7, 8						CLIP, A/C Liquid Line
8	55055 825AB	1				ET0			CONDENSER, Air Conditioning
9	6502 885	2				ET0			SCREW AND WASHER, Hex Head, M6x1x18.5, Condenser Mounting, Right
10									NUT, Hex, M6x1.00
	6100 048	4				ET0			
	6500 284	2				ET0			Condenser Mounting, Left
11	55036 206AB	1							BAND, Accumulator Retaining, Accumulator Support
12	4761 737	2				ET0			O RING, A/C Suction Line
13	4741 705	1				ET0			O RING, A/C and Heater
14	4741 705	1				ET0			O RING, A/C and Heater
15	4897 615AA	1							SWITCH, A/C Cycling
16	4728 705	1							O RING, Low Pressure Cutout Switc

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Controls Heater and Air Conditioning
Figure 024-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CONTROL, Heater
	5015 735AA	1							w/o Power Mirrors
	5015 737AA	1							w/Power Mirrors
-2									CONTROL, A/C And Heater
	5015 734AA-	1							w/o Power Mirrors
	5015 736AA-	1							w/Power Mirrors
3	6032 723	4							SCREW, Self Tapping, M4.2x1. 69x19.05, Control Mounting
4	5003 986AB	3							KNOB, A/C And Heater Control - Rotary
-5	5003 281AA-	1							BULB, Heater and A/C Control
-6	5013 680AB-	1							HARNESS, A/C And Heater Vacuum

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Control, Air Conditioning
Figure 024-350





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CONTROL, A/C And Heater
	5015 734AA	1							w/o Power Mirror
	5015 736AA	1							w/Power Mirror
2	6032 723	4							SCREW, Self Tapping, M4.2x1.69x19.05, Control Mounting
3	5003 986AB	3							KNOB, A/C And Heater Control - Rotary
-4	5003 281AA-	1							BULB, Heater and A/C Control
5	5013 680AB	1							HARNESS, A/C And Heater Vacuum

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Compressor
Figure 024-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE

Sales Code

EH0 = All 3.9L V-6 Gas Engines

EL0 = ALL 5.2L 8 Cyl Gas Engines

EML = 'MAGNUM' 5.9L SMPI V8 Engine

EM0 = All 5.9L 8 Cyl Gas Engines

ET0 = All 5.9L Turbo Diesel Engines

EW0 = All 8.0L Gas Engines

1	55055 540AC	1				EH0, EL0, EM0, EW0			COMPRESSOR, Air Conditioning
2	4882 008	1				EH0, EL0, EM0, EW0			CLUTCH, A/C Compressor
	5016 127AA	1				ET0			


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Compressor, Air Conditioning Diesel Engine
Figure 024-440



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note: Sales Code ET0 = 5.9L Diesel Engine

1	55055 339AD	1				ET0			COMPRESSOR, Air Conditioning
-2	5016 127AA-	1				ET0			CLUTCH, A/C Compressor

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

Mounting, Compressor 3.9L/5.2L/5.9L Engine
Figure 024-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code EH0 = 3.9L Gas Engine

Note: Sales Code EL0 = 5.2L Gas Engine

Note: Sales Code EM0 = 5.9L Gas Engine


1									BOLT, (NOT SERVICED) (Not Serviced)
2									BOLT, (NOT SERVICED) (Not Serviced)
3	5301 0252	1				EH0, EL0,			BRACE, A/C Compressor, Bracket to Manifold
4	6034 246	1				EM0 EH0, EL0, EM0			BOLT, Hex Head, .375-16x.75
5									NUT, Lock, (NOT SERVICED) (Not Serviced)
6	5300 8614	1				EH0, EL0,			BRACKET, Alternator And Compressor, Compressor/
7	3300 2201	1				EM0 EH0, EL0, EM0			Alternator Mounting BUSHING, Idler Pulley
8									BOLT, (NOT SERVICED) (Not Serviced)
9	6034 247	2				EH0, EL0, EM0,			BOLT, Hex Head, .375-16x.25
10	5300 9508	1				EW0 EH0, EL0, EM0			PULLEY, Idler, Idler

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Mounting, Air Conditioning Compressor 8.0L Engine
Figure 024-525



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code EW0 = 8.0L Gas Engine

1	5301 0014	1				EW0			BRACE, A/C Compressor, Compressor Mounting Bracket
2									SCREW, (NOT SERVICED) (Not Serviced)
3	0154 555	1				EW0			SCREW
4									SCREW, (NOT SERVICED) (Not Serviced)
5									SCREW, (NOT SERVICED) (Not Serviced)
6	5300 5619	1				EW0			BRACKET, A/C Compressor, Compressor Mounting


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Mounting, Compressor Diesel Engine
Figure 024-530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code ETC = 5.9L Cummins 24V Diesel Engine
Note: Sales Code ETH = 5.9L HO Cummins Turbo Diesel Engine
Note: Sales Code ET0 = 5.9L Diesel Engine


1									CONNECTOR, Water Inlet
	5011 928AA	1				ETC			
	4638 933	1				ETH			
2									SCREW, (M8x1.25x100, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Air Ducts
Figure 024-630



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: All other distribution ducts are serviced in instrument panel.

1	5505 5442	1							ADAPTER, Defroster Duct, Defroster and Demister Duct
2	5503 6517	1							BAFFLE, Air Intake, Inlet ***
3	55115 857AC	1							DUCT, Air Distribution

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 025

Emission Systems

GROUP 25 - Emission Systems

Illustration Title Group-Fig. No.

Emission Labels

Emission Labels, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC, ETH] Fig. 025-110

Vacuum Canister

Vacuum Canister, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA] Fig. 025-310

Emission Harness

Emission Control Vacuum Harness, 3.9 L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA] Fig. 025-410


Leak Detection Pump, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA] Fig. 025-420

Vacuum Pump, 5.9L Diesel [ETC,ETH] Fig. 025-430

Air Pumps

Air Pump, 5.9L [EMM], 8.0L [EWA] Fig. 025-510

Air Injection Plumbing, 5.9L [EMM], 8.0L [EWA] Fig. 025-520



025-100 Emission Labels	025-300 Vacuum Canister	025-400 Emission Harness	025-500 Air Pumps

Emission Labels, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH]
Figure 025-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes

Check the VIN Number for the 'Z' Code GVW Rating

[DBB] = All Manual Transmissions

[DG0] = All Automatic Transmissions

[EHC] = 3.9L Magnum V-6

[ELF] = 5.2L Magnum V-8

[EML] = 5.9L Magnum V-8

[EMM] = 5.9L Magnum V-8

[EWA] = 8.0L Magnum V-10

[XCJ] = Emissions Tracking

1							LABEL, Emission		
	53032 276AA	1	1		61	EHC			Federal, Export
	53032 277AA	1	1		62	EHC			Federal, Export
	53032 278AA	1	1		61	EHC			Canada
	53032 279AA	1	1		62	EHC			Canada
	53032 280AA	1	1		61	EHC			California
	53032 281AA	1	1		62	EHC			California
	53032 282AA	1	1, 6		61	ELF			Federal, Export
	53032 283AA	1	1, 6		61	ELF			Canada
	53032 284AA	1	1, 6		62	ELF			Federal, Export
	53032 285AA	1	1, 6		62	ELF			Canada
	53032 290AA	1	1, 6		61	ELF	DBB		California
	53032 291AA	1	1, 6		61	ELF	DG0		California
	53032 292AA	1	1, 6		62	ELF	DBB		California
	53032 293AA	1	1, 6		62	ELF	DG0		California
	53032 298AA	1	1, 6		61	EML	DG0		Federal, Export
	53032 299AA	1	1, 6		61	EML	DG0		Canada
	53032 300AA	1	1, 6		62	EML	DG0		Federal, Export
	53032 301AA	1	1, 6		62	EML	DG0		Canada
	53032 310AA	1	2, 7		62	EML			Federal, Export
	53032 311AA	1	2, 7		62	EML			Canada
	53032 312AA	1	1, 6		61	EML			California
	53032 313AA	1	1, 6		62	EML			California
	53032 314AA	1	2, 3, 7, 8		62	EML	DBB		California
	53032 315AA	1	3, 8		63, 64	EML	DBB		California
	53032 319AA	1	2, 3, 7, 8		62	EML	DG0		California
	53032 320AA	1	3, 8		63, 64	EML	DG0		California
	53032 321AA	1	3, 8		62, 63, 64	EMM			Federal, Export, Engine Information

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

CATALYST

CHRYSLER CORPORATION

IMPORTANT VEHICLE INFORMATION

THIS VEHICLE CONFORMS TO U.S. EPA REGULATIONS APPLICABLE TO 19XX MODEL YEAR NEW LIGHT-DUTY TRUCKS WITH A CURB WEIGHT GREATER THAN POUNDS AT ALL ALTITUDES.

* BASIC IGNITION TIMING AND IDLE FUEL/AIR MIXTURE HAVE BEEN PRESET AT THE FACTORY. SEE THE SERVICE MANUAL FOR PROPER PROCEDURES AND OTHER ADDITIONAL INFORMATION.

◦ ADJUSTMENTS MADE BY OTHER THAN APPROVED SERVICE MANUAL PROCEDURES MAY VIOLATE FEDERAL AND STATE LAWS.

CAUTION : APPLY PARKING BRAKE WHEN SERVICING VEHICLE.

XX LITER
NCR5.2T5FEX3
NCRTG


SPARK PLUGS

IDLE *
TIMING BTC

MAN
X

AUTO
X

NO OTHER ADJUSTMENTS NEEDED



Emission Labels, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH]
Figure 025-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	53032 322AA	1	3, 8		62, 63,	EMM			Canada, Engine Information
					64				
	53032 323AA	1	3, 8		62, 63,	EMM			Federal, Export, Body Information
					64				
	53032 324AA	1	3, 8		62, 63,	EMM			Canada, Body Information
					64				
	53032 325AA	1	2, 3, 7, 8		62, 63,	EWA			Federal, Export, Engine Information
					64, 65				
	53032 326AA	1	2, 3, 7, 8		62, 63,	EWA			Canada, Engine Information
					64, 65				
	53032 327AA	1	2, 3, 7, 8		62, 63,	EWA			Federal, Export, Body Information
					64, 65				
	53032 328AA	1	2, 3, 7, 8		62, 63,	EWA			Canada, Body Information
					64, 65				
	53032 329AA	1	2, 3, 7, 8		62	EWA			California
	53032 330AA	1	2, 7		65	EWA			California
	53032 332AA	1	3, 8		63, 64	EWA			California
	53032 374AA	1	2, 7		65	EML			Federal, Export, Z2B, Z7B
	53032 375AA	1	2, 7		65	EML			Canada, Z2B, Z7B
	53032 376AA	1	2, 7		65	EML	DG0		California, Z2B, Z7B
	53032 377AA	1	2, 7		65	EML	DBB		California, Z2B, Z7B
	52102 717AA	1	1, 6		61	EML			With S/C XCJ


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


CATALYST

CHRYSLER CORPORATION



[illegible][illegible][illegible][illegible]

Emission Control Vacuum Harness, 3.9 L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA]
Figure 025-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[ELF]= Magnum 5.2L V-8 Engines									
[EMM]= Magnum 5.9L V-8 Engines									
[EM0]= All 5.9L Gas Engines									
[EW0]= All 8.0L Gas Engines									
1	53031 035AC	1				EMM, EW0			HARNESS, Vacuum Canister Purge
	53031 130AC	1				EW0			California
		1				EH0, ELF, EML			
2	5303 2153	1				ELF			HARNESS, Emission Control
	5303 2154	1				EW0			
	5303 2150	1				EH0			
3	6503 159	1				EW0			STUD, Double Ended, M6x1.0x38
4	4669 475AB	1				EH0, ELF, EM0,			SOLENOID, Duty Cycle Purge
						EW0			
5	4865 228AA	1				EH0, ELF, EM0,			SOLENOID, Duty Cycle Purge, Federal, Canada
						EW0			
-6	4897 709AA-	1				EH0, ELF, EM0,			BRACKET PACKAGE, LDP/DCP And Filter, California
						EW0			
7	6035 956AA	1				EH0, ELF, EM0,			SCREW, .250-14X1.500
						EW0			
-8	6101 839	3				EH0, ELF, EM0,			SCREW AND WASHER, Hex Head, M8x1.25x40, California
						EW0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Emission Control Vacuum Harness, 3.9 L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA]
Figure 025-410**




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	53031 611AC	1				EH0, ELF, EM0, EW0			HOSE, Carbon Canister
-10									HARNESS, Emission Control Vacumn
	5304 1076	1				EW0			
	5503 6098	1				EH0, EL0, EM0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Leak Detection Pump, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA]
Figure 025-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[ELF]= Magnum 5.2L V-8 Engines									
[EML]= Magnum 5.9L V-8 Engines									
[EM0]= All 5.9L Gas Engines									
[EW0]= All 8.0L Gas Engines									
1	4891 415AB	1				EH0, ELF, EM0, EW0			PUMP, Leak Detection
2	4897 709AA	1							BRACKET PACKAGE, LDP/DCP And Filter
3	5303 0877	1				EH0, ELF, EML EW0			HOSE, Filter to Leak Detection Pump
4	6101 839	3				EH0, ELF, EML			SCREW AND WASHER, Hex Head, M8x1.25x40
5	4612 901	1				EM0, EW0			FILTER, Fuel Vapor Vent
6						EH0, ELF, EML			SCREW, M6x1.00x11.00, (NOT SERVICED) (Not Serviced)
7	6100 051	1				EH0, ELF, EM0, EW0			NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25
8	6035 482	3				EH0, ELF, EM0, EW0			SCREW, Tapping, .19-16x.375

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Vacuum Pump, 5.9L Diesel [ETC,ETH] Figure 025-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[DBB]= All Manual Transmissions									
[ETC]= 5.9L, 24 Valve Cummins Diesels									
[ETH]= 5.9L High Output Cummins Turbo Diesels									
1									GASKET, Hydraulic Pump
	4638 531	1				ETC			
		1				ETH	DBB		
2									PLUG, Pipe
	4429 568	2				ETC			
		1				ETH	DBB		
3									PLUG, Pipe
	4429 369	1				ETC			
		1				ETH	DBB		
4									PLUG, Expansion
	5003 614AA	4				ETC			
		2				ETH	DBB		
5									O RING
	5003 604AA	2				ETC			
		1				ETH	DBB		
6									SCREW, Hex Head, m12X1.75X.35
	4429 637	1				ETC			
		1				ETH	DBB		
7									NUT, Hex Flange, M10x1.5
	4429 862	1				ETC			
		1				ETH	DBB		
8									SCREW, Hex Head, M8x1.25x12
	5011 818AA	1				ETC			
		1				ETH	DBB		
9									NUT, Hex Flange, M10x1.5
	4429 862	4				ETC			
		1				ETH	DBB		
10									HUB, Hydraulic Brake Pump
	4728 162	1				ETC			
		1				ETH	DBB		
11									PUMP, Power Steering
	4883 960AA	1				ETC			
12									STUD
	4761 972	4				ETC			
		4				ETH	DBB		
13									GEAR, Accessory Drive
	5011 797AA	1				ETC			


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Vacuum Pump, 5.9L Diesel [ETC,ETH]
Figure 025-430**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ETH	DBB		
14	5011 796AA	1				ETC			PUMP, Vacuum
		1				ETH	DBB		
15									CHECK VALVE, Vacuum Pump
	5011 617AA	1				ETC			
		1				ETH	DBB		
16									NIPPLE, Pump
	5003 637AA	1				ETC			
		1				ETH	DBB		
17									SCREW
	5011 421AA	1				ETC			
		1				ETH	DBB		
18									HOSE, Vacuum Pump
	5011 428AA	1				ETC			ETC Only
	5015 841AA	1				ETH	DBB		ETH and ETC+XCK, All
19									BRACKET, Vacuum Pump
	5011 799AA	1				ETC			
		1				ETH	DBB		
20									CONNECTOR, Vacuum, With Caps
	4638 529	1				ETC			
		1				ETH	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Air Pump, 5.9L [EMM], 8.0L [EWA]
Figure 025-510

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EMM]= Magnum 5.9L V-8 Engines

[EW0]= All 8.0L Gas Engines

1									SCREW AND WASHER, Hex Head, M6x1x18
	6501 714	3				EMM			
		3				EW0			
2									PULLEY, Air Pump
	5300 8638	1				EMM			
		1				EW0			
3									BOLT, [.375-16x5.0], (NOT SERVICED) (Not Serviced)
4									PUMP, Air
	5303 0503	1				EMM			
		1				EW0			
5	53005 621AB	1				EW0			BRACKET, Air Pump And Tensioner
6	53010 013AB	1				EW0			BRACE, Alternator
7									BOLT, [.312-18x.75], (NOT SERVICED) (Not Serviced)


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Air Injection Plumbing, 5.9L [EMM], 8.0L [EWA]
Figure 025-520




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EMM]= Magnum 5.9L V-8 Engines									
[EW0]= All 8.0L Gas Engines									
1	4324 506	1				EW0			FILTER, Air Pump
2	5304 1014	1				EW0			CAP, Air Pump Filter
3	5304 1045	1				EW0			CLAMP, Hose
4									TUBE, Air Pump Inlet
	5304 0053	1				EW0			Up to Built Date 12/16/99
	53040 053AB	1				EW0			After Built Date 12/16/99
5	5303 1546	1				EW0			REDUCER, Air Pump Inlet
6	5304 1077	1				EW0			BRACKET, Air Pump Silencer Filter
7	6033 560	3				EW0			NUT AND WASHER, Hex Nut-Coned Washer, .25-20
8									VALVE, Air Injection
	5303 0577	1				EMM			
		1				EW0			
9									HOSE, Relief Valve
	5303 0217	1				EMM			
		1				EW0			
10	5303 0535	1				EMM			TUBE, Fuel
-11	5304 1060	1				EW0			HOSE, Relief Valve
12									CLAMP, Hose
	2448 762	2				EMM			
		2				EW0			
13									TUBE, Aspirator Downstream
	53030 649AB	1	2, 3, 7, 8		62, 63, 64, 65	EMM			
		1	2, 3, 7, 8		62, 63, 64, 65	EW0			
14									SCREW, Hex Flange Head, M8x1.25x20
	6502 468	4				EMM			
		4				EW0			
15									VALVE, Air Injection
	5303 0467	2				EMM			
		2				EW0			
16									TUBE, Aspirator Downstream
	53031 557AB	1	3, 8		62, 63, 64	EMM			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Air Injection Plumbing, 5.9L [EMM], 8.0L [EWA]
Figure 025-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	2, 3, 7, 8		62, 63, 64, 65	EW0			
17	2448 761	3	3, 8		62, 63, 64	EMM			CLAMP, Hose
		3	2, 3, 7, 8		62, 63, 64, 65	EW0			
18	53031 701AA	1				EW0			FILTER, Air Pump

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – DBR

Doors and Related Parts

GROUP DBR - Doors and Related Parts

Illustration Title Group-Fig. No.

Front Door


Door, Front Shell And Hinges	Fig. DBR-110
Door, Front Glass And Regulators	Fig. DBR-120
Door, Front Lock And Controls	Fig. DBR-130

Exterior Mirror

Exterior Mirror	Fig. DBR-515
-----------------------	--------------


Weatherstrips and Seals

Door, Front Weatherstrips And Seals	Fig. DBR-610
---	--------------



DBR-100 Front Door	DBR-500 Exterior Mirror	DBR-600 Weatherstrips and Seals	

Door, Front Shell And Hinges
Figure DBR-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Front
	55023 572AE	1							Right
	55023 573AE	1							Left
-2									PANEL, Front Door Outer Repair
	5502 3570	1							Right
	5502 3571	1							Left
-3	5513 4612	1							WATERDAM, Front Door, Door,
									Right
-4	5513 4613	1							WATERDAM, Front Door, Door, Left
5									HINGE, Door
	55075 956AB	1							Upper Right
	55075 957AB	1							Upper Left
	55275 464AA	2							Lower
-6	6504 804	4							STUD, M8-1.25x46, Double Thread
-7	55256 920AB-	4							WASHER, Flat, Flat
-8	6102 034AA-	4							NUT AND WASHER, Hex, M8x1.25,
									w/Washer
9	6503 538	8							SCREW AND WASHER, Hex Head,
									M8x1.25x30
10									SCREW, Body To Hinge, (NOT
									SERVICED) (Not Serviced)
11	5507 4736	AR							SHIM, Door Hinge, Body Hinge
12	4440 486	2							PLUG, Body, 19.05mm x 31.75mm,
									Access Hole
13	5513 5002	2							PATCH, Waterdam Speaker
14	5534 6416	2							REINFORCEMENT, Door Inner
15	6034 715	8							CLIP, Speaker

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door, Front Glass And Regulators
Figure DBR-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GLASS, Front Door
	55135 396AB	1							Right
	55135 397AB	1							Left
2									REGULATOR, Front Door Window
	5507 5812	1							Manual, Right
	5507 5813	1							Manual, Left
	5515 4924	1							Electric w/Motor, Right
	5515 4925	1							Electric w/Motor, Left
3	6504 055	8							SCREW, Hex Head, M6x1x16,
									Regulator
4	6502 691	4							NUT, Hex Flange Lock, M6x1, Glass
									To Regulator
5	FW80 PX9	2							HANDLE, Window Regulator
6	5507 6218	2							SPACER, Door Handle
7									CHANNEL, Front Door Glass Lower
	5507 5774	1							Right
	5507 5775	1							Left
8	6504 055	4							SCREW, Hex Head, M6x1x16, Front
									Lower Channel
9									CHANNEL, Rear Door Glass Lower
	5507 5934	1							Right
	5507 5935	1							Left
10									SCREW, (NOT SERVICED) (Not
									Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Door, Front Lock And Controls
Figure DBR-130

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LATCH, Front Door
	5507 6288	1							Manual, Right
	5507 6289	1							Manual, Left
	5507 6290	1							Electric, Right
	5507 6291	1							Electric, Left
-2									CLIP, Latch Link
	4658 674	1							Latch, Right
	4658 675	2							Left
3	6033 876	6							SCREW, Tapping, M6.3x1.8x38.1, Latch
4									HANDLE, Interior Door
	5507 5338	1							Door Inside, Right
	5507 5339	1							Door Inside, Left
5	6503 124	4							SCREW, Hex Head Tapping, M6x1x20, Handle
6									REMOTE CONTROL, Door
	5507 6124	1							Right
	5507 6125	1							Left
7	6503 124	4							SCREW, Hex Head Tapping, M6x1x20, Remote Control
8									LINK, Remote Handle to Latch
	5507 4726	1							w/Sleeve, Inside Handle to Latch, Right
	5507 4727	1							Left
9									HANDLE, Front Door Exterior
	5527 5022	1							Right
	5527 5023	1							Left
10	6101 443	4							NUT AND WASHER, Hex, M5x.80
11									SCREW, (NOT SERVICED) (Not Serviced)
12	5507 4724	2							LINK, Exterior Door Handle, Exterior Handle to Latch
13									LINK, Key Cylinder To Latch
	5507 6004	1							Right
	5507 6005	1							Left
14									CLIP, Lever Key Cylinder, (NOT SERVICED) (Not Serviced)
15									KNOB, Door
	JS24 SK5	1							Tan
	JS24 MAZ	1							Agate
	JS24 RC3	1							Gray


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Door, Front Lock And Controls Figure DBR-130





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16									SPRING, Outside Door Handle, (NOT SERVICED) (Not Serviced)
17									CLIP, Lock Retaining, (NOT SERVICED) (Not Serviced)
18									BRACKET, Handle Retaining, Serviced in Handle, (NOT SERVICED) (Not Serviced)
19	5507 6354	1							ROD, Inside Lock to Latch Right
	5507 6355	1							Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Exterior Mirror
Figure DBR-515





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes:									
GPU = Mirrors - 6 x 9 Black									
GPV = Mirrors - 6 x 9 Power Heated, Black									
GTS = Mirrors - Power Heated, Fold-Away									
1									MIRROR, Outside Rearview
	55076 478AB	1							Manual - Foldaway, GPU, Right
	55076 479AB	1							Manual - Foldaway, GPU, Left
	55076 488AB	1							Elect - Heated Foldaway, GTS, Right
	55076 489AB	1							Elect - Heated Foldaway, GTS, Left
	55076 744AC	1							Elect - Heated, GPV, Right
	55077 122AB	1							Elect Heated Foldaway (Europe), GTS, Right
	55076 489AB	1							Elect - Heated, GPV, Left
	4746 372	1							Manual, GPC, Right,Left
2	J420 0408	6							NUT AND WASHER, Hex Nut-Coned Washer, M5 x 0.80
3									MIRROR KIT, Trailor Tow
	55156 334AA	1							GPC, Right
	55156 335AA	1							GPC, Left
-4	5513 5182	2							SEAL, Mirror Opening
-5									BRACKET, Mirror
	4746 368	1							Upper, GPC, Right
	4746 369	1							Upper, GPC, Left
	4746 374	1							Lower, GPC, Right
	4746 375	1							Lower, GPC, Left
	55156 128AA-	1							GPC, Right
	55156 129AA-	1							GPC, Left
-6	4723 110	1							WASHER, Outside Mirror, Phenolic
-7	4746 373	1							WASHER, Mirror, Black
-8									GLASS, Mirror Replacement
	5019 890AA-	1							Foldaway, GPU, Right
	5019 891AA-	1							Foldaway, GPU, Left
	5019 892AA-	1							Elect - Heated Foldaway, GTS, Right
	5019 893AA-	1							Elect - Heated Foldaway, GTS, Left
		1							Elect - Heated, GPV, Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door, Front Weatherstrips And Seals
Figure DBR-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5513 5304	2							SEAL, B-Pillar, B Pillar Door Molding
2	5513 5252	1							SEAL, Glass Run, Front Right
	5513 5253	1							Left
3	5513 4598	2							WEATHERSTRIP, Front Door Belt
4	55275 504AA	1							WEATHERSTRIP, Door Belt Right
	55275 505AA	1							Left
5	55275 508AA	1							SEAL, Body Side, Foam Block Right
	55275 509AA	1							Left
6	55135 004AC	1							RETAINER, Bodyside Seal Right
	55135 005AC	1							Left
7	55275 436AE	2							WEATHERSTRIP, Body Side Right
	55275 437AB	AR							Left
8	55276 286AA	2							WEATHERSTRIP, Front Door MOLDING, Door
9	55275 394AB	2			61, 62, 63, 64				
10	0153 341	20							SCREW, Pan Head, .64-18x.50
11									SEAL, Front Door Lower, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – EBR

Exterior Ornamentation

GROUP EBR - Exterior Ornamentation

Illustration Title Group-Fig. No.

Nameplates


Nameplates Fig. EBR-140










Moldings and Ornamentation

Moldings Fig. EBR-210


Decals and Tapestripes

Tape Strips And Decals Fig. EBR-350



EBR-100 Nameplates	EBR-200 Moldings and Ornamentation	EBR-300 Decals and Tapestripes	
   	  	 	

Nameplates
Figure EBR-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									NAMEPLATE, Ram 1500
	5GL05 CA1AA	2	1, 6		61, 62				Silver
	5GL05 PCHAA	2	1, 6		61, 62				Blue
2									NAMEPLATE, Ram 2500 Cummins
	5GL09 CA1AA	2	2, 7		62, 65				Silver
	5GL09 PCHAA	2	2, 7		62, 65				Blue
3	55296 306AB	2							NAMEPLATE, Door, V6 MAGNUM
4	55296 307AB	2							NAMEPLATE, Door, V8 MAGNUM
5	55295 306AB	2							NAMEPLATE, Door, V10 MAGNUM
6	55274 860AB	2							NAMEPLATE, Cab, Laramie SLT
7									NAMEPLATE, Ram 2500
	5GL07 CA1AA	2	2, 7		62, 65				Silver V8
	5GL07 PCHAA	2	2, 7		62, 65				Blue V8
	5GL11 CA1AA	2	2, 7		62, 65				Silver V10
	5GL11 PCHAA	2	2, 7		62, 65				Blue V10
8									NAMEPLATE, Ram 3500
	5GL08 CA1AA	2	3, 8		62, 63, 64				Silver V8
	5GL08 PCHAA	2	3, 8		62, 63, 64				Blue V8
	5GL12 CA1AA	2	3, 8		62, 63, 64				Silver V10
	5GL12 PCHAA	2	3, 8		62, 63, 64				Blue V10
9									NAMEPLATE, Ram 3500 Cummins
	5GL10 CA1AA	2	3, 8		62, 63, 64				Silver
	5GL10 PCHAA	2	3, 8		62, 63, 64				Blue
-10	55295 310AB-	2	1, 6		61, 62				NAMEPLATE, Door, Ram 1500
-11	55295 311AB-	2	2, 7		62, 65				NAMEPLATE, Front Fender, Ram 2500
-12	55295 312AB-	2	3, 8		62, 63, 64				NAMEPLATE, Front Fender, Ram 3500
-13	55295 313AC-	2	2, 7		62, 65				NAMEPLATE, Front Fender, Ram 2500 Cummins
-14	55295 314AC-	2	3, 8		62, 63, 64				NAMEPLATE, Front Fender, Ram 3500 Cummins
15									NAMEPLATE, Sport
	5GL04 CA1AA	2							Silver
	5GL04 PCHAA	2							Blue


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML, EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Nameplates
Figure EBR-140




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	55077 386AA	2							NAMEPLATE, Sport

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Moldings
Figure EBR-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5529 5060	1							APPLIQUE, Tailgate
2	55076 891AA	2	1, 6		61				MOLDING, Box Side Panel 6.5 Foot Box, Right & Left
	55076 902AA	2	1, 2, 6, 7		62				8 Foot Box, Right & Left
3									MOLDING, Cab
	55076 886AA	1							Right
	55076 887AA	1							Left
4									MOLDING, Front Door
	5507 6536	1							Right
	5507 6537	1							Left
5									MOLDING, Roof Quarter Joint
	55275 440AA	1							Right
	55275 441AA	1							Left
6									MOLDING, Fender Rear
	55076 892AA	1	3, 8		62				Rear,Right
	55076 893AA	1	3, 8		62				Rear,Left
7									MOLDING, Fender Rear
	55076 898AA	1	3, 8		62				Front,Right
	55076 899AA	1	3, 8		62				Front,Left
8	55076 900AA	2	3, 8		62				MOLDING, Box Side Panel, Front, Right & Left
9	5527 5017	1							MOLDING, Windshield


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Tape Strips And Decals
Figure EBR-350

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DECAL, Dodge, Sport Appearance
	5GL13 PCHAA	1							Blue
	5GL13 CA1AA	1							Silver
2									DECAL, Dodge
	5DV7 3TA1	1							Silver
	5DV7 3PX9	1							Black
3									DECAL, 4x4, Sport Appearance
	5GL14 CA1AA	1	6, 7, 8						Silver
	5GL14 PCHAA	1	6, 7, 8						Blue
4									DECAL, 4 x 4
	5DV7 6TA1	1	6, 7, 8						Silver
	5DV7 6PX9	1	6, 7, 8						Black
5									DECAL, 4x4, OFF ROAD
	5GY40 PCHAA	1	6, 7, 8						Blue
	5GY40 CA1AA	1	6, 7, 8						Silver
	5GY40 GX9AA	1	6, 7, 8						Black




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – IBR

Interior Trim




IBR-100 Headliner and Visor	IBR-200 Moldings, Scuff Plates	IBR-300 Carpet	IBR-400 Door Trim Panels-Front and Rear
IBR-500 Front Seats and Attaching Parts	IBR-700 Seat Belts-Front and Rear	IBR-800 Adjusters, Covers, Shields, and Risers	IBR-900 Rear Storage Compartment

GROUP IBR - Interior Trim

Illustration Title	Group-Fig. No.
Headliner and Visor	
Sunvisor Headliners Coat Hook Assist Straps	Fig. IBR-110
Moldings, Scuff Plates	
A-pillar	Fig. IBR-210
B-pillar	Fig. IBR-220
Cowl And Sill	Fig. IBR-230
Carpet	
Carpets-Mats-Scuff Plates	Fig. IBR-310
Door Trim Panels-Front and Rear	
Front Door Trim Panels	Fig. IBR-410
Front Seats and Attaching Parts	
Seat, Front, Trim Code D2,D3	Fig. IBR-510
Seat, Front, Trim Code SX	Fig. IBR-520
Seat, Front, Trim Code S9	Fig. IBR-530
Seat, Front, Trim Code R1	Fig. IBR-540
Seat, Front, TrimCode DP	Fig. IBR-550
Seat Belts-Front and Rear	
Belts - Shoulder Bench And 40/20/40 Seating	Fig. IBR-710
Belts - Lap Bench Seat	Fig. IBR-720
Belts - Lap 40/20/40 Seat	Fig. IBR-730
Adjusters, Covers, Shields, and Risers	
Adjusters - Bench Seat	Fig. IBR-810
Recliner	Fig. IBR-820
Adjusters - Split Bench Seat	Fig. IBR-830
Seat - Floor Attaching	Fig. IBR-840
Rear Storage Compartment	
Rear Storage Base Model	Fig. IBR-910
Rear Storage	Fig. IBR-920

Sunvisor Headliners Coat Hook Assist Straps
Figure IBR-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									VISOR
	5ES00 TL2AD	1						O0	Without Mirror, Right
	5ES01 TL2AD	1						O0	Without Mirror, Left
2									VISOR, W/Mirror
	5ES02 TL2AD	1						O0	Without Cover, Right
	5HU34 TL2AA	1						O0	With Cover, After 7/5/00, Right
	5HU35 TL2AA	1						O0	With Cover, After 7/5/00, Left
3									VISOR, Illuminated
	5FV64 TL2AD	1						O0	Up to 7/10/00, Right
	5FV65 TL2AD	1						O0	Up to 7/10/00, Left
-4									LABEL, Transfer Case Shift
	5210 5334	1	6, 7, 8						
	52105 360AA-	1	6, 7, 8						CANADA
-5									LABEL, Diesel Starting
	53040 084AA-	1							CANADA
	53040 085AA-	1							
-6	55350 848AA-	2							LABEL, Air Bag Warning
7	5EZ9 2SL2	2						O0	BRACKET, Sunvisor
8	0152 383	2							SCREW, Pan Head, .19-16x.75
9	1150 1150	6							SCREW, Oval Head Tapping, .164x18x.984
10									HEADLINER
	5FE24 TL2AD	1						O0	Without Overhead Console
	5FE25 TL2AG	1						O0	With Overhead Console, With Grab Handle
	5FE25 TL2AH	1						O0	With Overhead Console, Without Grab Handle
11	5FY27 TL2AB	1						O0	HOOK, Coat
12	5DZ3 9SL2	1						O0	HANDLE, Roof Grab, Used Up to 7/10/00
13									SCREW, .164-18x1.00, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

A-pillar
Figure IBR-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, A Pillar Trim
	5ES4 4LAZ	1						O0	[AZ], Without Infinity, Right
	5ES4 4RC3	1						O0	[C3], Without Infinity, Right
	5ES4 4RK5	1						O0	[K9], Without Infinity, Right
	5ES5 7LAZ	1						O0	[AZ], Without Infinity, Left
	5ES5 7RC3	1						O0	[C3], Without Infinity, Left
	5ES5 7RK5	1						O0	[K9], Without Infinity, Left
	5GK68 LAZAA	1						O0	[AZ], With Infinity, Right
	5GK68 RC3AA	1						O0	[C3], With Infinity, Right
	5GK68 RK5AA	1						O0	[K9], With Infinity, Right
	5GK69 LAZAA	1						O0	[AZ], With Infinity, Left
	5GK69 RC3AA	1						O0	[C3], With Infinity, Left
	5GK69 RK5AA	1						O0	[K9], With Infinity, Left
2	5521 4846	2						O0	CLIP, Trim Panel
3	6503 910	2							NUT
4									HANDLE, Roof Grab
	5DX76 LAZAC	1						O0	[AZ]
	5DX76 RC3AC	1						O0	[C3]
	5DX76 RK5AC	1						O0	[K9]
5	6504 432	2							SCREW, Pan Head, M6-1.00x29.00
6									PLUG, Assist and Grab Handle
	H526 TAZ	2						O0	[AZ]
	H526 TC3	2						O0	[C3]
	H526 TK5	2						O0	[K9]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

B-pillar
Figure IBR-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, B Pillar Upper Trim
	5EU5 6LAZ	1						O0	[AZ], Right
	5EU5 6RC3	1						O0	[C3], Right
	5EU5 6RK5	1						O0	[K9], Right
	5EU5 7LAZ	1						O0	[AZ], Left
	5EU5 7RC3	1						O0	[C3], Left
	5EU5 7RK5	1						O0	[K9], Left
2									PLUG, Seat Belt Opening
	5FV88 LAZAA	2						O0	[AZ]
	5FV88 RC3AA	2						O0	[C3]
	5FV88 RK5AA	2						O0	[K9]
3									ADJUSTER, Seat Belt Turning Loop
	QQ83 LAZAA	1						O0	[AZ]
	QQ83 RC3AA	1						O0	[C3]
	QQ83 RK5AA	1						O0	[K9]
4	5521 4846	6						O0	CLIP, Trim Panel

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cowl And Sill
Figure IBR-230


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	0154 562	8							SCREW, Pan Head, .19-16x1.50
2	4386 474	2							SILENCER, Wheelhouse
3									INSULATION, Dash Panel
	55350 755AB	1							Up to 7/10/00, Gas Only
	55350 884AA	1							Up to 7/10/00, Diesel
	55350 755AD	1							After 7/10/00, Gas Only
	55350 884AC	1							After 7/10/00, Diesel
4									PANEL, Cowl
	5FH91 LAZAB	1						O0	[AZ], Left
	5FH91 RC3AB	1						O0	[C3], Left
	5FH91 RK5AB	1						O0	[K9], Left
	5FH90 LAZAB	1						O0	[AZ], Right
	5FH90 RC3AB	1						O0	[C3], Right
	5FH90 RK5AB	1						O0	[K9], Right
-5	5521 4846	2						O0	CLIP, Trim Panel
6									PANEL, Side Sill
	5FH8 0LAZ	1						O0	[AZ], Right
	5FH8 0RC3	1						O0	[C3], Right
	5FH8 0RK5	1						O0	[K9], Right
	5FH8 1LAZ	1						O0	[AZ], Left
	5FH8 1RC3	1						O0	[C3], Left
	5FH8 1RK5	1						O0	[K9], Left
7	6031 321	4							PIN, Retainer

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Carpets-Mats-Scuff Plates
Figure IBR-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CARPET, Front Floor
	5FY48 LAZAB	1						O0	[AZ], Up to 7/10/00
	5FY48 RC8AB	1						O0	[C3], Up to 7/10/00
	5FY48 VK9AB	1						O0	[K9], Up to 7/10/00
	5FY48 LAZAD	1						O0	[AZ], After 7/10/00
	5FY48 RC8AD	1						O0	[C3], After 7/10/00
	5FY48 VK9AD	1						O0	[K9], After 7/10/00
-2	55350 782AA-	2							COVER, Carpet Anchor Hole
3									MAT, Full Floor, Rubber
	5DY35 DX9AC	1						O0	Without Rear Stowage, Up to 7/10/00
	5EJ08 DX9AC	1						O0	With Rear Stowage, After 7/10/00
	5DY35 DX9AE	1						O0	Without Rear Stowage, After 7/10/00
	5EJ08 DX9AE	1						O0	With Rear Stowage, Up to 7/10/00
4									MAT KIT, Floor - Front
	5FJ56 LAZAB	1						O0	[AZ]
	5FJ56 RC8AB	1						O0	[C3]
	5FJ56 VK9AB	1						O0	[K9]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Front Door Trim Panels
Figure IBR-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; When replacing Door Trim Panel installer must replace X-mas tree style pin 6505878AA.


1									PANEL, Door Trim Front
	PL59 LAZ	1						D2	[AZ], Without Power Doors or Locks, Left
		1						SX	[AZ], Left
		1						S9	[AZ], Left
		1						D3	[AZ], Without Power Doors or Locks, Left
	PL59 RC3	1						SX	[C3], Left
		1						D2	[C3], Without Power Doors or Locks, Left
	PL59 TC3	1						S9	[C3], Left
		1						D3	[C3], Without Power Doors or Locks, Left
	PL68 LAZ	1						SX	[AZ], Right
		1						S9	[AZ], Right
		1						D2	[AZ], Without Power Doors or Locks, Right
		1						D3	[AZ], Without Power Doors or Locks, Right
	PL68 RC3	1						SX	[C3], Right
		1						D2	[C3], Without Power Doors or Locks, Right
		1						S9	[C3], Right
		1						D3	[C3], Without Power Doors or Locks, Right
	RH60 1AZAA	1						D2	[AZ], With Power Doors or Locks, Right
		1						D3	[AZ], With Power Doors or Locks, Right
	RH60 1C3AA	1						D3	[C3], With Power Doors or Locks, Right
		1						D2	[C3], With Power Doors or Locks, Right
		1						R1	[C3], Right
	RH60 1K9AA	1						R1	[K9], Right
	RH60 LAZAA	1						R1	[AZ], Right
	RH61 1AZAA	1						D2	[AZ], With Power Doors or Locks, Left
		1						D3	[AZ], With Power Doors or Locks, Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Front Door Trim Panels
Figure IBR-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	RH61 1C3AA	1						D3	[C3], With Power Doors or Locks, Left
		1						R1	[C3], Left
		1						D2	[C3], With Power Doors or Locks, Left
	RH61 1K9AA	1						R1	[K9], Left
	RH61 LAZAA	1						R1	[AZ], Left
	RZ68 1AZAA	1						DP	[AZ], Up to 7/10/00, Right
	RZ68 1K9AA	1						DP	[K9], Up to 7/10/00, Right
	RZ69 1AZAA	1						DP	[AZ], Up to 7/10/00, Left
	RZ69 1K9AA	1						DP	[K9], Up to 7/10/00, Left
	UP62 1AZAA	1						DP	[AZ], After 7/10/00, Right
	UP62 1K5AA	1						DP	[K9], After 7/10/00, Right
	UP63 1AZAA	1						DP	[AZ], After 7/10/00, Left
	UP63 1K5AA	1						DP	[K9], After 7/10/00, Left
-2	KM64 RC3	1						D2	PLUG, Mirror Switch
		1						D3	
		1						S9	
		1						SX	
3									PIN, Door Panel
	6505 878AA	10						D2	
		10						D3	
		12						DP	
		12						R1	
		10						S9	
		10						SX	
4									SCREW, .164-18x1.00, (NOT SERVICED) (Not Serviced)
5									PULL CUP, Front Door Trim Panel
	4741 402	1						D2	Right
	4741 403	1						D2	Left
	4741 405	1						D3	Left
	4741 404	1						D3	Right
		1						R1	Right
	4741 405	1						R1	Left
	4741 404	1						S9	Right
	4741 405	1						S9	Left
	4741 403	1						SX	Left
	4741 402	1						SX	Right

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat, Front, Trim Code D2,D3
Figure IBR-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	SQ18 1AZAA	1						D2	[AZ]
	SQ18 1C3AA	1						D2	[C3]
	SQ22 1C3AA	1						D3	[C3]
	SQ22 1AZAA	1						D3	[AZ]
2									COVER, Front Seat Cushion
	SQ20 1AZAA	1						D2	[AZ]
	SQ20 1C3AA	1						D2	[C3]
	SQ24 1C3AA	1						D3	[C3]
	SQ24 1AZAA	1						D3	[AZ]
3									BACK, Front Seat
	SQ19 1AZAA	1						D2	[AZ]
	SQ19 1C3AA	1						D2	[C3]
	SQ23 1C3AA	1						D3	[C3]
	SQ23 1AZAA	1						D3	[AZ]
4									COVER, Seat Back
	SQ21 1AZAA	1						D2	[AZ]
	SQ21 1C3AA	1						D2	[C3]
	SQ25 1C3AA	1						D3	[C3]
	SQ25 1AZAA	1						D3	[AZ]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat, Front, Trim Code SX
Figure IBR-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note :
Up to 5/10/00 vehicles have vinyl front facings on the cushions.
After 5/10/00 vehicles have carpet front facings on the cushions..


1	CUSHION, Front Seat							
	SQ78 1AZAA	1						SX [AZ], Up to 5/10/00, Right
	SQ78 1C3AA	1						SX [C3], Up to 5/10/00, Right
	SQ79 1AZAA	1						SX [AZ], Up to 5/10/00, Left
	SQ79 1C3AA	1						SX [C3], Up to 5/10/00, Left
	SV81 1AZAA	1						SX [AZ], Up to 5/10/00, Center
	SV81 1C3AA	1						SX [C3], Up to 5/10/00, Center
	US82 1AZAA	1						SX [AZ], After 5/10/00, Right
	US82 1C3AA	1						SX [C3], After 5/10/00, Right
	US83 1AZAA	1						SX [AZ], After 5/10/00, Left
2	COVER, Front Seat Cushion							
	US48 1AZAA	1						SX [AZ], After 5/10/00, Right
	US48 1C3AA	1						SX [C3], After 5/10/00, Right
	US49 1AZAA	1						SX [AZ], After 5/10/00, Left
	US49 1C3AA	1						SX [C3], After 5/10/00, Left
	US50 1AZAA	1						SX [AZ], After 5/10/00, Center
	US50 1C3AA	1						SX [C3], After 5/10/00, Center
	SQ77 1AZAA	1						SX [AZ], Up to 5/10/00, Center
	SQ77 1C3AA	1						SX [C3], Up to 5/10/00, Center
	SQ82 1AZAA	1						SX [AZ], Up to 5/10/00, Right
3	BACK, Front Seat							
	SQ80 1AZAA	1						SX [AZ], Right
	SQ80 1C3AA	1						SX [C3], Right
	SQ81 1AZAA	1						SX [AZ], Left
	SQ81 1C3AA	1						SX [C3], Left
4	COVER, Front Seat Back							
	SQ84 1AZAA	1						SX [AZ], Right
	SQ84 1C3AA	1						SX [C3], Right
	SQ85 1AZAA	1						SX [AZ], Left
	SQ85 1C3AA	1						SX [C3], Left
5	BASE, Armrest							

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat, Front, Trim Code SX
Figure IBR-520




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	SS28 1AZAA	1						SX	[AZ], Up to 5/10/00
	SS28 1C3AA	1						SX	[C3], Up to 5/10/00
	WG29 1AZAA	1						SX	[AZ], After 5/10/00, Up to 7/10/00
	WG29 1C3AA	1						SX	[C3], After 5/10/00, Up to 7/10/00
	UQ25 1AZAA	1						SX	[AZ], After 7/10/00
	UQ25 1C3AA	1						SX	[C3], After 7/10/00
6									LID, Armrest Bin
	SS23 1AZAA	1						SX	[AZ], Up to 5/10/00
	SS23 1C3AA	1						SX	[C3], Up to 5/10/00
	UP98 1AZAA	1						SX	[AZ], After 5/10/00
	UP98 1C3AA	1						SX	[C3], After 5/10/00
7	4778 673	1						SX	BEZEL, Armrest, Lid
8	5278 455AA	1						SX	BEZEL, Armrest, Base
9	4773 684	1						SX	PIN, Armrest Lid Hinge
10	4773 685	1						SX	SPRING, Armrest Lid Hinge
11	5278 456AA	1						SX	LINER, Armrest Lid
12	4797 715	1						SX	BEZEL, Armrest, Lid Latch Release
									Push Button
13	4773 507	1						SX	BOLT, Armrest Pivot
14									SCREW, (NOT SERVICED) (Not Serviced)
15									COVER, Bracket
	4773 418	1						SX	Right
	4773 419	1						SX	Left
-16	5278 457AA-	1						SX	SPRING

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat, Front, Trim Code S9
Figure IBR-530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note :
Up to 5/10/00 vehicles have vinyl front facings on the cushions.
After 5/10/00 vehicles have carpeted front facings on the cushions
After 7/10/00 vehicles have vinyl center seats and carpeted front facings.


1	CUSHION, Front Seat							
	UQ52 1C3AA	1					S9	[C3], After 5/10/00, Up to 7/10/00, Center
	UQ52 1AZAA	1					S9	[AZ], After 5/10/00, Up to 7/10/00, Center
	SV82 1AZAA	1					S9	[AZ], Up to 5/10/00, Center
	SV82 1C3AA	1					S9	[C3], Up to 5/10/00, Center
	US84 1C3AA	1					S9	[C3], After 7/10/00, Center
	US84 1AZAA	1					S9	[AZ], After 7/10/00, Center
	UQ51 1AZAA	1					S9	[AZ], After 5/10/00, Left
	UQ51 1C3AA	1					S9	[C3], After 5/10/00, Left
	SQ67 1AZAA	1					S9	[AZ], Up to 5/10/00, Left
	SQ67 1C3AA	1					S9	[C3], Up to 5/10/00, Left
	SQ66 1C3AA	1					S9	[C3], Up to 5/10/00, Right
	SQ66 1AZAA	1					S9	[AZ], Up to 5/10/00, Right
	UQ50 1C3AA	1					S9	[C3], After 5/10/00, Right
	UQ50 1AZAA	1					S9	[AZ], After 5/10/00, Right
2	COVER, Front Seat Cushion							
	SQ72 1AZAA	1					S9	[AZ], Up to 5/10/00, Center
	SQ72 1C3AA	1					S9	[C3], Up to 5/10/00, Center
	UQ53 1AZAA	1					S9	[AZ], After 5/10/00, Up to 7/10/00, Center
	UQ53 1C3AA	1					S9	[C3], After 5/10/00, Up to 7/10/00, Center
	US50 1C3AA	1					S9	[C3], After 7/10/00, Center
	US50 1AZAA	1					S9	[AZ], After 7/10/00, Center
	UQ55 1AZAA	1					S9	[AZ], After 5/10/00, Left
	UQ55 1C3AA	1					S9	[C3], After 5/10/00, Left
	SQ71 1AZAA	1					S9	[AZ], Up to 5/10/00, Left
	SQ71 1C3AA	1					S9	[C3], Up to 5/10/00, Left
	SQ70 1C3AA	1					S9	[C3], Up to 5/10/00, Right
	SQ70 1AZAA	1					S9	[AZ], Up to 5/10/00, Right
	UQ54 1AZAA	1					S9	[AZ], After 5/10/00, Right
	UQ54 1C3AA	1					S9	[C3], After 5/10/00, Right
3	BACK, Front Seat							
	SQ68 1AZAA	1					S9	[AZ], Right

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat, Front, Trim Code S9
Figure IBR-530




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	SQ68 1C3AA	1						S9	[C3], Right
	SQ69 1AZAA	1						S9	[AZ], Left
	SQ69 1C3AA	1						S9	[C3], Left
4	SQ74 1AZAA	1						S9	COVER, Seat Back
	SQ74 1C3AA	1						S9	[AZ], Right
	SQ75 1AZAA	1						S9	[C3], Right
	SQ75 1C3AA	1						S9	[AZ], Left
5								S9	[C3], Left
								S9	BASE, Armrest
	SS36 1AZAA	1						S9	[AZ], Up to 5/10/00
	SS36 1C3AA	1						S9	[C3], Up to 5/10/00
	WG30 1AZAA	1						S9	[AZ], After 5/10/00, Up to 7/10/00
	WG30 1C3AA	1						S9	[C3], After 5/10/00, Up to 7/10/00
	UQ25 1AZAA	1						S9	[AZ], After 7/10/00
	UQ25 1C3AA	1						S9	[C3], After 7/10/00
6								S9	LID, Armrest Bin
	SS23 1AZAA	1						S9	[AZ], Up to 5/10/00
	SS23 1C3AA	1						S9	[C3], Up to 5/10/00
	UP98 1AZAA	1						S9	[AZ], After 5/10/00
	UP98 1C3AA	1						S9	[C3], After 5/10/00
7	4778 673	1						S9	BEZEL, Armrest, Lid
8	5278 455AA	1						S9	BEZEL, Armrest, Base
9	4773 684	1						S9	PIN, Armrest Lid Hinge
10	4773 685	1						S9	SPRING, Armrest Lid Hinge
11	5278 456AA	1						S9	LINER, Armrest Lid
12	4797 715	1						S9	BEZEL, Armrest, Lid Latch Release Push Button, Lid Latch Release Button
13	4773 507	1						S9	BOLT, Armrest Pivot
14								S9	SCREW, (NOT SERVICED) (Not Serviced)
15								S9	COVER, Bracket
	4773 418	1						S9	Right
	4773 419	1						S9	Left
-16	5278 457AA-	1						S9	SPRING

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat, Front, Trim Code R1
Figure IBR-540



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note :
Up to 5/10/00 vehicles have vinyl front facings on the cushions.
After 5/10/00 and up to 7/10/00 all seats have carpet front facings and center seat has multi-colored cloth.
After 7/10/00 center seat have carpeted front facings and solid color cloth.


1	CUSHION, Front Seat							
	WK98 1AZAA	1					R1	[AZ], After 5/10/00, Up to 7/10/00, Center
	WK98 1K5AA	1					R1	[K9], After 5/10/00, Up to 7/10/00, Center
	WK98 1C3AA	1					R1	[C3], After 5/10/00, Up to 7/10/00, Center
	UQ59 1K5AA	1					R1	[K9], After 7/10/00, Center
	UQ59 1C3AA	1					R1	[C3], After 7/10/00, Center
	UQ59 1AZAA	1					R1	[AZ], After 7/10/00, Center
	SV83 1K5AA	1					R1	[K9], Up to 5/10/00, Center
	SV83 1C3AA	1					R1	[C3], Up to 5/10/00, Center
	SV83 1AZAA	1					R1	[AZ], Up to 5/10/00, Center
	UQ63 1K5AA	1					R1	[K9], After 5/10/00, Left
	UQ63 1C3AA	1					R1	[C3], After 5/10/00, Left
	UQ63 1AZAA	1					R1	[AZ], After 5/10/00, Left
	SQ65 1K5AA	1					R1	[K9], Up to 5/10/00, Left
	SQ65 1AZAA	1					R1	[AZ], Up to 5/10/00, Left
	SQ65 1C3AA	1					R1	[C3], Up to 5/10/00, Left
	SQ96 1K5AA	1					R1	[K9], Up to 5/10/00, Left,Power Seat
	SQ96 1C3AA	1					R1	[C3], Up to 5/10/00, Left,Power Seat
	SQ96 1AZAA	1					R1	[AZ], Up to 5/10/00, Left,Power Seat
	UQ61 1K5AA	1					R1	[K9], After 5/10/00, Left,Power Seat
	UQ61 1C3AA	1					R1	[C3], After 5/10/00, Left,Power Seat
	UQ61 1AZAA	1					R1	[AZ], After 5/10/00, Left,Power Seat
	UQ60 1K5AA	1					R1	[K9], After 5/10/00, Right
	UQ60 1C3AA	1					R1	[C3], After 5/10/00, Right
	UQ60 1AZAA	1					R1	[AZ], After 5/10/00, Right
	SQ64 1K5AA	1					R1	[K9], Up to 5/10/00, Right
	SQ64 1C3AA	1					R1	[C3], Up to 5/10/00, Right
	SQ64 1AZAA	1					R1	[AZ], Up to 5/10/00, Right
2	COVER, Front Seat Cushion							
	WJ99 1K5AA	1					R1	[K9], After 5/10/00, Up to 7/10/00, Center

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat, Front, Trim Code R1
Figure IBR-540




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	WJ99 1C3AA	1						R1	[C3], After 5/10/00, Up to 7/10/00, Center
	WJ99 1AZAA	1						R1	[AZ], After 5/10/00, Up to 7/10/00, Center
	UQ58 1K5AA	1						R1	[K9], After 7/10/00, Center
	UQ58 1C3AA	1						R1	[C3], After 7/10/00, Center
	UQ58 1AZAA	1						R1	[AZ], After 7/10/00, Center
	SQ53 1AZAA	1						R1	[AZ], Up to 5/10/00, Center
	SQ53 1C3AA	1						R1	[C3], Up to 5/10/00, Center
	SQ53 1K5AA	1						R1	[K9], Up to 5/10/00, Center
	UQ57 1K5AA	1						R1	[K9], After 5/10/00, Left
	UQ57 1C3AA	1						R1	[C3], After 5/10/00, Left
	UQ57 1AZAA	1						R1	[AZ], After 5/10/00, Left
	SQ61 1AZAA	1						R1	[AZ], Up to 5/10/00, Left
	SQ61 1C3AA	1						R1	[C3], Up to 5/10/00, Left
	SQ61 1K5AA	1						R1	[K9], Up to 5/10/00, Left
	SQ97 1C3AA	1						R1	[C3], Up to 5/10/00, Left,Power
	SQ97 1K5AA	1						R1	[K9], Up to 5/10/00, Left,Power
	SQ97 1AZAA	1						R1	[AZ], Up to 5/10/00, Left,Power
	WJ97 1K5AA	1						R1	[K9], After 5/10/00, Left,Power
	WJ97 1C3AA	1						R1	[C3], After 5/10/00, Left,Power
	WJ97 1AZAA	1						R1	[AZ], After 5/10/00, Left,Power
	UQ56 1C3AA	1						R1	[C3], After 5/10/00, Right
	UQ56 1K5AA	1						R1	[K9], After 5/10/00, Right
	UQ56 1AZAA	1						R1	[AZ], After 5/10/00, Right
	SQ60 1K5AA	1						R1	[K9], Up to 5/10/00, Right
	SQ60 1AZAA	1						R1	[AZ], Up to 5/10/00, Right
	SQ60 1C3AA	1						R1	[C3], Up to 5/10/00, Right
3									BACK, Front Seat
	SQ93 1AZAA	1						R1	[AZ], Left,Power Seat
	SQ93 1C3AA	1						R1	[C3], Left,Power Seat
	SQ93 1K5AA	1						R1	[K9], Left,Power Seat
	SQ94 1AZAA	1						R1	[AZ], Right
	SQ94 1C3AA	1						R1	[C3], Right
	SQ94 1K5AA	1						R1	[K9], Right
	SQ95 1AZAA	1						R1	[AZ], Left
	SQ95 1C3AA	1						R1	[C3], Left
	SQ95 1K5AA	1						R1	[K9], Left
4									COVER, Seat Back
	SQ62 1AZAA	1						R1	[AZ], Right

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat, Front, Trim Code R1
Figure IBR-540



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	SQ62 1C3AA	1						R1	[C3], Right
	SQ62 1K5AA	1						R1	[K9], Right
	SQ63 1AZAA	1						R1	[AZ], Left
	SQ63 1C3AA	1						R1	[C3], Left
	SQ63 1K5AA	1						R1	[K9], Left
5									BASE, Armrest
	SS37 1AZAA	1						R1	[AZ], Up to 5/10/00
	SS37 1C3AA	1						R1	[C3], Up to 5/10/00
	SS37 1K5AA	1						R1	[K9], Up to 5/10/00
	UP81 1AZAA	1						R1	[AZ], After 7/10/00
	UP81 1C3AA	1						R1	[C3], After 7/10/00
	UP81 1K5AA	1						R1	[K9], After 7/10/00
	WG31 1AZAA	1						R1	[AZ], After 5/10/00, Up to 7/10/00
	WG31 1C3AA	1						R1	[C3], After 5/10/00, Up to 7/10/00
	WG31 1K5AA	1						R1	[K9], After 5/10/00, Up to 7/10/00
6									LID, Armrest Bin
	SS23 1AZAA	1						R1	[AZ], Up to 5/10/00
	SS23 1C3AA	1						R1	[C3], Up to 5/10/00
	SS23 1K5AA	1						R1	[K9], Up to 5/10/00
	UP98 1AZAA	1						R1	[AZ], After 5/10/00
	UP98 1C3AA	1						R1	[C3], After 5/10/00
	UP98 1K5AA	1						R1	[K9], After 5/10/00
7	4778 673	1						R1	BEZEL, Armrest, Lid
8	5278 455AA	1						R1	BEZEL, Armrest, Base
9	4773 684	1						R1	PIN, Armrest Lid Hinge
10	4773 685	1						R1	SPRING, Armrest Lid Hinge
11	5278 456AA	1						R1	LINER, Armrest Lid
12	4797 715	1						R1	BEZEL, Armrest, Lid Latch Release Push Button
13	4773 507	1						R1	BOLT, Armrest Pivot
14									SCREW, (NOT SERVICED) (Not Serviced)
15									COVER, Bracket
	4773 418	1						R1	Right
	4773 419	1						R1	Left
-16	5278 457AA-	1						R1	SPRING, Coinholder


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat, Front, TrimCode DP
Figure IBR-550



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	SQ26 1AZAA	1						DP	[AZ], Right
	SQ26 1K5AA	1						DP	[K9], Right
	SQ27 1AZAA	1						DP	[AZ], Left
	SQ27 1K5AA	1						DP	[K9], Left
	SQ32 1AZAA	1						DP	[AZ], Center
	SQ32 1K5AA	1						DP	[K9], Center
2									COVER, Front Seat Cushion
	SQ33 1AZAA	1						DP	[AZ], Center
	SQ33 1K5AA	1						DP	[K9], Center
	SQ48 1AZAA	1						DP	[AZ], Right
	SQ48 1K5AA	1						DP	[K9], Right
	SQ49 1AZAA	1						DP	[AZ], Left
	SQ49 1K5AA	1						DP	[K9], Left
3									BACK, Front Seat
	SQ28 1AZAA	1						DP	[AZ], Right
	SQ28 1K5AA	1						DP	[K9], Right
	SQ29 1AZAA	1						DP	[AZ], Left
	SQ29 1K5AA	1						DP	[K9], Left
4									COVER, Seat Back
	SQ58 1AZAA	1						DP	[AZ], Right
	SQ58 1K5AA	1						DP	[K9], Right
	SQ59 1AZAA	1						DP	[AZ], Left
	SQ59 1K5AA	1						DP	[K9], Left
5									BASE, Armrest
	UR09 1AZAA	1						DP	[AZ], After 5/10/00
	UR09 1K5AA	1						DP	[K9], After 5/10/00
	SS38 1AZAA	1						DP	[AZ], Up to 5/10/00
	SS38 1K5AA	1						DP	[K9], Up to 5/10/00
6									LID, Armrest Bin
	UP98 1AZAA	1						DP	[AZ], After 5/10/00
	UP98 1K5AA	1						DP	[K9], After 5/10/00
	SS23 1AZAA	1						DP	[AZ], Up to 5/10/00
	SS23 1K5AA	1						DP	[K9], Up to 5/10/00
7	4778 673	1						DP	BEZEL, Armrest, Lid
8	5278 455AA	1						DP	BEZEL, Armrest, Base
9	4773 684	1						DP	PIN, Armrest Lid Hinge
10	4773 685	1						DP	SPRING, Armrest Lid Hinge
11	5278 456AA	1						DP	LINER, Armrest Lid
12	4797 715	1						DP	BEZEL, Armrest, Lid Latch Release Push Button


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML, EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat, Front, TrimCode DP
Figure IBR-550




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	4773 507	1						DP	BOLT, Armrest Pivot
14									SCREW, (NOT SERVICED) (Not Serviced)
15	4773 418	1						DP	COVER, Bracket
	4773 419	1						DP	Right
								DP	Left
-16	5278 457AA-	1						DP	SPRING

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Belts - Shoulder Bench And 40/20/40 Seating
Figure IBR-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6505 803AA	2							SCREW, Shoulder
2	6036 108AA	4							SCREW, Pan Head
3									SEAT BELT, Front Outer
	5GT80 LAZAA	1						O0	[AZ, C3], Right
	5GT80 RK5AA	1						O0	[K9], Right
	5GT81 LAZAA	1						O0	[AZ, C3], Left
	5GT81 RK5AA	1						O0	[K9], Left
4									EXTENDER, Seat Belt
	4856 560	1						D3	
		1						D2	
		1						DP	
		1						R1	
		1						S9	
		1						SX	
5	55361 000AA	2							ADJUSTER, Seat Belt Turning Loop
6	55350 849AA	2							KNOB, Seat Belt Adjuster
7	55350 950AC	2							ANCHOR, Tether

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Belts - Lap Bench Seat
Figure IBR-720




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5EX6 0SAZ	1						D3	LAP BELT, Two Buckles
		1						D2	Two Buckles
2	5EX6 1SAZ	1						D3	SEAT BELT, Buckle And Tip
		1						D2	
3	JU98 1AZ	2						D2	BEZEL, Seat Belt
		2						D3	[AZ]
	JU98 1C3	2						D2	[C3]
		2						D3	[C3]
4	4746 336	2						D2	RETAINER, Seat Belt Bezel
		2						D3	
-5	4856 560	1						D3	EXTENDER, Seat Belt
		1						D2	

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Belts - Lap 40/20/40 Seat
Figure IBR-730




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAP BELT, Buckle Half
	5EX6 2SAZ	1						DP	[AZ]
	5EX6 2TK5	1						DP	[K9]
		1						R1	[K9]
	5EX6 2SAZ	1						R1	[AZ, C3]
	5EX6 21AZ	1						S9	[AZ, C3]
	5EX6 2SAZ	1						SX	[AZ, C3]
2									LAP BELT, Tip Half
	5EX6 3SAZ	1						DP	[AZ]
	5EX6 3TK5	1						DP	[K9]
		1						R1	[K9]
	5EX6 3SAZ	1						R1	[AZ, C3]
		1						S9	[AZ, C3]
		1						SX	[AZ, C3]
3									SEAT BELT, Buckle Half
	5EX6 4SAZ	1						DP	[AZ]
	5EX6 4TK5	1						DP	[K9]
	5EX6 4SAZ	2						R1	[AZ, C3]
	5EX6 4TK5	2						R1	[K9]
	5EX6 4SAZ	2						S9	[AZ, C3]
		2						SX	[AZ, C3]
4									SEAT BELT, Front
	5EX6 6SAZ	1						DP	[AZ]
	5EX6 6TK5	1						DP	[K9]
	5EX6 6SAZ	1						R1	[AZ, C3]
	5EX6 61K5	1						R1	[K9]
-5									EXTENDER, Seat Belt
	4856 560	1						DP	
		1						R1	
		1						S9	
		1						SX	
-6									SHIELD, Seat Belt
	4864 650	1						DP	
		1						R1	
		1						S9	
-7	5017 032AA-	1							ANCHOR PACKAGE, Child Seat Tether

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Adjusters - Bench Seat
Figure IBR-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									ADJUSTER, Manual Seat
	5003 470AA	1						D2	Left
	5003 472AA	1						D2	Right
	5003 470AA	1						D3	Left
	5003 472AA	1						D3	Right
2									LOCK BAR, Seat Belt
	5531 4568	1						D2	Right
	5531 4569	1						D2	Left
		1						D3	Left
	5531 4568	1						D3	Right
-3	J400 3926	2							WASHER, Flat, .437x.875x.135
4									BOLT, Seat Belt Anchor
	4746 341	2						D2	
		2						D3	
5									BOLT, Adjuster to Seat Frame
	4746 334	8						D2	
		8						D3	
6									BRACKET, Seat Riser
	4746 329	1						D2	
		1						D3	
7									BOLT, M6x1.00x12.00, (NOT
									SERVICED) (Not Serviced)
8									WIRE, Slave Seat Adjuster
	4886 207AA	1						D2	
		1						D3	

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Recliner
Figure IBR-820




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BOLT, Front Seat Recliner
	4746 335	4						D2	
		4						D3	
		4						DP	
		4						R1	
		4						S9	
		4						SX	
2									LATCH, Seat
	4883 794AA	1						D2	With Bench Seat, Right
	4883 795AA	1						D2	With Bench Seat, Left
	4883 794AA	1						D3	With Bench Seat, Right
	4883 795AA	1						D3	With Bench Seat, Left
3									RECLINER, Seat Back
	4883 818AA	1						DP	Right
	4883 819AA	1						DP	Left
		1						R1	Left
	4883 818AA	1						R1	Right
		1						S9	Right
	4883 819AA	1						S9	Left
		1						SX	Left
	4883 818AA	1						SX	Right
4									BEZEL, Front Seat Back Latch
	4746 339	2						DP	
		2						R1	
		2						S9	
		2						SX	
5									SCREW, (NOT SERVICED) (Not Serviced)
6									HANDLE, Seat Release
	5003 054AA	2						DP	
		2						R1	
		2						S9	
		2						SX	
7									HANDLE, Recliner
	5519 6021	1						DP	Left
	5519 6020	1						DP	Right
		1						R1	Right
	5519 6021	1						R1	Left
	5519 6020	1						S9	Right
	5519 6021	1						S9	Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Recliner
Figure IBR-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						SX	Left
8	5519 6020	1						SX	Right
	6101 634	2						DP	SCREW, Pan Head, M4x.7x14
		2						R1	
9		2						S9	HANDLE, Lumbar
		2						SX	
	4797 891	1						DP	
		1						R1	

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Adjusters - Split Bench Seat
Figure IBR-830

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									ADJUSTER, Manual Seat
	5003 504AA	1						DP	Passenger,Outboard
		1						R1	Passenger,Outboard
		1						S9	Passenger,Outboard
		1						SX	Passenger,Outboard
2									ADJUSTER, Manual Seat
	5017 017AA	1						DP	Passenger,Inboard
		1						R1	Passenger,Inboard
		1						S9	Passenger,Inboard
		1						SX	Passenger,Inboard
3									ADJUSTER, Manual Seat
	5017 013AA	1						R1	Driver,Inboard
		1						S9	Driver,Inboard
		1						SX	Driver,Inboard
4									ADJUSTER, Manual Seat
	5003 470AA	1						R1	Driver,Outboard
		1						S9	Driver,Outboard
		1						SX	Driver,Outboard
5									BOLT, Adjuster to Seat Frame
	4746 334	12						DP	
		16						R1	
		16						S9	
		16						SX	
6									BOLT, Pivot
	5003 520AA	2						DP	
		2						R1	
		2						S9	
		2						SX	
7									ADJUSTER, Power Seat
	5017 015AA	1						DP	
		1						R1	
8									BRACKET, Mounting, Seat Switch, Serviced in Seat Complete, (NOT SERVICED) (Not Serviced)
9									SWITCH, Seat
	4373 666	1						DP	
		1						R1	
10									BEZEL, Seat Adjuster Switch
	4746 477	1						DP	
		1						R1	


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Adjusters - Split Bench Seat Figure IBR-830



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11									SCREW, (NOT SERVICED) (Not Serviced)
12									SCREW, (NOT SERVICED) (Not Serviced)
13									WIRE, Slave Seat Adjuster
	4886 202AA	1						DP	
		1						R1	
		1						S9	
		1						SX	



DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat - Floor Attaching
Figure IBR-840




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SCREW AND WASHER, M10x1.5x45
	6505 401AA	2							Bench Seat
		4							40/20/40 Seat
2	6502 337	2							NUT, M10x1.5
3	6504 794AA	2							STUD, Double Ended, M10x1.5x59
4	0152 477	2							NUT, Hex Flange Lock, .437-20
5	J400 3926	2							WASHER, Flat, .437x.875x.135

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Rear Storage Base Model Figure IBR-910

[illegible]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Rear Storage
Figure IBR-920

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	PANEL, Trim Cab Back								O0
	SB99 LAZAA	1							
	SB99 RC8AA	1							
	SB99 VK9AA	1							
	UE22 LAZAA	1							
	UE22 RC8AA	1							
2	UE22 VK9AA	1							O0
3	5521 5598	2							O0
	55215 598AB	2							
4	0154 788	5							O0
5	55214 730AC	1							
6	52020 344AA	1	1, 6		61, 62				O0
		1	2, 7		62, 65				
		1	3, 8		62, 63, 64				
7	4761 195	1							O0
8	0154 562	3							
9	5521 5597	2							O0
10	5DV6 2LAZ	5							
	5DV6 2RC8	5							O0
11	QP04 LAZ	1							
	QP04 RC8	1							
	QP04 LAZAB	1							O0
	QP04 RC8AB	1							
12	WH14 LAZAA	1							O0
	WH14 RC8AA	1							
	WH14 VK9AA	1							


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Group – SBR









Body Sheet Metal Except Doors



Group – SBR

Body Sheet Metal Except Doors

SBR-1100 Roof Panels	SBR-1300 Tailgate		
			


SBR-200 Floor Pans	SBR-300 Plugs	SBR-400 Front Fenders	SBR-500 Hood & Hood Release
			
SBR-600 Cowl and Dash Panel	SBR-700 Glass and Rear View Mirror	SBR-800 Aperture Panel	SBR-900 Quarter Panel and Pillar
			

GROUP SBR - Body Sheet Metal Except Doors

Illustration Title	Group-Fig. No.
Floor Pans	
Floor Pan	Fig. SBR-210
Floor Box And Panel	Fig. SBR-220
Plugs	
Plugs	Fig. SBR-310
Front Fenders	
Fender Front	Fig. SBR-410
Hood & Hood Release	
Hood And Hood Release	Fig. SBR-510
Cowl and Dash Panel	
Cowl And Dash Panel	Fig. SBR-610
Glass and Rear View Mirror	
Glass, Windshield, Backlite, Mirror	Fig. SBR-710
Aperture Panel	
Aperture Panel Bodyside	Fig. SBR-810
Quarter Panel and Pillar	
Quarter Panel	Fig. SBR-910
Roof Panels	
Roof Panel	Fig. SBR-1110
Tailgate	
Tailgate	Fig. SBR-1310



Floor Pan
Figure SBR-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55275 273AC	1							PAN, Center Floor
2	4490 835AB	2							REINFORCEMENT, Shoulder Belt
3	5527 4918	1							PANEL, Floor Outer
	5527 4919	1							Right
									Left
4	5527 4570	1							SUPPORT, Cowl Side
	5527 4571	1							Right
									Left
5	5527 4926	1							SUPPORT, Underbody Hold Down
	55274 927AB	1							Right
									Left
6	5527 4580	2							SUPPORT, Underbody Hold Down
7	5527 4706	1							REINFORCEMENT, Seat Belt
									Anchor
8	6504 794AA	2							STUD, Double Ended, M10x1.5x59
9									PLATE, Seat Mounting Tapping, (NOT SERVICED) (Not Serviced)
10									TAPPING PLATE, Floor to Instrument Panel Mount, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Floor Box And Panel
Figure SBR-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5534 5618	1			61, 62				CROSSMEMBER, Rear Box, #5
2	5527 5107	1							PANEL, Cab Back
3	55023 544AB	1							REINFORCEMENT, Cab Back Up to 7/10/00
	55276 498AA	1							After 7/10/00
4	5527 5374	1	1, 6		61				PANEL, Box Floor 6 1/2 Foot Box
	55275 375AB	1			62				8 Foot Box
5	5502 3626	1			61, 62				PANEL, Front Box
6	5527 5253	1			61, 62				CROSSMEMBER, Rear Box, #1
7	5527 4766	1	1, 6		61				CROSSMEMBER, Rear Box 6 1/2 Foot Box
		2			62				6 1/2 Foot Box
	55275 476AA	1			62				8 Foot Box
8	5527 4770	1	1, 6		61				CROSSMEMBER, Rear Box #3, For 6 1/2 Box
		2	1, 6		61				#3 and #4, For 8 Foot Box
		2			62				#3 and #4, For 8 Foot Box
9	5534 6091	2			61, 62				TAPPING PLATE, Floor Crossmember, Tie Downs, Also Served in Crossmember #1 and #2
10									BRACKET, Box Floor Center, (NOT SERVICED) (Not Serviced)
11									BRACE, Box Side Wheelhouse
	5534 5734	2			61, 62				Right
	5534 5735	2			61, 62				Left
12	5502 3614	2			61, 62				WHEELHOUSE, Rear Inner
13									REINFORCEMENT, Quarter Rear Corner
	55274 806AB	1			61, 62				Right
	55274 807AB	1			61, 62				Left
14									EXTENSION, Wheel House
	55276 288AA	1	3, 8		62				Dual Wheel, Front,Right
	55276 289AA	1	3, 8		62				Dual Wheel, Front,Left
	55276 476AA	1	1, 2		61, 62				Right Rear
		1	3, 8		62				Right Rear
	55276 477AA	1	1, 2		61, 62				Left Rear
		1	3, 8		62				Left Rear
15	5527 5186	1			61, 62				SILL, Box

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Floor Box And Panel
Figure SBR-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	55275 466AA	4			61, 62				ISOLATOR
-17	5527 5188	2			61, 62				TAPPING PLATE, Sill to Frame
18									REINFORCEMENT, Cab Back to Floor
	5527 5092	1							Right
	5527 5093	1							Left
-19									SCREW AND WASHER, Hex Head, M10x1.5x45
	6503 298	8	1, 2, 6, 7		62				Up to 7/10/00
	6506 318AA-	8	3, 8		62				After 7/10/00
20									PANEL, Box Side
	4856 376	1	1, 6		61				6 1/ 2 Foot Box, Right
	4856 377	1	1, 6		61				6 1/ 2 Foot Box, Left
	4856 380	1			62				8 Foot Box, Right
	4856 381	1			62				8 Foot Box, Left
21									PANEL, Box Side Outer
	5502 3618	1	1, 6		61				6 1/ 2 Foot Box, Right
	5502 3619	1	1, 6		61				6 1/ 2 Foot Box, Left
	55023 620AB	1			62				8 Foot Box, Right
	55023 621AC	1			62				8 Foot Box, Left
22									PANEL, Box Side, Dual Wheels
	4856 384	1			62				Right
	4856 385	1			62				Left
23	6503 221	2							PIN

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Plugs
Figure SBR-310


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4440 486	2							PLUG, Body, 19.05mm x 31.75mm
2	5534 6332	2							PLUG, Sealing, Box Floor
3	4475 385	2							PLUG, Plenum Lower Push Rod Access
4	5503 5931	2							SEAL, Plenum Drain
5	4674 441	2							PLUG, Body, .75 Diameter
6	1774 076	2							PLUG, Body Side
7	55257 380AA	6							PLUG
8	4586 055	AR							PLUG, Floor Pan
-9	5600 6990	1							PLUG, Sealing, Antenna Hole
-10	52108 193AB-	1							PLUG, Dash Panel Clutch Opening, 2 1/2 Inches Round Rubber
-11	4084 000	2							PLUG, Hood, Round
-12	4475 385	2							PLUG, Hood Rear, Oval

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fender Front
Figure SBR-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Sales Codes:

[Z3A] = Gross Vehicle Weight Rating 10500#

[Z3B] = Gross Vehicle Weight Rating 11000#

1	55275 310AH	1			61, 62, 63, 64				WHEELHOUSE, Front Inner Right
	55275 311AH	1			61, 62, 63, 64				Left
2	5502 3530	1							REINFORCEMENT, Fender Right
	5502 3531	1							Left
3	55234 708AG	1							PANEL, Fender Right
	55234 709AG	1							Left
-4	6503 757	2							SCREW AND WASHER, Hex Head, M8-1.25x22.00, Fender Outer to Aperture
-5	6502 282	12							SCREW, Hex Head, M8x1.25x30, Fender Inner to Radiator Closure
-6	6503 461	AR							SCREW, Fender Outer to Radiator Closure
7	5523 4648	1							REINFORCEMENT, Fender Right,Upper
	5523 4649	1							Left,Upper
8	55275 396AB	1							REINFORCEMENT, Fender Right
	55275 397AB	1							Left
9	5534 6014	1	1, 2, 3		61, 62, 65				SHIELD, Wheelhouse 2 Wheel Drive, Use For All Ram 1500 & 2500, Use For Ram 3500 With Gross Vehicle Weight #10, 500, [Z3A] Only, Right
	5534 6015	1	1, 2, 3		61, 62, 65				2 Wheel Drive, Use For All Ram 1500 & 2500, Use For Ram 3500 With Gross Vehicle Weight #10, 500, [Z3A] Only, Left
	5534 6052	1	3		63, 64				2 Wheel Drive, For Ram 3500 With Gross Vehicle Weight #11,000, [Z3B], Right
		1	6, 7, 8						4 Wheel Drive, Right


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fender Front
Figure SBR-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5534 6053	1	3		63, 64				2 Wheel Drive, For Ram 3500 With Gross Vehicle Weight #11,000, [Z3B], Left
		1	6, 7, 8						4 Wheel Drive, Left
10	3420 1631	18							RIVET, M6.25x28 Black, Attach Front Fender
11	55135 108AB	1							SEAL, Fender To Cowl Right
	55135 109AB	1							Left
-12	5304 0076	2							LABEL, Battery Jump Start
	5304 0081	1							CANADA

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Hood And Hood Release
Figure SBR-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Code [MFN] = Grille Body Color									
1	55075 923AD	1							HOOD
2	55350 404AC	1							PAD, Hood Silencer
3	6003 351	15							RETAINER, Hood Insulation, .415x.690
4	5523 4899	2							BUMPER, Hood to Fender, Upper
5	2276 804	2							BUMPER, Hood
6	6036 199AA	2							SCREW, Round Head, .312-18x1.50
7	6100 051	4							NUT AND WASHER, Hex Nut-Coned
8									Washer, M8 x 1.25, Hood Hinge
	55076 270AC	1							HINGE, Hood
	55076 271AC	1							Up To 7/10/00, Right
	55075 794AC	1							Up To 7/10/00, Left
	55075 795AC	1							After 7/10/00, Right
-9	6503 661	6							After 7/10/00, Left
									SCREW AND WASHER, Hex Head, M8x1.25x25, Hood Hinge to Cowl
10	6500 787	1							End Attach
11	5507 5178	1							RIVET, M5x11.30, Skid Plate
									SKID PLATE, Secondary Hood Catch
12	5527 5379	1							LATCH, Hood
13	6101 455	2							SCREW AND WASHER, Hex Head, M6x1x20
14	5507 6343	1							RELEASE, Hood Latch
-15	5207 294	1							GROMMET, Hood Latch Release
16	6503 794	3							CLIP, M6.3x11.2
-17	6504 288	6							SCREW AND WASHER, Hex Head, Grille Bracket to Hood
18	55076 367AB	1							CATCH, Hood Safety
19	5507 5937	1							STRIKER, Hood Latch
20									ROD, Hood Safety Catch
	5527 5195	1							Without [MFN], Sports Appearance
									Group
	55275 477AA	1							With [MFN], Sports Appearance
									Group
21	55275 133AB	1							GUIDE, Hood Safety
22	6502 655	1							SCREW, Hex Head, M6x1x15
23	0154 782	3							SCREW, Hex Head, .19-16x.5, Attach Guide Hood Safety Catch
24									SEAL, Hood To Plenum

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Hood And Hood Release
Figure SBR-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5513 5340	1							6 Cylinder Only
	5513 5341	1							
-25	5513 5342	1							SEAL, Cowl Right
	5513 5343	1							Left
-26	5503 6839	2							TAPE, Hood To Seal
27	4658 677	1							CLIP, Latch Link
-28	6100 557	2							BOLT AND CONED WASHER, Hex Head, M6x20x14

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cowl And Dash Panel
Figure SBR-610




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Dash
	55274 586AF	1							Up to 7/10/00
	55274 586AG	1							After 7/10/00
2	5527 5298	1							PANEL, Cowl And Plenum
3									PANEL, Plenum End
	5527 4644	1							Right
	5527 4645	1							Left
4									PANEL, Cowl And Plenum
	5527 4643	1							Up to 7/10/00
	55274 643AB	1							After 7/10/00
5	5502 3557	1							SUPPORT, Steering Column, Upper
6									PANEL, Cowl Side
	5527 5302	1							Right
	5527 5303	1							Left
-7	6502 871	2							BOLT, M6.3x22.80, Attach Panel to Cowl Vent Grille
8	5527 4575	1							SUPPORT, Steering Column
9									SEAL, Cowl
	5513 5342	1							Right
	5513 5343	1							Left
10	6503 274	4							NUT, Push On
11	55215 683AD	1							INSULATION, Dash Panel, Outer Plenum
12	55036 871AB	1							PANEL, Cowl Top, Diesel
13	55350 212AD	1							INSULATION, Dash Panel, Diesel
14	6503 339	5							NUT, Plastic, Cowl Top to Cover
15	6503 338	AR							STUD, .250-20x16.2, Cowl Top to Cover
16									REINFORCEMENT, Hood Hinge
	5527 4588	1							Right
	5527 4589	1							Left
17	5523 4637	1							REINFORCEMENT, Brake Booster
18	52108 193AB	1							PLUG, 2 1/2 Inches Rubber

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Glass, Windshield, Backlite, Mirror
Figure SBR-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55076 400AD	1							WINDSHIELD
2	5527 5017	1							MOLDING, Windshield Up to 7/10/00
	55276 389AA	1							After 7/10/00
3									SPACER, Windshield
	55275 388AB	2							Up to 7/10/00
	55275 388AC	2							After 7/10/00
4	4278 662	1							SPACER
5	5507 6401	1							BUTTON, Rear View Mirror
6	6031 094	1							SCREW, Pan Head Tapping, .19- 16x.375
7	55076 403AB	1							MIRROR, Inside Rear View
8	55076 402AB	1							MIRROR, Inside Rear View, Electric
9	5534 6646	1							BACKLITE, Tinted
10	55346 644AF	1							BACKLITE, Sliding, Solar
11									GLASS, Backlite, Sliding
	5012 880AC	1							Right
	5012 881AC	1							Left
12	5011 532AA	1							CHANNEL, Sliding Backlite, Upper
13	5011 533AA	1							CHANNEL, Sliding Backlite, Lower
14	4773 094AB	1							LATCH, Sliding Window
-15	4864 015	1							INSTALLATION PACKAGE, Windshield Glass

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Aperture Panel Bodyside
Figure SBR-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									TAPPING PLATE, Side Pillar Hinge
	5527 4600	1							Right
	5527 4601	1							Left
2									PANEL, Body Side Aperture Rear
	5003 138AB	1							Right
	5003 139AB	1							Left
3									BRACKET, Aperture to Fender
	5527 5222	1							Right
	5527 5223	1							Left
4									PANEL, Roof Rail to A Pillar
	55275 282AB	1							Right
	55275 283AB	1							Left
5	4490 835AB	2							REINFORCEMENT, Shoulder Belt
6									PANEL, Quarter
	5527 4840	1							Right
	5527 4841	1							Left
7	4512 871AB	2							RETAINER, Door Lock Striker
8	5503 6334	2							EXHAUSTER, Quarter Panel
9	5525 6000	2							PLATE, Front Door Striker
10									SPACER, Door Latch Striker
	4520 289	AR							Gold
	5507 5483	AR							Silver
11	4520 288	2							STRIKER, Door Latch, Up to 10/26/00
12	4780 259	2							STRIKER, Door, After 10/26/99
13	6503 120	4							SCREW AND WASHER, Button Head Torx
14									BAFFLE, Body Side Hinge Pillar
	5527 5366	1							Right
	5527 5367	1							Left
15									BAFFLE, A Pillar
	5513 5346	1							Right
	5513 5347	1							Left
16									BAFFLE, B Pillar
	55134 858AB	1							Right
	55134 859AB	1							Left
17									PANEL, Quarter Inner
	5527 5284	1							Right,Upper
	5527 5285	1							Left,Upper
18									PANEL, Quarter Inner
	55275 294AB	1							Right,Lower


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Aperture Panel Bodyside
Figure SBR-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19	55275 295AB	1							Left,Lower
									GUSSET, Cowl Plenum To Cowl
									Side
20	55274 562AC	1							Right
	55274 563AC	1							Left
									SEAL, Body Side
	55275 508AA	1							Right
	55275 509AA	1							Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Quarter Panel
Figure SBR-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Box Side
	4856 376	1	1, 6		61				6 1/2 Foot Box, Right
	4856 377	1	1, 6		61				6 1/2 Foot Box, Left
	4856 380	1			62				8 Foot Box, Right
	4856 381	1			62				8 Foot Box, Left
2									PANEL, Box Side Outer
	5502 3618	1	1, 6		61				6 1/2 Foot Box, Right
	5502 3619	1	1, 6		61				6 1/2 Foot Box, Left
	55023 620AB	1			62				8 Foot Box, Right
	55023 621AC	1			62				8 Foot Box, Left
3									PANEL, Box Side, Dual Wheels
	4856 384	1			62				Right
	4856 385	1			62				Left
4									REINFORCEMENT, Quarter Rear
									Corner
	55274 806AB	1			61, 62				Right
	55274 807AB	1			61, 62				Left
5									DOOR, Fuel Fill
	55076 234AB	1	1, 2, 6, 7		61, 62				Dual Wheel
	55076 235AB	1			61, 62				Label, Unleaded Fuel Only
6									English
	4206 059	1							French
	4490 411	1							Label, Fuel, Diesel
7									BUMPER, Fuel Door
	4428 652	1							
8									
	5507 6327	2			61, 62				Dual Wheel
	5534 5963	2	3, 8		62				FENDER, Dual Wheel
9									Right
	5003 144AA	1	3, 8		62				Left
	5003 145AA	1	3, 8		62				SHIELD, Wheelhouse, Four Wheel
10									Drive
	5534 6010	2	6, 7		61, 62				BOLT, M6.3x22.80
-11									
	6502 871	32	3, 8		62				RIVET, M6.25x28 Black
12									STRIKER, Door Latch
	3420 1631	14	6, 7, 8						Up to 7/10/00
13									After 7/10/00
	5503 3171	2			61, 62				SCREW AND WASHER, Hex Head,
	55362 119AA	2			61, 62				M8-1.25x30
14									BOX, Pickup
	6100 576	2							
15									


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML, EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Quarter Panel
Figure SBR-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4874 783AB	1	1, 6		61				6 1/2 Foot Box
	4874 785AB	1			62				8 Foot Box
	4882 570AB	1			62				Dual Wheel, 8 Foot Box
16	5527 4780	2			61, 62				REINFORCEMENT, Box Side Right
	5527 4781	2			61, 62				Left
17	6503 735	18	3, 8		62				SCREW, Stake, M6x1x20
18	5534 4816	1			61, 62				BRACKET, Stop Lamp Right
	5534 4817	1			61, 62				Left
19	5534 5598	2	3, 8		62				EXTENSION, Wheel House, Dual Wheel
20	6503 259	2			61, 62				SCREW, Tapping, M6x1x20
-21	3420 2335	4			61, 62				FASTENER, M7.4 Christmas Tree, Reinforcement Boxside Outer SHIELD, Splash
22	5527 5260	1	3, 8		62				Up to 7/10/00, Right,Front
	5527 5261	1	3, 8		62				Up to 7/10/00, Left,Front
	5527 5262	1	3, 8		62				Up to 7/10/00, Right,Rear
	5527 5263	1	3, 8		62				Up to 7/10/00, Left,Rear
	55276 478AA	1	3, 8		62				After 7/10/00, Right,Front
	55276 479AA	1	3, 8		62				After 7/10/00, Left,Front
	55276 480AA	1	3, 8		62				After 7/10/00, Right,Rear
	55276 481AA	1	3, 8		62				After 7/10/00, Left,Rear
23	6503 267	40	3, 8		62				SCREW, Round Head, M6x1x25
24	6101 712	40	3, 8		62				NUT, U, M6x1
25									SCREW AND WASHER, Hex Head, M10x1.5x45
	6503 298	8			62				Up to 7/10/00
		6	1, 6		61				Up to 7/10/00
	6506 318AA	8			62				After 7/10/00
		6	1, 6		61				After 7/10/00
26	6502 780	16	3, 8		62				STUD, M6x1.0x18.0

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Roof Panel
Figure SBR-1110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5527 5322	1							HEADER, Roof Front
2	55275 316AC	1							ROOF, Inner
3	5502 3540	1							ROOF
4									PANEL, Roof Rail to A Pillar
	55275 282AB	1							Right
	55275 283AB	1							Left
5	55023 541AB	1							HEADER, Roof Rear
6	6030 441	2							PIN, Retainer



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Tailgate
Figure SBR-1310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5527 5016	1			61, 62				PIVOT, Tailgate
2	55274 833AC	1			61, 62				TAILGATE Dual Wheels
	55274 915AC	1			61, 62				
3									CABLE, Tailgate
	55345 124AB	1			61, 62				Right
	55345 125AB	1			61, 62				Left
4	5527 4842	2			61, 62				BUMPER, Tailgate
5	5527 4916	1			61, 62				PIVOT, Tailgate, Also Serviced in Tailgate
6									LATCH, Tailgate
	55275 484AA	1			61, 62				Right
	55275 485AA	1			61, 62				Left
7	55075 698AC	2			61, 62				ROD, Tailgate Handle to Latch
8									REINFORCEMENT, Box Side
	5527 5020	1			61, 62				Right
	5527 5021	1			61, 62				Left
9	55074 580AB	1			61, 62				HANDLE, Liftgate
-10	4658 674	1							CLIP, Latch Link
11									SCREW AND WASHER, Tapping, M6-1.0x20.0, M6x1.00x20.00, (NOT SERVICED) (Not Serviced)
12	6036 019AA	2			61, 62				SCREW
13	6036 018AA	2			61, 62				BOLT, Shoulder
14	6034 460	2			61, 62				STRIKER, Tailgate Latch, .375-16x1. 988
15									SCREW, .190-16x.500, (NOT SERVICED) (Not Serviced)
16	5527 4917	1			61, 62				PIVOT, Tailgate
17	55274 936AC	2			61, 62				BUSHING, Tailgate Pivot
18	5507 4751	1			61, 62				ESCUTCHEON, Tail Gate Handle
19	6025 351	4			61, 62				SCREW AND WASHER, Hex Head, .312-18x1.00

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1, 6 = 1500	61= Reg. Cab (118 WB)	EHC, EH0 = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ELF, EL0 = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DDP, DDX, DDC = 5 Spd. Manual
		65 = Reg. Cab (134 WB)	EWA, EW0 = 8.0L V10 .	DEE = 6 Spd. Manual
			EAA = All engines	DBB = All Manual Transmissions
			EAG = All gas engines	DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005